



CHENGLIRUITU MEDICAL/ EMERGENCY BROCHURE

程力锐途医疗/应急画册

程力沒车集团股份有限公司 CLW RUTOMOBILE GROUP CO.,LTD

◎ 湖北省随州市曾都区星光一路程力工业园 XingguangyiLuliindustrial Park, Zengdu District, Suizhou City, Hubei Province

中国高端专用车制造商 China's high-end special-purpose vehicle manufacturer

○ 1 ※ 企业简介

ENTERPRISE SPIRIT

湖北程力集团总部位于炎帝神农故里,编钟古乐之乡中国专用汽车之都湖北省随州市,是集汽车技术研发、汽车制造汽车改装、汽车零部件、金融、教育、置业投资为一体的多元化集团公司,程力汽车集团公司总部位于随州市曾都区程力汽车工业园。

程力集团下属核心企业有程力专用汽车股份有限公司、湖北大力专用汽车制造有限公司程力重工股份有限公司、程力新能源汽车制造股份有限公司、湖北程力置业投资有限公司、随州市经济开发区程力小额贷款有限公司、程力职业技术学院等组成。

Hubei Cheng li Group is headquartered in Sui zhou City, Hubei Province, the hometown of Yan di Shen nong, the home town of ancient music of chimebells, and the capital of special-purpose vehicles in China. It is a diversified group company integrating automobile technology research and developmentautomobile: manufacturing, automobile modification, automobileparts, finance, education, and rea estate investment. The headquarters of Chengli Automobile Group is Chengli Automobile industria Park, ZengduDistrict, Suizhou City. The core enterprises under Chengli Groupinclude Chengli Special Automobile Co. Ltd. Hubei Dali Special Automobile Manufacturing Co., Ltd., Chengli HeavyIndustry Co. Ltd., Chengli New Energy Automobile: Manufacturing Co., Ltd., Hubei Chengli Real Estate Investment Co., Ltd., Suizhou Economic Development Zone Chengli Microfinance Co., Ltd., Chengli Vocational and Technical College, etc.



程力专用汽车股份有限公司在国内国际市场占有重要份额。

产品有:各类洒水车、垃圾车、吸污车、扫地车、油罐车、化工车、清障车、高空作业车、消防车、救护车体检车、采血车、医疗车、伤残运送车、血浆运输车检测车、监测车、房车、商务车、售货车、工具车、流动服务车、指挥车、运兵车、防暴车、四车、勘察车、救险车等各系列800多个品种。是国内同行业中产品品种最多、生产资质全、生产设备、检测手段完备的专汽公司。

Chengli Special Purpose VehicleLtooccupies an important share in the domestic and international markets. Its products include: varioustypes of water sprinklers, garbage trucks, sewagesuction trucks, sweepers, oil tankers, chemicatrucks, tow trucks, aerial work trucks, fire trucks ambulances, physicalexamination vehiclesblood colection vehicles, medical vehiclesdisabled transport vehicles, plasma transportvehicles, testing vehicles, monitoring vehiclesRVs, commercial vehicles, sales trucks, toovehicles, mobile service vehicles, commandvehicles, troop carriers, riot control vehiclesprisoner vehicles, survey vehicles, rescue veniclesetc. There are more than 800 varieties in variousseries. It is a special vehicle company with themost product varieties, complete production qualifications, production equipment and testingmethods in the same industry in China



程力专用汽车股份有限公司拥有压力容器、随车起重机、汽车吊、消防车、国家武器装备科研生产资质。公司有100多个自主创新产品获得国家专利,其中"车载行水净化处理装置""供气照明消防车"等项目获得公技进步三等奖,有840多个"程力威"牌产品列入国家省长进步三等奖,有840多个"程力成"牌产品列入国家部长进步三等奖,有840多个"程力成"牌产品列入国家部份出口基地湖北省特种车辆改装应急保障动员中心。是国家经济动员办公室、总后勤部军需物资油料部认定的军用物资采购动员供应商。

Chengli Special Automobile Co.,Ltd.has the qualifications for the scientificresearch and production of pressure vessels, truckcranes, truck cranes, fre trucks, and national weapons and equipment. The company hasmore than 100 independent innovative productsthat have obtained national patents, amongwhich the " vehicle-mounted sewagepurification and treatment device" and"gas supply and lighting fire truck"projects have won the third prize for scientific and technological progress, and more than 840" Chengliwei " brand products havebeen included in the national announce mentcatalog. The companyis the provincialautomobile and parts export base recognized bythe People's Government of Hubei Province, and the Hubei Province Special VehicleModification Emergency Support MobilizationCenter.It is a military material procurementmobilization supplier recognized by the National Economic Mobilization Office and the MilitarySupplies and Oil Department of

2 » <mark>自录</mark> CONTENTS

Mobile Surgical Trolley	01	移动手术车
Mobile CT medical vehicle	03	移动CT医疗车
Mobile Medical Screening Van	05	移动医疗体检车
Medical waste decontamination vehicle	07	医疗废物消杀车
Square Cabin Hospital	09	方舱医院
Mobile Water Purification Truck	11	移动净水车
Kitchen wagon	13	炊事车
Emergency Accommodation Vehicle	15	应急保障宿营车
A laundry cart	17	被服洗涤车
Oil Storage Power Generation Vehicle	19	储油发电车
Communication Support Vehicle	21	通讯保障车
Mobile Toilet Van	23	移动厕所车
Personnel Transport Vehicle	25	队员运输车
Material Security Vehicle	27	物资保障车
The drainage rescue vehicle	29	排水救险车
Shower trolley	31	淋浴车
Command vehicle	33	指挥车
Medical Emergency	35	医疗急救
Mercedes Vito ambulance	35	奔驰威霆救护车
Ford ambulance	37	福特救护车
Chase ambulance	39	大通救护车
Iveco ambulance	41	依维柯救护车
Four-wheel drive ambulance	43	四驱救护车
Geely new energy ambulance	45	吉利新能源救护车
Foton ambulance	47	福田救护车
Iveco medical vehicle	49	依维柯医疗车
Hegecost medical van	51	海格考斯特医疗车
Mobile blood donation vehicle	53	移动献血车
Disabled carrier	55	伤残运输车
Iveco anti-riot personnel carrier	57	依维柯防暴运兵车
Military four-wheel drive ambulance	59	军用四驱救护车

Iveco emergency vehicle 61 依维柯抢险车

OS NTERPRISE VALUE

environmentally friendly, more worry-free, smarter and more convenient", we creatively develop products and services around customer needs.

满足"更安全、更环保、更无忧、更智能、更便捷" 等刚性需求的基础上,围绕客户需求创造性研发

产品与服务。On the basis of meeting rigid

demands such as "safer, more

程力集团旗下有独立子公司13个,拥有168个直属厂、专业厂、集团成员厂,集团公司经过16年时间跨越式发展,现有总资产近200亿元,占地面积3000亩,建筑面积120万多平方米,员工13000余人,其中技术类人员2000多人,技术工人6000余名。

Chengli Group has 13 independent subsidiaries and 168 directly affiliated factories, specialized factories and group member factories. After 16 years of leapfrog development, the group company now has total assets of nearly 20 billion yuan, covers an area of 3,000 acres, a construction area of more than 1.2 million square meters, and more than 13,000 employees, including more than 2,000 technical personnel and more than 6,000 skilled workers.



我们的使命: 成就拥车梦想,优化生活品质 Our mission: To realize the dream of owning a car and improve the quality of life



我们的质量理念: 以人为本, —丝不苟, 让用户更满意! Our quality concept: People-oriented, meticulous, to make users more satisfied!



我们的价值观: 讲究诚信,崇尚业绩,奉献社会 Our values: Honesty, performance, and dedication to society



我们的愿景: 成为最让人信赖的专用车企业 Our vision: To become the most trusted special vehicle company 将创新精神融入到产品的全生命周期,从开发、设计、制造、交付、售后到迭代升级,每个环节、每个细节都把持续创新作为工作的动力源泉。Integrate the spirit of innovation into the entire life cycle of the product. From development, design, manufacturing, delivery, after-sales to iterative upgrades, continuous innovation is used as the driving force of work in evilink and every detail.

主要面向国内外医疗卫生系统、部队、消防供应特种车辆,目前主要供应的车辆有:医疗车:移动中药房、负压救护车、医疗检测车(四级、二级、三级手术)、移动CT车(32/64/128排)、体检车(职业病、两癌筛查、妇科体检、远程诊疗、)、医疗冷链运输车、医疗接种车、医技车、DR检查车、消杀车、后勤保障车等。It mainly supplies special vehicles to domestic and foreign medical and health systems, troops, and fire departments. The main vehicles currently supplied include: medical vehicles: mobile Chinese medicine pharmacies,

health systems, troops, and fire departments. The main vehicles currently supplied include: medical vehicles: mobile Chinese medicine pharmacies, negative pressure ambulances, medical testing vehicles, P2+ mobile microbiology laboratories, field mobile operating vehicles (level one, level two, level three operations), mobile CT vehicles (32/64/128 rows), physical examination vehicles (occupational diseases, two cancer screening, gynecological physical examinations, remote diagnosis and treatment), medical cold chain transport vehicles, medical vaccination vehicles, DR inspection vehicles, disinfection vehicles, logistics support vehicles, etc.



WIN-WIN COOPERATION INNOVATIVE DEVELOPMENT



程力集团排名湖北省民营企业100强19位,入围中国民营企业500强。 湖北省国税局"全省国税百佳纳税人",湖北省"高新技术企业",湖北省" 守合同重信用"企业等荣誉称号;集团党委被评为"湖北省非公有制经济 双强百佳党组织";"程力威"洒水车被评为"湖北省名牌";"程力威"荣获 湖北省著名商标、中国驰名商标。Chengli Group ranks 19th among the top 100 private enterprises in Hubei Province and is among the top 500 private enterprises in China. It has been awarded the titles of " Top 100 Taxpayers in Hubei Province" by the Hubei Provincial State Taxation Bureau, " High-tech Enterprise" by Hubei Province, and " Contract-abiding and Credit-worthy Enterprise" by Hubei Province. The Party Committee of the Group has been named "Top 100 Party Organizations in Hubei Province \$\#39;s Non-public Economy"; "Chengliwei" sprinkler has been named "Famous Brand in Hubei Province"; "Chengliwei" has won the title of "Famous Trademark in Hubei Province" and " Well-known Trademark in China".

集团实力

GROUP STRENGTH



中国民营企业500强 第378位



中国制造业民营企业500强 第249位



湖北民营企业100强第10位



湖北民营企业制造业100强



程力威——中国驰名商标



国家高新技术企业证书



湖北省博士后程力专用汽车 股份公司创新实践基地



湖北省认定企业技术中心

集团荣誉 CORPORATE HONORS



全国"万企帮万村"精准扶贫 行动先进民营企业



全国就业与社会保障 先进民营企业



2012年度全国"安康杯" 竞赛优胜单位



全省非公有制企业 双强百佳党组织



湖北省优秀民营企业



湖北省科技型中小企业 成长路线图计划重点培育企业



武汉科技大学大学生 社会实践基地



中共随州市委、市政府 2023年度特别贡献企业



资质证书

QUALIFICATION CERTIFICATE



程力汽车集团股份有限公司 全国工业产品生产许可证



全国质量检验稳定合格产品



程力公司质量服务诚信AAA等级证书



质量管理体系认证证书 环境管理体系认证证书



两化融合管理 体系评定证书



安全生产标准化二级企业(机械行业)



程力专用汽车股份有限公司证书



应急通信优秀解决方案征集活动实用奖



售后服务持续改进 能力评价认证证书



体系认证证书

职业健康安全管理 体系认证证书



全国产品和服务质量诚信示范企业



程力公司重服务守信用AAA等级证书



企业信用等级证书AAA 重服务守信用企业AAA



诚信企业家荣誉证书



质量管理 体系认证证书

程力汽车集团全国销售网点分布图



程力国际贸易公司海外市场分布图

Overseas market distribution map of Chengli International Trading Company



移动手术车」 Mobile Surgical Trolley





把医院"搬"到现场

可覆盖多种医疗场景

机动性强

Bringing the hospital to the site

Strong mobility can cover a variety of medical scenarios


移动手术车是移动医院的核心单元,是医疗救援的手术室。配置综合手术床、手术无影灯及相关设备,安装供氧系统、空气层流净化装 置等辅助装置,手术室内达万级净化标准。它具有野外作业能力,主要用于重大灾难、自然灾害、突发事故的损伤控制、轻伤处理、外科手 术以及边远山区的巡回医疗援助和全民健康体检。The mobile operating vehicle is the core unit of the mobile hospital and the operating room for medical rescue. It isequipped with a comprehensive operating bed, operating shadowless lamp and related equipment, and installed with auxiliarydevices such as oxygen supply system and air laminar flow purification device. The operating room reaches the 10,000-level purification standard. It has the ability to operate in the field and is mainly used for damage control of major disasters, natural di.sasters, sudden accidents, minor iniury treatment, surgical operations, and mobile medical assistance in remote mountainous areas and health examinations for the whole population.











产品特点

◎ 高效便捷 Efficient and convenient

采用全国首创工作消杀隔离舱,有效的管控环境温度、工作区域的无菌管理。

The country's first work disinfection isolation cabin isused to effectively control the ambient temperature and sterilemanagement of the working area.

◎ 配置齐全 Full Configuration

配置多功能手术床、无影灯、麻醉呼吸机、除颤仪、多参数监护仪等相关医疗设备为野外手术作业提供有力的保障。

Equipped with multi-functional operating beds, shadowless lamps, inhaler ventilators, defibrillators, multi-parameter monitors and other related medical equipment, it provides strong support for field surgical operations.

◎ 抓住"黄金急救期" Seize the "golden emergency period"

从急救医学角度而言,受伤后半小时是"黄金急救期"。而"移动医院"手术车的启用,有望大幅提高病人抢救成功概率。

From the per-spective of emergency medicine, half an hour after injury is the equot; golden emergency period equot;. The use of the equot; mobile hospital" operating vehicle is expected to greatly in-crease the probability of successful rescue of patients.

	移	动手术车Mobile Surgio	cal Trolley
底盘名称 Vehicle chassis	载货汽车底盘 Truck chassis	外形尺寸 (mm) Dimensions	11500x2550x2850
整备质量(kg) curb Weight	8500	轴距 (mm) Wheelbase	5775+1400
燃料种类 Fuel Type	柴油 diesel fuel	排放标准 Emission standards	GB17691-2018国VI

移动CT医疗车 Mobile CT medical vehicle



5G+匠心智造

5G+Craftsmanship

配置先进


保障医疗工作稳步开展

Advanced configuration ensures steady progress of medical work

车型简介 Vehicle Profile

移动CT医疗车是疫情防控的重要武器,在应急救灾重大传染病事件中发挥着重要作用。CT医疗车有着较强的机动性。灵活性、有效性,可以迅速移动到任何地点,且安全地获取新型冠状病毒肺炎CT影像,大幅提升确诊的准确率和传染病的救治能力。

Mobile CT medical vehicles are an important weapon in epidemic prevention and contro, and play an important role in emergency rescueof major infectious diseases, CT medical vehicles have strong mobility, fiexibility, and effectiveness, They can be quickly moved to any location and safely obtain CT images of new coronavirus pneumonia, greatly improving the accuracy of diagnosis and the ability to treat infectious diseases.









产品特点 Product Features



◎安全可靠 Safe and reliable

全方位立体六面铅防护,负压仓设计、专业消毒装置有效避免病毒传播,保护医护人员安全。

All-round three-dimensional six-sided lead protection, negative pressure chamber design, and professional disinfection equipment effectively prevent virus transmission and protect the safety of medical staff.

◎配置齐全 Configure Full

配备CT专用逆变电源,仅需220V市电即可完成扫描;拥有专用电源储能系统,实现24小时不间断运行。

Equipped with a CT-specific inverter power supply, it only needs 220V ACpower to complete the scan; it has a dedicated power storage system to achieve24-hour uninterrupted operation.

◎数据无线对接 Wireless data connection

5G影像数据传输、远程云端影像诊断系统、实时回传数据信息、智能远程会诊,更快更准时的智能诊断。

Equipped with a CT-specifc inverter power supply, it only needs 220V AC power to complete the scan; it has a dedicated power storage system to achieve24-hour uninterrupted operation.

	移动(T医疗车 Mobile	CT Medical Vehicle
底盘名称 Vehicle chassis	厢式运输车底盘 Vantruck chassis	外形尺寸 (mm) Dimensions	8830,1170x2550x3980(mm)
发动机排量(ml) Engine displacerent	6870	发动机功率(kw) Engine power	202
燃料种类 Fuel Type	柴油 diesel fuel	轴距(mm) Wheelbase	3875+1400,4274+1400,4575+1400,4975+1400 5375+1400,5775+1400,5975+1400
排放标准 Emission standards	GB17691-2018国VI	整备质量(kg) curb Weight	10250

移动医疗体检车」 Mobile Medical Screening Van



健康 从呵护开始

移动健康驾驭未来 Mobile health drives the future



移动医疗体检车是为医疗行业设计可以满足常规体检、治疗、应急医疗救援等功能的专用车辆。它采用空间利用率较高的底盘改装, 车内空间布局合理,功能齐全。移动医疗体检车以其特有的灵活性大大刺激了医疗单位的需求,形成了上门医疗服务、组建医疗队下乡、遇 有突发事件短时间建立应急医疗预案等模式。

The mobile medical examination vehicle is a special vehicle designed for the medical industry that can meet thefunctions of routine physical examination, treatment, emergency medical rescue, etc, lt adopts a chassis modification with high spaceutilization rate, reasonable interior space layout and ful functions. The mobile medical examination vehicle has greatly stimulated thedemand of medical units with its unique flexibility, forming a model of door-to-door medical services, forming medical teams to go to the countryside, and establishing emergency medical plans in a short time in case of emergencies









产品特点 Product Features





Efficient and convenient

人性关怀 细致入微

超大空间:实现最大级别中巴车的最长纵向距 离,客舱内部高度达到80mm,能够为乘客提供 同级中巴最宽敞内部乘坐空间。

Extra-large space: It has the longest longitudinal distance among the larg-estclass minibuses, and the interior height of the cabin reaches 1980mm, which can provide pas.sengers with the most spacious interior riding space among minibuses of the same class.



Powerful power, high energy efficiency

澎湃动力 高效节能

高效大马力发动机、优化电控系统、集成节油、 巡航等电控功能,能量的传递效率更高。Highefficiencyand powerful engine, optimized electronic control system, integrated fuel saving, cruise and otherelectronic control functions, higher energy transfer efficiency.



Improvement of physical examination information management system

体检车内配置有线局城网和无线网,可实现B 超、心电图、DR、纯音电测听等体检结果数据自 动汇总,信息回传实现远程会诊。The physical examination vehicle is equipped with wired local area networkand wireless network, which can automatically summarize the physical examination results suchas Bultrasound, electrocardiogram, DR, pure audiometry, etc., and transmit information back torealize remote consultation.

技术参数 Technical Specifications

移动医疗体检车 Mobile Medical Screening Van			
底盘名称 Vehicle chassis	客式运输车底盘 Passenger transport wenicle chassis	外形尺寸 (mm) Dimensions	12000x2550x3600,3690(mm)
发动机排量(ml) Engine displacerent	7698	发动机功率(kw) Engine power	243
燃料种类 Fuel Type	柴油 diesel fuel	轴距 (mm) Wheelbase	6300
排放标准 Emission standards	■VI	整备质量(kg) curb Weight	15000,16000,17200

(Ø 05

医疗废物消杀车」

MMedical waste decontamination vehicle



处理医疗废物方式灵活

lexible ways to handle medical waste

可实现医疗废物就地处理 减少运输风险

It can realize on-site treatment of medical waste and reduce transportation risks



医疗废物消杀车采用严苛的WCM管理体系,确保产品开发、供应链、制造、质保、IT五大体系的可靠性,搭载的医疗废物高温蒸汽处理站包括高温蒸汽处理单元。提升单元及破碎单元等,医疗废物处置后的灭菌率达99.999%,有效解决抗疫医疗战线的"后顾之忧"。可作为区域性应急备用设施,解:决医疗废物处置中心设备检修期间的应急处需问题。

The medical waste disinfection vehicle adopts a strict WCM management system to ensure the reliablity of the five major systems olproduct development, supply chain, manufactuning, quaity assurance, and IT. The medical waste hich-temperature steam treatment station equipped indudes a high-temperature steam treatment unit, a ifting unit and a crushing unit. The sterlization rate of medical waste after disposalreaches 99.99%, effectively solving the &lquotworries &lquot, of the anti-epidemic medical front It can be used as a regional emergency backup facility to sove the emergency disposal problem during the equipment maintenance of the medical waste disposal center.










产品特点 Product Features



◎品质可靠 工艺领先 Product Quality Relying on craftsmanship collar first

领先的重卡生产线+先进的造车工艺+严格的品控体系造就了卓越的产品品质。 Leadingheavy truck production line + advanced vehicle manufacturing technology + strictquality control system create excellence product quality.

◎动力澎湃 强劲持久 move Power Strong strength hold Long

该款发动机采用四气门、高压喷射、电控标定、增压中冷、SCR后处 理等先进技术,保证了该车能高时效性的完成医废消杀工作。

Thisengineuses four valves, high pressure injection, electronic control calibration, turbocharger intercooler, SCR post-treatment Advanced technologies such as waste management ensure that the vehicle can complete themedical waste disinfection work in a timely manner .

◎通过性佳 转向灵活 Pass Pass sex good Steering spirit live

精悍灵巧的车身在满足高负载量的同时,也保障了良好的通过性和灵活性,使得该车能在各个医院及时高效的完成医废消杀时的转场停靠工作。

The compact and agile vehicle body notonly meets the high load capacity, but also ensures good passability and flexibility, al-lowing the vehicle to complete the transfer of medical waste disinfection in varioushospitals in a timely and efficient manner.Docked work

技术参数 Technical Specifications

	医疗!	<mark>変物消杀车</mark> Medica	al waste decontamination vehicle
底盘名称	重汽豪沃重载车	外形尺寸(mm)	9500x2455x3900(mm)
Vehicle chassis	Engine displacement	Dimensions	
发动机排量(ml) Engine displacerent	1997	发动机功率(kw) Engine power	
燃料种类	汽油	轴距(mm)	5305
Fuel Type	gasoline	Wheelbase	
排放标准	国VI	整备质量(kg)	10000
Emission standards	National VI	curb Weight	

08 \bigcirc

方舱医院」

Square Cabin Hospital

机动性好、模块化组合展开部署快、救治功能范围广


Good mobility, fast deployment of modular combination and wide range of rescue functions



车型简介 Vehicle Profile

方舱医院采用双向三级拓展,到达目的地后2小时内即可开展医疗救护工作。多级拓展移动方舱医院平台具有检测、检查、隔离与治疗等功能,平台各功能区具备相对独立密封的空间,公共区域设置有消毒灭菌区、缓中区,各功能区,能实现压差控制,可根据需要对压差值进行调节,舱内搭载CT机、手术机、P2生物安全实验室、治疗设备等,可称得上是一个浓缩可移动式的"三甲医院"。

The cabin hospital adoots a wo-way threeievel exoansion, and medical rescue work can be criied out within 2 hours after ariving at the desination. The multi-level expansion mobile cabin hospital platform has functions such as detection ,inspection, isolation andtreatment. Each funcional area of the platform has a relatively independent and sealed space. The pubic area is equipped with a disinfecion and sterlization areaand a bufer zone, Each funcional area can achieve presure diference contro, and the pressure diference value can be adjusted as needed. The cabin is equipped with a CT machine, an operating machine, a P2 biosafetylaboratory , treatment equipment, etc, lt an be caed a concentrated and movable &uotGrade 3A hospital".



产品特点 Product Features





Fast construction 建成快

迷你三甲医院2小时快速就位

Mini tertiary hospital was quickly put in place within 2 hour

02

Emergency communications 应急通信

5G 系统助力"第一时间"远程 问诊与会议指挥

5G The system helps remote Consultation and meeting direction



Changeable 可变身

模块化设计满足多场景多行业 使用需求

Modular design meets multi-ple scenarios and industries Usage Requirements



个人移动接入















协作医疗机构

Ø 09

移动净水车」 Mobile Water Purification Truck




满足多人生活用水和直饮水要求

车型简介 Vehicle Profile

移动净水车,也叫车载式(移动)水处理设备。它由汽车载体和水处理设备组成。是一种移动方便,灵活,独立的净水系统。移动净水车的净 化水部分采用膜处理技术,主要用于自来水等水源的净化处理,能满足多人的生活用水及直饮水要 求;为移动医院各方舱提供净化水、热水、 污水处理及排放作用;给野外移动医院提供生活供水保障和医用用水保障。

Mobile water purification vehicdle, also caled vehicle-mounted (mobile) water treat-ment equipment. It consists of a vehicle carier and water treatment equipment, It is a mobile, flexible and independent water purificationsystem, The water purification part of the mobile water purification vehicle adopts membrane treatment technology, which is mainly used for the purification of tap water and other water sources, and can meet the living water and direct drinking water requirements of multiple peopleprovide purified water, hot water, sewage treatment and discharge for each cabin of the mobile hospita; provide iving water supply and medical water quarantee for the field mobile hospital.









产品特点 Product Features



Stable water production, not easy to clog and easy to operate 产水稳定,不易堵塞 操作简单



Selt-contained geperator and power pump, no external power required 自备发电机和动力泵

无需外接电源



能够适应源水水质 复杂的环境

Able to adapt to environments with complex source water quality



制水模式 Excellent water quality, two water pro-duction modes available



而且具有减震措施 The overall vehicle layout is reasonable and has shock-absorbing measures.

	移	动净水车 Mobile Wa	iter Purification Truck
底盘名称	载货汽车底盘	外形尺寸(mm)	7940x2500x3030,2850,3100(mm)
Vehicle chassis	Truck chassis	Dimensions	
发动机排量(ml) Engine displacerent	2977	发动机功率(kw) Engine power	125
燃料种类	柴油	轴距(mm)	3300
Fuel Type	diesel fuel	Wheelbase	
排放标准	国V	整备质量(kg)	5350,5600,5800
Emission standards	National VI	curb Weight	

炊事车



流动性强

strong liquidity


完全满足在各种突发事件情况下 人们的餐饮保障

Fully meet people's catering needs invarious emergencies

车型简介 Vehicle Profile

炊事车专用于提供野外餐饮保障,提高野外执行任务保障能力。广泛适用于军队、公安特勤、消防、医疗卫生、抢险、应急救援等多种用途。车内配置齐全,完全满足在野外抢险救援、医疗救护、救灾、突发事件等情况下执勤人的餐饮保障用途。

The cooking car is specially used to provide outdoor catering support and improve the ability to support outdoor missions. it iswidely used in the military, public security special services, firefighting, medical and health care, emergency rescue, and other purposes. The car is fully equipped to fully meet the catering support needs of on-duty personnel in outdoor rescue, medical rescuedisaster relief, and emergencies.









产品特点 Product Features



◎安全可靠 Safe and reliable

保温隔热厢体合理划分为蒸饭区,烹饪区、洗涤区,切菜区,调和区,餐具储存区,冷冻储藏区,可充分保障野外炊事需求。

The thermal insulation compartment is rea-sonably divided into rice steaming area, cooking area, washing area, vegetablecutting area, blending area, tableware storage area, and frozen storage area, which can fully meet the needs of outdoor cooking.

◎配置齐全 Configure Full

使用耐久性好,整车及全套机械运作机构均按照专业标准设计制作,能适应 各种恶劣环境地行驶和高强度地使用。

It has good durability. The whole vehicle and the com-plete set of mechanical operating mechanisms are designed and manufacturedaccording to professional standards and can adapt to driving in various harshenvironments and high-intensity use.

◎空间利用率高 High space utilization

本车具有机动性强、操作方便、使用可靠、热效率高,保温效果好等特点,适应 全天候作业,可满足公安、特警、消防执行特殊任务的后勤保障需求。

It has good durability. The whole vehicle and the complete set of mechanical operating mechanisms are designed and manufactured according to professional standards and canadapt to driving in various harsh environments and high-intensity use.

技术参数 Technical Specifications

		炊事车 Kitchen w	agon
底盘名称	载货汽车底盘	外形尺寸(mm)	9780x2540x3800(mm)
Vehicle chassis	Truck chassis	Dimensions	
发动机排量(ml) Engine displacerent	6870	发动机功率(kw) Engine power	202
燃料种类	柴油	轴距(mm)	3800,4200,4500,4700,4800
Fuel Type	diesel fuel	Wheelbase	4900,5000,5200,6050
排放标准	国VI	整备质量(kg)	13670,13605
Emission standards	National VI	curb Weight	

_______ Ø 13

应急保障宿营车」 Emergency Accommodation Vehicle




机动灵活 可靠性高

舒适的就寝环境 齐全的卫生设施

车型简介 Vehicle Profile

应急保障宿营车主要由重汽豪沃二类汽车底盘、宿营方舱、宿营设施,空气调节系统、淋浴系统、水路系统、电气系统 等组成,具有舒 适的就寝环境及齐全的卫生设施。整车改装设计符合国家对汽车设计改装的相关要求;在保证运载工具行 驶安全的前提下,充分利用汽 车底盘的有效载荷及底盘尺寸;能满足车载设备安装、运行和人员工作、生活需求。

The emergency support camping vehicle is mainly composed of Sinotruk HOWO Class Il automobile chassis, camping cabin, camping facilities, air conditioning system, shower system, water system, electrical system, etc, with a comfortable sleeping envi.ronment and complete sanitary facilities, The whole vehicle modification design meets the relevant national requirements for automoble design and modification, on the premise of ensuring the driving safety of the vehicle, the efective oad and chassis size of the vehicle chassis are fully utilized; it can meet the instalation, operation and work and life needs of vehicle-borne equipment.









产品特点 Product Features



◎布局合理 Reasonable layout

车厢采用钢骨架钢蒙版结构,骨架间进行聚氨酯发泡保温处理,在保证车体强度提高 的同时大大提高了车体的保温性能。

The car body adoptsasteel frame and steelmask structure, and polyurethane foam insulation treatment is performed be tween the frames, which greatly improves the thermal insulation performanceof the car body while ensuring the strength of the car body is improved.

◎适应性强 Highly adaptable

车内配置齐全,完全满足在野外抢险救援、医疗救护、救灾、突发事件等情况下8-24人

The vehicle is fully equipped to accommodate 8-24 people for camping in situations such as outdoor rescue, medical care, disaster relief, and emergencies.

◎操作简捷 Easy to operate

厢体左右两侧设计有拓展舱,可自动/手动模式操作,拓展空间大。

There are expansion compartments designed on the left and right sides of thecompartment, which can be operated in automatic/manual mode and providelarge expansion space.

	应急	保障宿营车 _{Emerge}	ency Accommodation Vehicle
底盘名称	厢式运输 <mark>车底盘</mark>	外形尺寸(mm)	10730,10330x2550x3980(mm)
Vehicle chassis	Van chassis	Dimensions	
发动机排量(ml) Engine displacerent	6870	发动机功率(kw) Engine power	202
燃料种类	柴油	轴距(mm)	5800,6100,6300,6800,5600,7100
Fuel Type	diesel fuel	Wheelbase	
排放标准	国VI	整备质量(kg)	17870,17805
Emission standards	National VI	curb Weight	

被服洗涤车」

A laundry cart



自动化设计

Automated design


全程一键控制 满足多种衣物洗烘需求

One-touch control throughout the entire process to meet a variety of clothing washing and drying needs

车型简介 Vehicle Profile

被服洗涤车主要负责一线指战员被服洗涤工作,保证抗战在一线消防指战员能穿上干、净且整洁的衣物。这是一款结合洗涤设备特点,量身打造了适合应急救援多种服装洗涤罍求的装备,被服浩洛车由方舱枪体,洗衣系统、干衣系统、热源系统、给排水系统、车载发电系统、电气控制系统等构成。集洗衣,洪干、挂汤等多功能于一体能满足一小时能洗涤50ke(50套)干重被服:40~55分钟烘干50kg(50套)干重的被服需求。

The beding washing vehicle is mainly responsible for washing bedding for frontline officers and soldiers, ensuring that the frontine firefighters can wear dry, clean and tidy clothes. This is a device that com-bines the characteristics of washing equipment and is talored to meet the washing needs of various emergency rescue clothing. The bedding wash.ing vehicle consists of a cabin, a washing system, a drying system, a heat source system, a water supply and drainage system, an on-board powergeneration system, an electrical control system, etc, it integrates washing, dnying, ironing and other funcions, and can meet the needs of washing 50ke (50 sets) of dry weight bedding in one hour and drying 50 kg (50 sets) of dry weight bedding in 40 to 55 minutes.





产品特点 Product Features



◎功能强大 Powerful

具备发电、供水、污水收集、照明等自我保障能力,集洗脱、烘干等多功能于一体。 It has self-protection capabilities such as power generation, water supply,sewage collection, and lighting, and integrates multiple functions such aswashing and drying.

◎操作方便 Easy to operate

全程一键控制,自动选择洗涤参数,满足多种衣物洗烘需求,车辆还装备了静音发电机和静音水泵,能有效降低工作噪声。

The whole process is controlled by onebutton, and washing parameters are automatically selected to meet theneeds of washing and drying various clothes. The vehicle is also equippedwith a silent generator and a silent water pump, which can effectively

◎适应性强 Highly adaptable

车辆拥有舒适的工作环境,适用于大规模、长时间、远距离、高频次 的应急救援和演练的后勤保障。

The vehicle has a comfortable working environment and issuitable for logistical support for large-scale, long-term, long-distance, and high-frequency emergency rescue and drills.

技术参数 Technical Specifications

被服洗涤车 Linen washing car			
底盘名称	载货汽车底盘	外形尺寸 (mm)	8600x2500x3660(mm)
Vehicle chassis	Van chassis	Dimensions	
发动机排量(ml) Engine displacerent	4500	发动机功 <mark>率(kw)</mark> Engine power	180
燃料种类	柴油	轴距(mm)	5000
Fuel Type	diesel fuel	Wheelbase	
排放标准	国VI	整备质量(kg)	13200
Emission standards	National VI	curb Weight	

— Ø 17

储油发电车」

Oil Storage Power Generation Vehicle




噪音低、排放性好

.ow noise, good emissior

操作简便、排放性好、维护性好 能很好的满足户外作业和应急供电需要 Easy to operate, good emission and maintainability, it can well meet the needs of outdoor operations and emergency power supply

车型简介 Vehicle Profile

电源车可称为移动电源车、应急电源车、充电车。多功能应急电源车是在定型的二类汽车底盘上加装厢体及发电机组和电力管理系统的专用车辆,主要用于如果停电将会产生严重影响的电力、通信、会议、工程抢险和军事等场所,作机动应急备用电源。电源车具有良好的越野性和对各种路面的适应性,适应于全天候的野外露天作业,而且能在极高、低温和沙尘等恶劣的环境下工作。具有整体性能稳定可靠、操作简便、噪音低、排放性好、维护性好等特点,能很好的满足户外作业和应急供电需要。湖北程力专用汽车股份有限公司电源车厂拥有专业的应



急电源车技术团队,从业经验均超过5年,可根据客户应用需求量身定制车型方案,满足实际使用中的各项需求。我司提供20kw-2000kw的全系列应急电源车产品,厢体长度盖3.50m-9.50m。

Power supply vehicles can be called mobile power supply vehicles, emergency power supply vehicles, charging vehicles. Multi-functional emergency power supply vehicle is a special vehicle that is equipped with a car body and generator set and power management system on the chassis of the type II car, mainly used for power, communication, conference, engineering emergency and military places that will have a serious impact if the power failure, as a mobile emergency backup power supply. The power vehicle has good off-road and adaptability to various roads, is suitable for all-weather outdoor operation, and can work in extremely high, low temperature and sand and other harsh environments. It has the characteristics of stable and reliable overall performance, easy operation, low noise, good emission and good maintenance, and can well meet the needs of outdoor operations and emergency power supply. Hubei Chengli Special Automobile Co., Ltd. power plant has a professional emergency power vehicle technical team with more than 5 years of experience, which can customize the model plan according to the application needs of customers to meet the needs of actual use. Our company provides a full range of 20kw-2000kw emergency power vehicle products, body length cover 3.50m-9.50m.







产品特点 Product Features

◎移动性强 综合功能较多

Strong mobility and many comprehensive functions

储油发电车发电机组机动性高、重心低制动安全、制造精良、外形美观。

Oil storage generator set has high mobility,Heavy Heart Low, move Safety, good manufacturing, good ap-pearance Beautiful

◎降噪处理 隔音效果好

requirements of noise reduction.

吸音挡板作降噪处理,结构简单,既能最大 限度保证机组的有效进排风量,又能满足降 低噪声的要求。

Thesound-absorbing baffle is used fornoise reduction and has a simplestructure. It can both maximize the effective air intake and exhaust volume of the unit and meet the



◎性能优越 野外使用能力强劲

performance excellent Off-road outside make Use Strong ability strength

The oil storage generator has goodoffroad performance and can with-stand various The adaptability of theroad surface is suitable for all-weatherwild Outdoor work.

◎机组减震 具有较高的承载能力

The unit shock absorption has a higher load-bearing cap 储油发电车选用 由专利技术制造的 橡胶减

震垫进行减震。

The oil storage genera-tor uses rubber shock-absorbing pads made with patented technology for shock absorption.

技术参数 Technical Specifications

	储	油发电车 Oil Storage	Power Generation Vehicle
底盘名称	载货汽车底盘	外形尺寸(mm)	7160x2370x3500,3600(mm)
Vehicle chassis	Van chassis	Dimensions	
发动机排量(ml) Engine displacerent	2977	发动机功率(kw) Engine power	125
燃料种类	柴油	轴距(mm)	3800
Fuel Type	dieselfuel	Wheelbase	
排放标准	国VI	整备质量(kg)	8150,8085
Emission standards	National VI	curb Weight	

20 Ø

通讯保障车」 Communication Support Vehicle



- 车厢的环境布置简洁、舒适
- The environment of the carriage is simple and comfortable 自动化管理和控制体系
- Automated management and control system


 系统可靠性高整车布局合理

- 国际先进水平的尖端技术
- 系统操作简便,易于管理系统的功能和组成



通讯保障车结合了地面移动终端(执法仪),将移动执法终端通过IOT采集危险源数据、移动执法终端和执法记录仪的采购数据全部可 以实时上传云端。该车是一个快速反应的通信系统与信息系统有机集成的平台,能综合各种应急服务资源,统一指挥联合行动,为公民提供 快速、及时的应急救助服务,为社会公共安全提供强有力的保障。

The communicationsupport vehicle combine!the ground mobile terminal(law enforcement device,collects the dangerous source data through the mobile law enforcement terminal throughloT, and the purchase data of the mobile law enforcement terminal and the law enforcement recorder can a be uploaded to the cloud in real time. The vehicle is a platform that integrates the rapid response communication system and information system.t can integrate various emer-gency service resources, unity command, and jointly act to provide citizens with fast and timely emergency rescue services and provide strong pro.tection for social public safety.









产品特点 Product Features



◎集成智能科技 多种通信保障

set become wisdom able division Many skills kind Pass letter Assure

集成LTE基站通信、卫星通信、多网融合通信等智能安全通信系统,满足移动办公、指挥

Integrates LTE base station communication, satellite communication, multinetwork fusion communication and other intelligent securitycommunication systems. Meet the needs of mobile office, command and dispatch.

◎一体化指挥调度平台

One change refer to Wave Tune Spend platform

数据分析管理及存储互传,可为现场管理人员、保障人员等提供信息 化综合调度管理 可进行四方通话和远程指挥操控。

Dataanalysis management and storage andtransmission can provide information for on-site managers, security per-sonnel, etc.lt can realize comprehensive dispatch management, four-waycommunication and remote command and control.

◎扩展智能集中控制 方舱一键展开

Expand exhibition wisdom able concentrated control system Cabin One key exhibition open 整车设备控制系统智能集中控制,方便快捷、统一操作管理,采用先进的扩展方舱技术, 快速形成一个移动应急指挥平台。

The whole vehicle equipment controlsystem is intelligently centralized, which is convenient, fast and unified inoperation and management. Advanced expansion cabin technology quicklyforms a mobile emergency command

	通	值信保障车 Communicat	ion Support Vehicle
底盘名称	载货汽车底盘	外形尺寸 (mm)	11500x2550x2850(mm)
Vehicle chassis	Van chassis	Dimensions	
发动机排量(ml) Engine displacerent	6870	发动机功率(kw) Engine power	228
燃料种类	柴油	轴距 (mm)	5775+1400
Fuel Type	dieselfuel	Wheelbase	
排放标准	国VI	整备质量(kg)	8500
Emission standards	National VI	curb Weight	

移动厕所车 Nobile Toilet Van



配置齐全实用


Configuration is fully practical

人性化的设计 达到服务功能的最大化 Humanized design to maximize service functions

车型简介 Vehicle Profile

移动厕所车是根据流动市民需求特别研发设计改装成的环保移动公厕。此车内部配置齐全实用,整车采用成熟、环保、稳定、节能的先进技术工艺和材料,标准化的卫生间布局和设施配置,达到服务功能的最大化。在提高了用厕环境和方式的同时,增加了厕所的可移动性和便捷性,使用起来更简便和人性化。

Mobile toilet trucks are environmentally friendly mobile public toilets specially developed, designed and modified according to the needs of mobile citizens. The internal configuration of this vehicle is complete and practical. The entire vehicle adopts mature, environmentally friendly, stable, and energy-saving advanced technology and materials, and has standardized bathroom layout and facility configuration to maximize service functions. While improving the environment and methods of using the toilet, it also increases the mobility and convenience of the toilet, making it easier and more user-friendly to use.










产品特点 Product Features



◎性能可靠 Reliable performance

高标准、科学改装,保证车辆具有优良可靠性能。

High standards and scientific modification ensure that the vehicle has excellent reliability

◎安全环保 Integrated command and dispatch platform

所有胶、漆、板材全部采用环保材料,保证车内环境质量。 All glues, paints and panels are made of environmentally friendly materials toensure the quality of the in-vehicle environment.

〇科学配重 Scientific weight

高标准、科学改装,保证车辆具有优良可靠性能。 High standards and scientific modification ensure that the vehicle has excellentreliability

技术参数 Technical Specifications

	移	动厕所车 Mobile Toil	et Van
底盘名称 Vehicle chassis	EQ1125SJ8CDC	外形尺寸(mm) Dimensions	7350x2250x3500(mm)
发动机排量(ml) Engine displacerent	4000	发动机功率(kw) Engine power	125
燃料种类 Fuel Type	柴油 diesel fuel	轴距(mm) Wheelbase	3800,3950
排放标准 Emission standards	国VI National VI	整备质量(kg) curb Weight	5905

24 6

队员运输车」

Personnel Transport Vehicle



"双十"动力总成

"pair Ten" movement Total become

搭载升级版的第四代 2.3TEcoBoost®发动机 全新10速手自一体变速器 尽享7.6秒破百的速度与激情

Equipped with an upgraded fourth-generation

2. 3 TE co Boost ® machine

New 10-speed manual Self One body speed change Device

Enjoy 7.6 seconds The speed of breaking 100 Stimulate Affection

车型简介 Vehicle Profile

队员运输车主要用于医疗人员的运输,有效地解决前线医护人员的出行难题,充当起挽救生命的"动脉"。

队员运输车标配的12.8英寸中控大屏,采用了SYNC+2.0智行信息娱乐系统。仪表采用了全波晶模式,可以根据运动、经济、雪地模式 更换相应的主题方向盘支持四向电动调节,多功能按键包含多媒体控制、自适应巡航与语音识别功能。为 前线医护人员提供了最及时、 最安全的乘车条件,助力抗疫保障工作高效运转。

The team transpot vehicle is mainly used for the transportation of medical personnel, effectively solving the travel dificulties of frontinemedical staff and acting as the "atery" to save lives. The team transport vehicle comes standard with a 12.8-inch central controlscreen, which uses the SYNC+2.0 inteigent infotainment system. The instrument adopts a full LcD mode, and the coresponding theme can be changed according to the sports, economy, and snow modes. The steering wheel supports four-way electric adjustment, and the multi-function buttons include multimedia control, adaptive cruise and voice recognition functions. it provides the most timely and safest riding conditions folfrontline medical staff, helping to ensure the efficient operation of anti-epidemic work.









产品特点 Product Features



◎行政级车身尺寸 Administration class Vehicle size

通过性、动力性好,可以在小街窄巷中自由穿行,轻松适应高架桥、隧道等复杂路况。 It has good trafficability and power,can travel freely in small streets and narrowalleys,and can easily adapt to complex roads such as viaducts and tunnels.Mixed road conditions.

◎智能语音识别 wisdom able Voice recognition Don't

全系标配SYNC®+智行信息娱乐系统,实现服务、娱乐、智能导航、通讯、车温、座椅氛围灯以及智能家居互联等8大功能声控,让驾驶也充满温度。

The entire series isequipped with SYNC®+ intelligent infotainment system as standard, which pro-Vides services, entertainment, smart navigation, communication, vehicle tem-perature, Voice control of 8 major functions including seats, ambient lights and smart home interconnection makes driving full of warmth

◎全速段自适应居中巡航Complete speed part Self suitable answer Center patrol Air

全系标配L2级Co-Pilot 360TM智行驾驶辅助系统,更有ESA紧急转向辅助等多项智能驾驶辅助配置,让各种场景驾驶都气定神闲。

All models are equipped with L2Co-Pilot 360TM intelligent driving assistance system as standard, and ESAemergency steering assistance, etc. Multiple intelligent driving assistance con-figurations allow you to drive calmly in various scenarios.

技术参数 Technical Specifications

	FJ.	员运输车 Personnel	Transport Vehicle
底盘名称	乘用车	外形尺寸(mm)	5075x2004,2020x1778,2230(mm)
Vehicle chassis	Passenger Cars	Dimensions	
发动机排量(ml) Engine displacerent	2261	发动机功率(kw) Engine power	203
燃料种类	汽油	轴距(mm)	3025
Fuel Type	gasoline	Wheelbase	
排放标准	国VI	整备质量(kg)	2130,2200,2260
Emission standards	National VI	curb Weight	

26 \odot

物资保障车」

Material Security Vehicle



秉承以车代库 制造理念 解决医用物资装备的运输问题

Adhering to the manufacturing concept of using cars instead of warehouses
Solve the transportation problem of medical supplies and equipment

车型简介 Vehicle Profile

物资保障车是为了发生重大突发公共事件的紧急医疗救援的现场使用,在伤病员较多、救护车物品不足的情况下,提供 急救医疗设 备、器材和药品等医疗教援物资。该种车辆内部有分隔的空间,可以存放各种医用担架、急救箱、小型急救设备器材、药品等;车后厢配备 一台柴油发电机,为野外急救照明和医疗设备用电提供电力支持;车顶有可以折叠和自动升降的高亮度照明灯为野外夜间救援提供保 障。

 $The \, material \, support \, vehicle \, is \, used \, for \, on-site \, emergency \, medical \, rescue \, in \, major \, public \, emergencies. \, When \, there \, are \, in \, major \, public \, emergencies \, and \, in \, major \, public \, emergencies \, and \, in \, major \, public \, emergencies \, and \, in \, major \, public \, emergencies \, and \, in \, major \, public \, emergencies \, and \, in \, major \, public \, emergencies \, and \, in \, major \, public \, emergencies \, and \, in \, major \, public \, emergencies \, and \, in \, major \, public \, emergencies \, and \, in \, major \, public \, emergencies \, and \, in \, major \, public \, emergencies \, and \, in \, major \, public \, emergencies \, and \, in \, major \, public \, emergencies \, and \, in \, major \, public \, emergencies \, and \, in \, major \, public \, emergencies \, and \, in \, major \, public \, emergencies \, and \, in \, major \, public \, emergencies \, and \, in \, major \, public \, emergencies \, and \, in \, major \, public \, emergencies \, and \, in \, emergencies$ many injured and sickpeople and the ambulance is insuficient, it provides emergency medical equipment, instruments, medicines and other medical rescue materl.als. This type of vehicle has a partitioned space inside, which can store various medical stretchers, first aid kits, small emergency equipment, medicines, etc; the rear compartment of the vehicle is equipped with a diesel generator to provide power support for field emergency lightincand medical equipment; the roof has a high-brichtness lighting that can be folded and automaticaly raised to provide support for field night rescue.









产品特点 Product Features



整车机动性强、可靠性高、环境适应性好。

The vehicle has strong mobility, high reliability and good environmental adaptability.

能够满足医用器材,物资,装备,服装等应急器材储存,运输。

Able to meet the storage and transportation of emergency equipment such as medicalequipment, supplies, equipment, clothing, etc.

厢体制作采用国际的军表钢板结构工艺,牢固可靠。

The body is made of international military-grade steel plate structure technology.which is firm and reliable.

整车具有适应中西部的地域特性,使用限高不低于350mm。

The whole vehicle is adapted to the regional characteristics of the central andwestern regions, and the height limit for use is not less than 350 mm.

选装尾部带液压尾板,方便应急处理时工具车或人员上下。 The optional hydraulic tailgate is convenient for tool vehicles or personnel to get on andoff during emergency situations.

	物资	を保障车 Material Security Vehicle
底盘名称 Vehicle chassis		外形尺寸 (mm) Dimensions
发动机排量(ml) Engine displacerent		发动机功率(kw) Engine power
燃料种类 Fuel Type		轴距 (mm) Wheelbase
排放标准 Emission standards	国VI National VI	整备质量(kg) curb Weight

排水救险车」 The drainage rescue vehicle



机动灵活


Flexible and adaptable

广泛应用于多种场所 Widely used in a variety of places

车型简介 Vehicle Profile

具备厢体空间大,操控性好、维修简便、通过性能强等特点。实现了机动灵活,移动水泵的功能,设备可满足大部分恶劣条件下的紧急 抽排水作业,并具备移动电源功能。车辆主要搭载发电设备、排涝设备及其它救援辅助设备。可广泛应用于应急消防队、公安、医疗卫生、 厂矿企业及社区、码头等场所。

It has the characteristics of large body space, good control, easy maintenance and strong passing performance. The device can meet the emergency pumping and drainage operations under most harsh conditions, and has the function of mobile power supply. The vehicle is mainly equipped with power generation equipment, flood drainage equipment and other rescue auxiliary equipment. It can be widely used in emergency fire brigade, public security, medical and health care, factories and mining enterprises, communities, docks and other places.











东风多利卡救险车



东风凯普特救险车



东风天锦救险车



庆铃救险车

技术参数 Technical Specifications

	排水	救险车 The drains	age rescue vehicle
底盘名称 Vehicle chassis	CLW5181TPSAYS	外形尺寸 (mm) Dimensions	9480 mm×2550mm×3420 mm
发动机排量(ml) Engine displacerent	6200	发动机功率(kw) Engine power	169
燃料种类 Fuel Type	柴油 diesel fuel	轴距(mm) Wheelbase	5000
排放标准 Emission standards	国VI National VI	整备质量(kg) curb Weight	18000

Ø 29

淋浴车 Shower trolley

淋浴车属于厢式专业作业车的一种,主要由底盘和上装部分两大总成组成。上装部分由箱体、副车架、裙边储物舱、电气系统、水路系统和附属设备组成。满足用户淋浴需求,设计能力为单时单次洗浴8人,每小时60-80人次,水温可调。

整车配备了10万大卡的柴油热能锅炉,75升热水箱,1000L-2000L净水箱,可选装1000L水囊,满负荷工作,有效保障洗浴效率,洗浴间分段设置,室内加装了换气扇,空调和取暖器,可满足高寒高冷作业环境下的使用。

The shower car belongs to a kind of van type professional operation car, which is mainly composed of two major assemblies of the chassis and the top part. The upper part is composed of box, subframe, skirt storage compartment, electrical system, waterway system and auxiliary equipment. To meet the needs of users shower, the design capacity is a single time a single bath 8 people, 60-80 people per hour, the water temperature is adjustable.

The whole vehicle is equipped with 100,000 kcal diesel thermal boiler, 75 liters hot water tank, 1000L-2000L clean water

The whole vehicle is equipped with 100,000 kcal diesel thermal boiler, 75 liters hot water tank, 1000L-2000L clean water tank, optional 1000L water bag, full load work, effectively ensure the efficiency of the bath, the bath room is set in sections, indoor equipped with ventilation fans, air conditioning and heaters, can meet the use of high and cold working environment











	***************************************	林浴车 Shower to	rolley
底盘名称	CLW5180XLYAYS	外形尺寸(mm)	10730,10530,10330,
Vehicle chassis		Dimensions	9500*2550,2500*3960,3700
发动机排量(ml) Engine displacerent	7360	发动机功 <mark>率(kw)</mark> Engine power	257
燃料种类	柴油	轴距(mm)	5800
Fuel Type	diesel fuel	Wheelbase	
排放标准	玉VI	整备质量(kg)	18000
Emission standards	National VI	curb Weight	



指挥车

Command vehicle

通信指挥 应急抢险

Communication Command Emergency Rescue

为现场指挥提供 稳定有效的通信保障

For field commands



车型简介 Vehicle Profile

长城炮指挥车采用长城汽车推出的越野炮车型改装。车辆配置:8AT自动档变速箱,2.0T 涡轮增压发动机,豪华内饰,前置四驱带差 速锁,360全景影像,自动空调,前后金属保险杠,带涉水喉,整体车身重心低、更稳定,有效确保驾驶者的安全;注重设备的集成性,实现 运送装备快捷高效,兼顾人员的乘坐舒适性,满足实战,反恐,处置各种突发事件的需求。

The Great Wall artillery command vehicle is modified by the off-road gun model launched by Great Wall Motors. Vehicle configuration: 8AT automatic transmission, 2.0T turbocharged engine, luxury interior, front four-wheel drive with differential lock, 360 panoramic view, automatic air conditioning, front and rear metal bumpers, with wading hoses, the overall body center of gravity is low and more stable, effectively ensuring the safety of drivers; Pay attention to the integration of equipment, realize fast and efficient transportation equipment, take into account the comfort of personnel, and meet the needs of actual combat, anti-terrorism, and handling various emergencies.







产品特点 Product Features

◎多样化的动力选择与优秀的越野性能

长城炮指挥车提供多种动力配置,包括柴油和汽油发动机,以及不同的马力和扭矩输出, 能够满足不同用户对于动力的需求。该车采用非承载式车身结构,并配备四驱系统和后 桥差速锁等越野配置。

The Great Wall Artillery command vehicle provides a variety of power configurations, including diesel and gasoline engines, as well as different horsepower and torque outputs, which can meet the power needs of different users. The car has a non-load-bearing body structure and is equipped with offroad configurations such as a four-wheel drive system and a rear axle differential

◎全面的医疗配置与人性化设计

长城炮皮卡拥有较大的车身尺寸和轴距,为车内提供了宽敞的空间。这对于指挥车来说 尤为重要,可以容纳更多的设备和人员,满足指挥工作的需要。

The Great Wall Cannon pickup truck has a large body size and wheelbase, which provides spacious space for the interior of the car. This is especially important for command vehicles, which can accommodate more equipment and personnel to meet the needs of command work.

◎高效通信指挥与应急抢险能力

长城炮指挥车具备动中通卫星通信、无线短波通信、4G/5G网络通信能力,为现场指挥提 供稳定有效的通信保障。

The Great Wall Artillery command vehicle has the ability of satellite communication, wireless short-wave communication, and 4G/5G network communication to provide stable and effective communication support for onsite command.



技术参数 Technical Specifications

长城炮指挥车 Great Wall artillery command vehicle 外形尺寸(mm) 底盘名称 5444×1958×1950(mm) CL5030XZH6AYS 发动机排量(ml) 发动机功率(kw) 1996 122 柴油 diesel fuel 燃料种类 轴距(mm) 3430 整备质量(kg) 国VI 排放标准 2800

(Ø 33

医疗急救」

Medical Emergency

奔驰威霆救护车

Mercedes Vito ambulance



生命守护 疾速前行


fe guards gallop forward

以卓越性能守护每一刻生命 疾速响应,为紧急救援开辟绿色通道 Guard every moment of life with excellent performance Rapid response, open a green channel for emergency rescue

车型简介 Vehicle Profile

奔驰威霆救护车保留了原车型的大气与稳重,同时进行了专业的医疗改装。车辆内部经过精心设计,医疗舱与驾驶舱完全隔离,为医护人员和患者提供了安全、舒适的环境。医疗舱内配备了先进的医疗设备和救护器材,包括呼吸机、除颤仪、心电监护仪等,以满足各种容发状况的救治需求。

The Mercedes-Benz Vito Ambulance retains the grandeur and stability of the original model while undergoing professional medical modifications. The interior of the vehicle has been carefully designed, with the medical cabin and driver's cabin completely separated to provide a safe and comfortable environment for medical personnel and patients. The medical cabin is equipped with advanced medical equipment and rescue equipment, including ventilators, defibrillators, and ECG monitors, to meet the needs of various emergency situations.









产品特点 Product Features



◎卓越的品质与性能 Exceptional Quality and Performance

奔驰威霆救护车搭载了高效的发动机和先进的传动系统,提供了强劲的动力输出和稳定的操控性能。能快速、安全地到达目的地,为救援工作赢得宝贵的时间。

The Mercedes-Benz Vito Ambulance is equipped with an efficient engine and advanced transmission system, providing strong power output and stable handling performance. It can reach its destination quickly and safely, buying valuable time for rescue efforts.

◎全面的医疗配置与人性化设计

Comprehensive medical facilities and human-oriented design

医疗舱内配备了丰富的医疗设备和救护器材,能够满足各种紧急医疗救援的需求。还配备了智能照明系统、中央电源分配系统以及紧急警报系统等设备,为医护人员提供了便捷的工作环境。

The medical cabin is equipped with a wealth of medical equipment and rescue equipment, which can meet the needs of various emergency medical rescue. It is also equipped with intelligent lighting system, central power distribution system and emergency alarm system, providing a convenient working environment for medical staff.

◎负压隔离与安全防护 Negative pressure isolation and safety protection

奔驰威霆负压型救护车采用负压设计,确保空间的独立与安全。以及车内空气流向车外,有效预防医患间的交叉感染。舱内还配备了科学的通风量系统和精准的定向排风设计,进一步降低了病毒传播的风险。

Mercedes-benz Vito negative pressure ambulance adopts negative pressure design to ensure the independence and safety of the space. And the air inside the car flows outside the car to effectively prevent cross-infection between doctors and patients. The cabin is also equipped with a scientific ventilation system and a precise directional exhaust design, further reducing the risk of virus transmission.

技术参数 Technical Specifications

	奔驰威霆救护车Mercedes Vito ambulance					
底盘名称 Vehicle chassis	FA5030XXYE	外形尺寸(mm) Dimensions	5370×1928×2360(mm)			
发动机排量(ml) Engine displacerent	1991	发动机功率(kw) Engine power	155			
燃料种类 Fuel Type	柴油 dieselfuel	轴距 (mm) Wheelbase	3430			
排放标准 Emission standards	国VI National VI	整备质量(kg) curb Weight	2300,2500			


■ ∅ 35



车型简介 Vehicle Profile

福特救护车是一款基于福特汽车先进技术打造的专业医疗急救车辆。它融合了福特汽车的耐用性和可靠性,专为紧急医疗服务设计。车内配备完善的医疗设备,包括氧气供应系统、担架、急救箱等,确保医护人员在紧急情况下能够迅速响应并提供有效救治。福特救护车还具备出色的驾驶性能和操控稳定性,为医护人员和患者提供安全、舒适的转运环境。

The Ford Ambulance is a professional medical emergency vehicle built on Ford's advanced technology. It blends the durability and reliability of a Ford vehicle and is designed for emergency medical services. The vehicle is equipped with complete medical equipment, including oxygen supply system, stretcher, first aid kit, etc., to ensure that medical staff can respond quickly and provide effective treatment in case of emergency. Ford ambulances also provide excellent drivability and handling stability, providing a safe and comfortable transport environment for medical staff and patients.









产品特点 Product Features

外观采用新型长排警灯或镶嵌式警灯,警灯线条完美融合车身线条,全方位周边报警设计,还可根据用户需求定制模具边灯,美观实用。

➤ The appearance adopts the new long row of alarm lights or Mosaic alarm lights, the alarm line perfectly integrates the body line, the all-round peripheral alarm design, and the mold side lights can be customized according to the user's needs, which is beautiful and practical.

供氧系统,大容量氧气瓶设计,适合远途运送,配有进口品牌减压阀,出口压力可调节,隐藏式供氧气管道使整体性更强。

Oxygen supply system, large capacity oxygen cylinder design, suitable for long-distance transport, equipped with imported brand pressure reducing valve, outlet pressure can be adjusted, hidden oxygen supply pipeline to make the integrity stronger.

内饰系统,进口原材料,全复合制作工艺,表面光滑,强度大,有隔温隔音材料,电线预埋功能,安全阻燃。

Interior system, imported raw materials, full composite production process, smooth surface, high strength, temperature insulation and sound insulation materials, wire embedding function, safety and flame retardant.

充足的平台空间可放置大量的监护设备,为重症、长途转运病人提供救护保障。

Sufficient platform space can be placed a large number of monitoring equipment, for severe, long-distance transport patients to provide rescue protection.

充足的车载电源可支持呼吸机、吸引器、微量泵、除颤监护仪等的同时运行并且不影响车辆的正常行驶。

Sufficient onboard power supply can support the simultaneous operation of ventilators, aspirators, micropumps, defibrillation monitors, etc., without affecting the normal running of the vehicle.

技术参数 Technical Specifications

	福特救护车 Ford ambulance						
底盘名称 Vehicle chassis	外形尺寸【长宽高】 Dimensions【LXWXH】	发动机排量(ml) Engine displacerent	发动机功率(kw) Engine power	燃料种类 Fuel Type	轴距(mm) Wheelbase	排放标准 Emission standards	整备质量 (kg) curb Weight
CL5045XJH6BYS	3200×1750×1950	2.296L	128KW	柴油	3750 mm	国VI national VI	3750 mm
CL5041XJH6BYS	5520×2060×2580	1.998L	105KW	柴油	3300 mm	国VI national VI	3300 mm

38 Ø

大通救护车 Chase ambulance



健康从呵护开始


ealth starts with care

移动健康 驾驭未来 Mobile health drives the future

车型简介 Vehicle Profile

大通救护车是一款集高效、安全、舒适于一体的专业医疗急救车辆。它采用先进的车身设计,搭载高性能发动机,提供强劲的动力输出和稳定的操控性能。车内配备完善的医疗设备,包括氧气供应系统、担架、急救箱等,确保医护人员在紧急情况下能够迅速响应并提供有效救治。此外,大通救护车还注重舒适性设计,为医护人员和患者提供宽敞、舒适的车内环境。

Chase Ambulance is an efficient, safe and comfortable professional medical emergency vehicle. It features an advanced body design and a high-performance engine that provides strong power output and stable handling performance. The car is equipped with complete medical equipment, including oxygen supply system, stretcher, first aid kit, etc., to ensure that medical personnel can respond quickly and provide effective treatment in emergency situations. In addition, Chase Ambulance also focuses on comfort design, providing a spacious and comfortable interior environment for medical staff and patients.









◎人性关怀 细致入微

Efficient and convenient

超大空间:实现最大级别中巴车的最长纵向距离,客舱内部高度达到80mm,能够为乘客提供同级中巴最宽敞内部乘坐空间。

Extra-large space: It has the longest longitudinal distance among the larg-est-class minibuses, and the interior height of the cabin reaches 1980mm, which can provide pas.sengers with the most spacious interior riding space among minibuses of the same class.



◎澎湃动力 高效节能

Powerful power, high energy efficiency

高效大马力发动机、优化电控系统、集成节油、巡航等电控功能,能量的传递效率更高。Highefficiencyand powerful engine, optimized electronic control system, integrated fuel saving, cruise and otherelectronic control functions, higher energy transfer efficiency.







◎体检信息管理系统完善

Improvement of physical examination information management system

体检车内配置有线局城网和无线网,可实现B超、心电图、DR、纯音电测听等体检结果数据自动汇总,信息回传实现远程会诊。The physical examination vehicle is equipped with wired local area networkand wireless network, which can automatically summarize the physical examination results suchas B-ultrasound, electrocardiogram, DR, pure audiometry, etc., and transmit information back torealize remote consultation.

大通救护车 Chase ambulance						
底盘名称 Vehicle chassis	排放标准 Emission standards	轴距(mm) Wheelbase	发动机排量(ml) Engine displacerent	燃料种类 Fuel Type	整备质量(kg) curb Weight	
大通V90	国VI national VI	3366	1996	柴油 diesel fuel	2700	
大通V80	国VI national VI	3100	1996	柴油 diesel fuel	2460	
大通G20ES	国VI national VI	3198	1995	汽油 gasoline	2245	

▶ 依维柯救护车

Iveco ambulance

数据赋能 急救零时差

Data empowers emergency response with zero time difference

依维柯聚星纯电动监护型救护车采用南京依维柯推出的聚星长轴车型改装。驱动电机额定70KW/峰值150KW,带交通拥堵辅助及定速巡航,疲劳驾驶监控及预警系统,自动感应大灯,LED后位灯,日间行车灯;采用一体化、笼式框架结构的承载式车身,欧洲安全碰撞设计标准,高强度绷钢加PHS热成型钢轻量化车身设计;整体车身重心低、更稳定,有效确保驾驶者的安全;医疗舱空间宽大,设计合理;全车采用国内领先的医疗车改装技术。

Iveco Juxing pure electric monitoring ambulance is modified by Nanjing Iveco's Juxing long-axle model. The drive motor is rated at 70KW / peak 150KW, with traffic jam assist and cruise control, fatigue driving monitoring and warning system, automatic sensing headlights, LED rear position lights, and daytime running lights; The load-bearing body with integrated and cage frame structure, the European safety crash design standard, the lightweight body design of high-strength stretch steel and PHS hot-stamping steel; The overall center of gravity of the body is lower and more stable, which effectively ensures the safety of the driver; The medical cabin is spacious and reasonably designed; The whole car adopts the leading medical vehicle modification technology in China.









产品特点 Product Features

1 ◎先进的安全配置

State-of-the-art security features

救护车配备了多种高级安全系统,包括防抱死系统(ESP+EBA+HHC)、自动紧急制动、车道偏离预警带车道保持辅助系统、盲区监测系统(BSD+BOW)以及疲劳驾驶监控及预警系统。确保了车辆在各种驾驶条件下都能提供卓越的安全性能。

The ambulance is equipped with a variety of advanced safety systems, including anti-lock braking system (ESP+EBA+HHC), automatic emergency braking, lane departure warning with lane keeping assist, blind spot monitoring system (BSD+BOW), and drowsy driving monitoring and warning system. This ensures that the vehicle provides excellent safety performance in all driving conditions.

○稳健的车身设计与结构

Robust body design and structure

采用了一体化、笼式框架结构的承载式车身,并遵循欧洲安全碰撞设计标准。车身由高强度绷钢加PHS热成型钢制成,实现了轻量化设计。整体车身重心低,更加稳定,为驾驶者提供了额外的安全保障。

It adopts an integrated, cage-type frame structure with a load-bearing body and follows European safety crash design standards. The body is made of high-strength stretch steel and PHS hot-stamped steel, which realizes a lightweight design. The overall body has a low center of gravity and is more stable, providing additional safety for the driver.

03 ◎宽敞的医疗舱与领先的改装技术

Spacious medical cabin with leading-edge modification technology

该救护车的医疗舱空间宽大且设计合理,能够容纳各种医疗设备。全车采用了国内领先的医疗车改装技术,使其适用于各类医院及急救中心。 The ambulance's medical cabin is spacious and well-designed to accommodate a variety of medical equipment. The whole car adopts the leading medical vehicle modification technology in China, making it suitable for all kinds of hospitals and emergency centers.

	依维柯救护车 Iveco ambulance						
底盘名称 Vehicle chassis							
NJ6540FBEV81	5364mm×2030mm×2540mm	电池类型 酸铁锂电池 (电池容量88.8kwh)	额定70KW	电	3366mm		3366mm
CLW5040XJH6DP	5495mm×2011mm×2740mm	2.998L	125KW	柴油	3300mm	国VI national VI	3300mm
CL5049XJH6YS	4849mm×2000mm×2780mm	2.499L	90KW	柴油	2800mm	国VI national VI	2800mm
CL5040XJH6BYS	5990mm×2330mm×2770mm	2.998L	125KW	柴油	3300mm	国VI national VI	3300mm

▶ 四驱救护车

Four-wheel drive ambulance

车型简介 Vehicle Profile

依维柯欧霸四驱越野救护车是专为高原、沙漠等恶劣环境设计的救援利器。其配备新一代F1C3.0T发动机,峰值功率高达132KW,峰扭矩达到430N.M,动力强劲。车辆采用真四驱三把锁配置,具备超强的脱困能力和70%的爬坡能力,宽体轻客四驱标准和非承载式越野用底盘提升了整车的刚度和安全性。车内配备丰富的急救设备,为急救工作提供便利。外观设计醒目,有排式救护灯及警报器,车身线条畅,减少空气阻力,提高行驶效率。


Iveco Oba four-wheel drive off-road ambulance is specially designed for the harsh environment such as plateau, deserscue tool. It is equipped with a new generation of F1C3.0T engine, peak power up to 132KW, peak torque of 430N. powerful. The vehicle adopts the real four-wheel drive three-lock configuration, with super escape ability and 70% climbinability, wide-body light passenger four-wheel drive standard and non-bearing off-road special chassis to enhance the stiffness and safety of the vehicle. The car is equipped with a wealth of first aid equipment to provide convenience for final work. Eye-catching appearance design, with a row of rescue lights and alarms, smooth body lines, reduce air resistance improve driving efficiency.











	四里	区救护车 Four-wh	eel drive ambulance
底盘名称 Vehicle chassis	CL5041XJH6AYS	外形尺寸 (mm) Dimensions	5995x2100x2870(mm)
发动机排量(ml) Engine displacerent	2998	发动机功 <mark>率(kw)</mark> Engine power	132
燃料种类 Fuel Type	柴油 diesel fuel	轴距 (mm) Wheelbase	3365
排放标准 Emission standards	国VI National VI	整备质量(kg) curb Weight	4490

吉利新能源救护车

Geely new energy ambulance



Strong escort, safe transfer


强势护航 安全转运

采用危险品运输车专用底盘 专业安全 运输更安心 5G+ Smart Ambulance, protecting lives at every critical moment

车型简介 Vehicle Profile

吉利新能源救护车基于吉利先进的电动车平台打造,采用了纯电动或油电混合的动力系统,实现了零排放或低排放,更加环保节能。车身设计采用了流线型造型,不仅美观大方,还降低了风阻,提高了能源利用效率。车内医疗舱空间宽敞且设计合理,配备了先进的医疗设备和耗材,为医护人员提供了高效、便捷的救治环境。

Geely's new energy ambulance is built on Geely's advanced electric vehicle platform, using pure electric or hybrid powertrain, achieving zero or low emission, and more environmentally friendly and energy-saving. The body design adopts a streamlined shape, which is not only beautiful and elegant, but also reduces wind resistance and improves energy efficiency. The medical cabin in the car is spacious and well-designed, equipped with advanced medical equipment and consumables, providing an efficient and convenient treatment environment for medical staff.









产品特点 Product Features

◎新能源技术

New energy technology

吉利新能源救护车采用了纯电动或油电混合的动力系统,具有零排放或低排放的特点,更加环保节能。同时,电动车型还具有噪音低、振动小等优点,为医护人员和患者提供了更加舒适的驾乘体验。

Geely's new energy ambulance adopts a pure electric or hybrid power system, which has the characteristics of zero or low emission, which is more environmentally friendly and energy-saving. At the same time, the electric model also has the advantages of low noise and low vibration, providing a more comfortable driving experience for medical staff and patients.

◎驾驶体验优越

The driving experience is superior

吉利新能源救护车采用了先进的底盘调校和悬挂系统。同时,车辆还配备了智能驾驶辅助系统,如车道偏离预警、自动紧急制动等,提高了驾驶安全性和便利性。

Geely's new energy ambulance uses advanced chassis tuning and suspension systems. At the same time, the vehicle is also equipped with intelligent driving assistance systems, such as lane departure warning, automatic emergency braking, etc., to improve driving safety and convenience.

○医疗功能全面

Comprehensive medical functions

车内医疗舱配备了先进的医疗设备和耗材。同时,医疗舱设计合理,医护人员可以迅速找到并使用所需的设备和耗材,为救治患者赢得了宝贵时间。
The in-vehicle medical cabin is equipped with state-of-the-art medical captures and sensure the same time the medical captures.

The in-vehicle medical cabin is equipped with state-of-the-art medical equipment and consumables. At the same time, the medical chamber is designed so that medical staff can quickly find and use the equipment and consumables they need, gaining valuable time for treating patients.

◎外观醒目且实用

The appearance is eye-catching and functional

吉利新能源救护车的车身采用了醒目的红白配色,符合医疗急救车辆的标识要求。同时,车身设计还考虑了实用性,如便于开启的车门和车窗、易于清洗的车身材质等,为医护人员提供了更加便捷的操作环境。

The body of Geely's new energy ambulance adopts a striking red and white color scheme, which meets the identification requirements of medical emergency vehicles. At the same time, the body design also considers practicality, such as easy-to-open doors and windows, easy-to-clean body materials, etc., to provide a more convenient operating environment for medical staff.

技术参数 Technical Specifications

吉利新能源救护车 Geely new energy ambulance

	a 15 miles and 16 deetly new energy ambatance				
底盘名称 Vehicle chassis		外形尺寸 (mm) Dimensions	**(mm)		
发动机排量(ml) Engine displacerent	. 1	发动机功率(kw) Engine power	**		
燃料种类 Fuel Type	柴油 diesel fuel	轴距(mm) Wheelbase	**		
排放标准 Emission standards	国VI National VI	整备质量(kg) curb Weight	**		


46 6



车型简介 Vehicle Profile

福田救护车涵盖了多种车型,如福田G5、G7、G9等,这些车型均具备强大的车身强度、充沛的动力以及宽大的内部空间,为医疗急救提供了坚实的基础。其中,福田G9救护车作为城市急救车辆的首选,更是以其完善的医疗舱配置和高效的设计赢得了广泛赞誉。

Foton ambulance covers a variety of models, such as Foton G5, G7, G9, etc., these models have strong body strength, abundant power and wide interior space, providing a solid foundation for medical emergencies. Among them, the Foton G9 ambulance, as the first choice of urban emergency vehicles, has won wide praise for its perfect medical cabin configuration and efficient design.







产品特点 Product Features



◎全面医疗配置与高科技集成

Comprehensive medical configuration with high-tech integration

福田救护车医疗舱内配备了全面的医疗设备,满足紧急医疗需求。特别集成导航系统、监控系统及5G智能院前急救信息系统,提升医疗急救的效率和准确性。

The medical cabin of the Foton ambulance is equipped with a full range of medical equipment to meet emergency medical needs. In particular, it integrates navigation system, monitoring system and 5G intelligent pre-hospital emergency information system to improve the efficiency and accuracy of medical emergency.

◎卓越的安全与负压隔离性能

Excellent safety and negative pressure isolation performance

车身设计符合最新安全标准,配备安全气囊、ABS+EBD等安全配置,负压隔离技术有效减小病原微生物向外界环境的扩散,特别适用于传染病患者的转运。

The body design meets the latest safety standards, equipped with airbags, ABS+EBD and other safety configurations, and the negative pressure isolation technology effectively reduces the spread of pathogenic microorganisms to the external environment, especially suitable for the transport of infectious disease patients.

◎高效动力与舒适内饰

Efficient power and comfortable interior

搭载高效节能的发动机,确保救护车在紧急情况下能够迅速响应并快速到达现场。

内饰设计舒适宽敞,采用轿车级一体化设计,满足医疗急救的多种需求。

Equipped with energy-efficient engines, it ensures that the ambulance can respond quickly and arrive at the scene quickly in case of emergency.

The interior design is comfortable and spacious, with a sedan-level integrated design to meet the various needs of medical emergencies.

技术参数 Technical Specifications

	福	田救护车 Foton amb	pulance
底盘名称 Vehicle chassis	BJ6549B1DXA-E2	外形尺寸(mm) Dimensions	5380×1920×2480(mm)
发动机排量(ml) Engine displacerent	2378	发动机功率(kw) Engine power	118
燃料种类 Fuel Type	汽油 gasoline	轴距(mm) Wheelbase	3110
排放标准 Emission standards	国 VI National VI	整备质量(kg) curb Weight	2390

48 Ø

▶ 依维柯医疗车

Iveco medical vehicle



医疗急救领域的佼佼者

A leader in the field of medical emergency

依维柯商用车底盘 先进的医疗技术和人性化设计


Iveco commercial vehicle chassis

Advanced medical technology and user-friendly design

车型简介 Vehicle Profile

依维柯医疗车,作为医疗急救领域的佼佼者,以其卓越的性能、灵活的配置和出色的可靠性,成为了医疗机构和急救团队的首选。该车型基于依维柯商用车底盘精心打造,融合了先进的医疗技术和人性化设计,为医护人员提供了高效、安全、舒适的医疗工作环境。

Iveco Medical vehicles, as a leader in the field of medical emergency, have become the first choice of medical institutions and emergency teams with their excellent performance, flexible configuration and excellent reliability. The model is carefully built on the Iveco commercial vehicle chassis and integrates advanced medical technology and humanized design to provide an efficient, safe and comfortable medical working environment for medical personnel.









产品特点 Product Features



◎高效动力系统 High efficiency power system

依维柯医疗车搭载了高效、可靠的柴油发动机,配合先进的传动系统,提供了强劲的动力输出和平顺的加速性能。

The IVeco Medical Vehicle is equipped with an efficient and reliable diesel engine, coupled with an advanced transmission system, to provide a strong power output and smooth acceleration.

◎专业医疗配置 Professional medical configuration

依维柯医疗车的医疗舱配备了多种先进的医疗设备,能够满足不同疾病的急救和治疗需求。同时,医疗舱还采用了抗菌、易清洁的内饰材料,确保了医疗环境的卫生和安全。

The medical pods of IVeco medical vehicles are equipped with a variety of advanced medical equipment to meet the needs of first aid and treatment of different diseases. At the same time, the medical cabin also uses antibacterial, easy-to-clean interior materials to ensure the health and safety of the medical environment.

◎智能化管理与远程支持 Intelligent management and remote support

依维柯医疗车融入了智能化管理与远程支持技术,为医护人员提供了更加便捷、高效的工作方式。车辆配备了智能医疗信息系统,能够实现医疗数据的实时采集、存储和分析,为医护人员提供准确的诊断依据和治疗建议。

Iveco medical vehicles integrate intelligent management and remote support technology, providing medical staff with a more convenient and efficient way to work. The vehicle is equipped with an intelligent medical information system, which can realize real-time collection, storage and analysis of medical data, and provide accurate diagnosis basis and treatment recommendations for medical personnel.

技术参数 Technical Specifications

依维柯医疗车 Iveco Medical van					
底盘名称 Vehicle chassis	NJ6556ECM	外形尺寸(mm) Dimensions	5495×2060×2940(mm)		
发动机排量(ml) Engine displacerent	1994	发动机功率(kw) Engine power	107		
燃料种类 Fuel Type	柴油 diesel fuel	轴距 (mm) Wheelbase	3300		
排放标准 Emission standards	国VI National VI	整备质量(kg) curb Weight	3000		

50 Ø

海格考斯特医疗车 Hegecost medical van



集多功能于一体

Set multi-function in one

专业医疗用车 <u>满足现代医疗服</u>务需求

Professional medical venicle Meet the needs of modern medical services

车型简介 Vehicle Profile

海格考斯特医疗车,是基于海格考斯特系列产品开发的专业医疗用车,专为满足现代医疗体系对高效、便捷、安全的医疗服务需求而设计。该车型不仅继承了考斯特系列产品的典雅大方外形和精致内饰做工,更在医疗功能上进行了全面升级,成为了一款集诊疗、检查、急救、转运等多功能于一体的综合医疗平台。


Hegecost medical vehicle is a professional medical vehicle developed based on Hegecost series products, designed to meet the needs of modern medical system for efficient, convenient and safe medical services. This model not only inherits the elegant and generous appearance and exquisite interior workmanship of Coster series products, but also carries out a comprehensive upgrade in medical functions, becoming a comprehensive medical platform integrating diagnosis and treatment, inspection, first aid, transport and other functions in one.











产品特点 Product Features

◎ 多功能医疗配置

Multifunctional medical configuration

车内配备了多种先进的医疗设备,能够满足不同疾病的诊断和治疗需求。同时,车辆还设置了独立的急救区域,配备了急救箱、除颤器、呼吸机等急救设备,为紧急情况下的医疗救治提供了有力支持。

The car is equipped with a variety of advanced medical equipment to meet the diagnostic and treatment needs of different diseases. At the same time, the vehicle is also set up an independent first aid area, equipped with first aid kits, defibrillators, ventilators and other first aid equipment, providing strong support for medical treatment in emergency situations.

◎ 高效舒适的医疗环境

Efficient and comfortable medical environment

除了多功能医疗配置外,车内采用了先进的隔音、降噪和减震技术,降低了行驶过程中的噪音和震动,提高了医疗服务的舒适性和稳定性。同时,车辆还配备了舒适的座椅、空调、照明等设施,为医护人员和患者提供了良好的工作环境和休息条件。

In addition to the multi-functional medical configuration, the car adopts advanced sound insulation, noise reduction and shock absorption technology, reducing the noise and vibration during the driving process, and improving the comfort and stability of medical services. At the same time, the vehicle is also equipped with comfortable seats, air conditioning, lighting and other facilities, providing a good working environment and rest conditions for medical staff and patients.

◎ 智能化管理与远程支持

Intelligent management and remote support

海格考斯特医疗车还融入了智能化管理与远程支持技术。车辆配备了智能医疗信息系统,能够实现医疗数据的实时采集、存储和分析,为医护人员提供准确的诊断依据和治疗建议。

The Hegecost medical vehicle also incorporates intelligent management and remote support technology. The vehicle is equipped with an intelligent medical information system, which can realize real-time collection, storage and analysis of medical data, and provide accurate diagnosis basis and treatment recommendations for medical personnel.

技术参数 Technical Specifications

海格考斯特医疗车 Hegecost medical van			
底盘名称 Vehicle chassis	KLQ6702E6	外形尺寸(mm) Dimensions	7000×2040×2970(mm)
发动机排量(ml) Engine displacerent	2970	发动机功率(kw) Engine power	110
燃料种类 Fuel Type	柴油 diesel fuel	轴距 (mm) Wheelbase	3935
排放标准 Emission standards	国VI National VI	整备质量(kg) curb Weight	4900

52.0

▶ 移动献血车

Mobile blood donation vehicle



高度的灵活性和便捷性

深入社区、学校、企业等地 提供安全、舒适、高效献血体验



移动献血车,作为现代医疗体系中不可或缺的一部分,是采集血液、促进无偿献血事业发展的重要工具。这类车型通常基于大型客车 或专用车辆底盘改造而成,内部经过精心设计,集成了采血、储存、检测及宣传教育等多功能于一体。移动献血车不仅具备高度的灵活性和 便捷性,能够深入社区、学校、企业等人群密集地,还通过舒适的环境和专业的设备,为献血者提供安全、舒适、高效的献血体验。

车内一般分为采血区、休息区、储存区及宣传教育区等多个功能区。

As an indispensable part of the modern medical system, the mobile blood donation vehicle is an important tool to collect blood and promote the development of unpaid blood donation. This type of vehicle is usually based on the chassis of large buses or special vehicles, and the interior is carefully designed to integrate multi-functions such as blood collection,

storage, testing and publicity and education. Mobile blood donation vehicles not only have a high degree of flexibility and convenience, can penetrate into communities, schools, enterprises and other densely populated areas, but also through a comfortable environment and professional equipment, to provide blood donors with a safe, comfortable and efficient blood donation experience.

The car is generally divided into several functional areas such as blood collection area, rest area, storage area and publicity and education area.









产品特点 Product Features



◎高效便捷的献血服务

Efficient and convenient blood donation service

移动献血车最大的亮点在于其高效便捷的献血服务。通过深入社区、学校等场所,它打破 了传统献血站点的固定限制,使得献血活动更加贴近民众,提高了献血的便利性。

The biggest highlight of the mobile blood donation vehicle is its efficient and convenient blood donation service. By going deep into communities, schools and other places, it breaks the fixed restrictions of traditional blood donation stations, makes blood donation activities closer to the people, and improves the convenience of blood donation.

全面的健康监测与安全保障 Comprehensive health monitoring and safety assurance

车内设有完善的健康筛查设备,如血压计、血糖仪等,用于在献血前对献血者进行初步的

The car is equipped with perfect health screening equipment, such as blood pressure meters, blood glucose meters, etc., for the initial health assessment of blood donors before donating blood.

◎普及献血知识,提升公众意识

Popularize knowledge about blood donation and raise public awareness

除了提供献血服务外,移动献血车还承担着普及献血知识、提升公众意识的重要任务。 In addition to providing blood donation services, mobile blood donation vehicles also undertake the important task of popularizing blood donation knowledge and raising public awareness.

技术参数 Technical Specifications

移动献血车 Mobile blood donation vehicle			
底盘名称 Vehicle chassis	SH1043H7DB-PS	外形尺寸 (mm) Dimensions	5970×2200×3120(mm)
发动机排量(ml) Engine displacerent	1996	发动机功 <mark>率(kw)</mark> Engine power	110
燃料种类 Fuel Type	柴油 diesel fuel	轴距(mm) Wheelbase	3760
排放标准 Emission standards	国VI National VI	整备质量(kg) curb Weight	3760

_____ Ø 53

▶ 伤残运输车 Disabled carrier



安全、便捷、舒适

Safe, convenient and comfortable

满足不同用户群体的特殊需求 Meet the special needs of different user groups

车型简介 Vehicle Profile

伤残运输车,专为行动不便的残疾人、老年人或康复期患者设计,旨在提供安全、便捷、舒适的交通服务。该类车型通常基于商用车底盘进行专业改装,采用标准化制造工艺和定制化服务,以满足不同用户群体的特殊需求。车内配备有专业的医疗设备、无障碍设施以及舒适的座椅和扶手,确保乘客在转运过程中得到全方位的照顾和保护。

The disabled transport vehicle is designed for the disabled, the elderly or the convalescent patients with limited mobility, and aims to provide safe, convenient and comfortable transportation services. Such models are usually professionally modified based on commercial vehicle chassis, using standardized manufacturing processes and customized services to meet the special needs of different user groups. The vehicle is equipped with professional medical equipment, barrier-free facilities and comfortable seats and armrests to ensure that passengers are fully cared for and protected during the transfer process.









产品特点 Product Features

01 ◎专业医疗配置Professional medical configuration

伤残运输车的核心亮点之一是其专业的医疗配置。车内配备有氧气瓶、输液架、医疗设备柜等必要设施,能够满足转运过程中患者的基本医疗需求。 One of the core highlights of the disabled transporter is its professional medical configuration. The car is equipped with oxygen cylinders, infusion racks, medical equipment cabinets and other necessary facilities, which can meet the basic medical needs of patients during the transport process.

02 ◎无障碍设计 Barrier-free design

为了满足行动不便乘客的特殊需求,伤残运输车采用了无障碍设计。车内设有轮椅升降平台、可滑动式输液吊钩、折叠担架等便捷设施,方便乘客上下车和接受医疗护理。

In order to meet the special needs of passengers with limited mobility, the disabled transporters have adopted barrier-free design. The car is equipped with wheelchair lifting platform, sliding infusion hook, folding stretcher and other convenient facilities, which is convenient for passengers to get on and off the bus and receive medical care.

03 ◎高效安全性能 High efficiency safety performance

伤残运输车在保障乘客舒适性的同时,也注重高效安全性能的提升。车辆采用了先进的制动系统、ABS防抱死系统和EBD电子制动力分配系统,提高了行驶的稳定性和安全性。同时,车内还配备了安全带、安全气囊等被动安全装置,以及倒车雷达、车载监控等辅助安全设施,进一步提升了乘客在转运过程中的安全保障。

While ensuring the comfort of passengers, disabled transport vehicles also pay attention to the improvement of efficient safety performance. The vehicle adopts advanced braking system, ABS anti-lock braking system and EBD electronic brake force distribution system to improve the stability and safety of driving. At the same time, the car is also equipped with passive safety devices such as seat belts and airbags, as well as auxiliary safety facilities such as reversing radar and on-board monitoring, further improving the safety of passengers in the transit process.

伤残运输车 Mobile blood donation vehicle			
底盘名称 Vehicle chassis	JX6533TM-M6	外形尺寸 (mm) Dimensions	5341×1986×2390(mm)
发动机排量(ml) Engine displacerent	1998	发动机功 <mark>率(kw)</mark> Engine power	105
燃料种类 Fuel Type	柴油 diesel fuel	轴距(mm) Wheelbase	3300
排放标准 Emission standards	玉VI National VI	整备质量(kg) curb Weight	2480

▶ 依维柯防暴运兵车

Iveco anti-riot personnel carrier



应对各类紧急任务的特种车辆

Special vehicles for all kinds of emergency tasks

具备强大的运输能力 融合了先进的科技与安全配置 With a strong transport capacity A combination of advanced technology and security

车型简介 Vehicle Profile

依维柯防爆运兵车是一款专为应对各类紧急任务而设计的特种车辆,它不仅具备强大的运输能力,还融合了先进的科技与安全配置,使其在各种复杂环境中都能发挥出色的性能。依维柯防爆运兵车采用了坚固的车身结构和防撞设计,以确保在极端条件下的安全性和稳定性。其内部布局合理,可容纳多名救援人员及必要的装备,为快速响应和高效执行任务提供了有力保障。

Iveco explosion-proof personnel Carrier is a special vehicle designed for all kinds of emergency tasks, it not only has a strong transport capacity, but also integrates advanced technology and safety configuration, so that it can play an outstanding performance in a variety of complex environments. Iveco explosion-proof personnel carriers feature a robust body construction and crash-proof design to ensure safety and stability in extreme conditions. Its internal layout is reasonable, can accommodate a number of rescue workers and necessary equipment, providing a strong guarantee for rapid response and efficient execution of tasks.









产品特点 Product Features

◎卓越的承载与运输能力

Excellent carrying and transport capacity

依维柯防爆运兵车具备强大的承载能力,能够装载足够的救援人员和必要的装备,如防暴盾、防暴叉、警棍等,以满足各种紧急任务的需求。同时,其内部空间设计合理,便于人员快速进出和装备的快速取用,提高了整体响应速度和执行任务的效率。

Iveco explosion-proof personnel carriers have a strong carrying capacity and can carry enough rescue personnel and necessary equipment, such as riot shields, riot forks, batons, etc., to meet the needs of various emergency missions. At the same time, its internal space design is reasonable, easy to quickly access personnel and equipment, improve the overall response speed and efficiency of the execution of tasks.

◎先进的科技与安全配置

Advanced technology and security configuration

该车型配备了ADAS智能驾驶辅助预警系统、电子车身稳定系统、Power plus制动系统、TPMS胎压监测系统等先进的安全配置,为运兵车提供了多重安全保障。 这些配置不仅提高了车辆的行驶稳定性,还能在紧急情况下有效避免事故,保障救援人员的安全。

This model is equipped with advanced safety configurations such as ADAS intelligent driver assistance warning system, electronic body stability system, Power plus braking system, TPMS tire pressure monitoring system, etc., providing multiple security guarantees for personnel carriers. These configurations not only improve the driving stability of the vehicle, but also effectively avoid accidents in emergency situations and ensure the safety of rescue workers.

◎出色的越野与通过性能

Excellent off-road and pass performance

依维柯防爆运兵车采用了高性能的底盘和悬挂系统,使其在面对复杂地形时也能保持良好的通过性和稳定性。

Iveco explosion-proof personnel carriers use a high-performance chassis and suspension system to maintain good passability and stability in the face of difficult terrain.

技术参数 Technical Specifications

依维柯防暴运兵车 Iveco anti-riot personnel carrier			
底盘型号 Chassis model	JX6581TA-M6	外形尺寸 (mm) Dimensions	5820×1974×2570(mm)
发动机排量(ml) Engine displacerent	2198	发动机功率(kw) Engine power	103
燃料种类 Fuel Type	柴油 dieselfuel	轴距 (mm) Wheelbase	3750
排放标准 Emission standards	国VI National VI	整备质量(kg) curb Weight	2590

58 Ø

▶ 军用四驱救护车

Military four-wheel drive ambulance

东风猛士四驱越野指挥车采用东风汽车推出的猛士M50车型改装。采用东风康明斯增压柴油发动机,195匹马力,最大扭矩600N·m/1100~2200rpm,时速可达120km/h;全时四轮驱动和高低两速传动,配备轴间差速锁,轮间限滑差速器和ASR系统相结合。全封闭断面车架纵梁和吸能式转向管柱撞击可折式发动机罩;卓越的越野机动性和良好的改装适应性;全天候、全天时、全地形、全地域作业能力;能够在山地、丛林、城镇、高原、高寒、沙漠、居民地等复杂地形执行多样化任务;整车设计注重设备的集成性,能够实现现场应急指挥、图像采集传输等特殊功能,实时为指挥研判提供直观的现场图像和相关信息参考,可搭载无人机指挥系统,无人机由地面指挥控制系统来进行指挥与控制,完成特定的任务。

Dongfeng Raptors four-wheel drive off-road command vehicle is modified with the M50 model launched by Dongfeng Motor. Dongfeng Cummins supercharged diesel engine, 195 HP, maximum torque 600N·m/1100 ~ 2200rpm, speed up to 120km/h; Full-time four-wheel drive and high-low two-speed transmission, equipped with interaxle differential lock, interwheel limited slip differential and ASR system combined. Fully closed section frame longitudinal beam and energy absorption steering column impact folding hood; Excellent off-road maneuverability and good retrofit adaptability; All-weather, all-day, all-terrain, all-area operation capability; Capable of performing diversified tasks in complex terrain such as mountains, jungles, towns, plateaus, high cold, deserts, and residential areas; The vehicle design focuses on the integration of equipment, which can realize special functions such as on-site emergency command, image acquisition and transmission, and provide intuitive on-site images and relevant information reference for command research and judgment in real time. The UAV command system can be equipped, and the UAV is commanded and controlled by the ground command and control system to complete specific tasks.





军用四驱救护车 Military four-wheel drive ambulance			
底盘名称 Vehicle chassis	CL5060XZH6AYS	外形尺寸(mm) Dimensions	5760,5975×2460×2960(mm)
发动机排量(ml) Engine displacerent	4000	发动机功率(kw) Engine power	143
燃料种类 Fuel Type	柴油 diesel fuel	轴距(mm) Wheelbase	3800
排放标准 Emission standards	国VI National VI	整备质量(kg) curb Weight	5500

依维柯抢险车

Iveco emergency vehicle

专为紧急救援任务设计

Designed for emergency rescue missions

性能卓越、配置灵活 强大的承载能力

Excellent performance and flexible configuration Strong carrying capacity

依维柯抢险车,专为紧急救援任务设计,以其卓越的性能、灵活的配置和强大的承载能力,赢得了广泛的认可。该车采用坚固耐用的车身结构,搭载高效动力系统,确保在各种复杂环境中都能迅速响应,稳定前行。车内空间布局合理,配备先进的救援装备和通讯设备,为救援团队提供了全方位的支持。无论是城市街道还是偏远山区,依维柯抢险车都能以出色的表现,完成一次又一次的救援任务。

Iveco emergency vehicles, specially designed for emergency rescue missions, have won wide recognition for their excellent performance, flexible configuration and strong carrying capacity. The car's rugged body structure and efficient powertrain ensure rapid response and stability in a variety of complex environments. The car space layout is reasonable, equipped with advanced rescue equipment and communication equipment, providing all-round support for the rescue team. Whether it is an urban street or a remote mountain area, IVeco rescue vehicles can complete rescue tasks again and again with excellent performance.









产品特点 Product Features

◎卓越越野性能 Excellent off-road performance

依维柯抡险车凭借其出色的离地间隙和四驱系统,轻松应对各种复杂地形。车辆还配备了强 化型悬挂系统和防滑差速锁,进一步提升了越野性能,确保在极端条件下也能顺利到达救援 现场。

With its excellent ground clearance and all-wheel-drive system, Iveco Emergency vehicles handle all kinds of difficult terrain with ease. The vehicle is also equipped with an enhanced suspension system and anti-slip differential lock to further enhance off-road performance and ensure smooth access to rescue sites even in extreme conditions.

2◎高效动力系统 High efficiency power system

依维柯抢险车搭载了高性能发动机和先进的传动系统,提供了强劲的动力输出和平顺的加速性能。发动机的低油耗和长寿命设计,也降低了运营成本,提高了车辆的经济性。

Iveco Emergency vehicles are equipped with a high-performance engine and advanced drivetrain to provide a strong power output and smooth acceleration. The low fuel consumption and long life design of the engine also reduce operating costs and improve the economy of the vehicle.

◎模块化设计 Modular design

依维柯抢险车采用了模块化设计理念,可根据不同的救援需求进行灵活配置。车身内部可搭载各种救援设备,此外,车辆还提供了多种扩展接口和安装点,方便救援团队根据实际需求进行定制化改造,提升救援效率。

Iveco emergency vehicles adopt a modular design concept and can be flexibly configured according to different rescue needs. Various rescue equipment can be carried inside the body, in addition, the vehicle also provides a variety of expansion interfaces and installation points, so that the rescue team can customize the transformation according to the actual needs, and improve the rescue efficiency.

依维柯抢险车 Iveco emergency vehicle			
底盘名称 Vehicle chassis		外形尺寸(mm) Dimensions	**(mm)
发动机排量(ml) Engine displacerent	. 5	发动机功率(kw) Engine power	*
燃料种类 Fuel Type	柴油 diesel fuel	轴距 (mm) Wheelbase	*
排放标准 Emission standards	国VI National VI	整备质量(kg) curb Weight	*