


RituMax



RituMax

Ruitu Oil Tank Truck
Product Catalog

锐途油罐车产品图册

湖北锐途科技有限公司
Hubei Ruitu Technology Co., Ltd.

湖北省随州市曾都区鹿鹤大道
Luhe Avenue, Zengdu District, Suizhou City, Hubei Province

中国高端专用车制造商
China's high-end special-purpose vehicle manufacturer

企业简介


ENTERPRISE SPIRIT

公司尊重员工创造,打造“共建、共享、共赢”的发展平台,追求“诚信为先、服务至上、尊重人才、追求卓越”的核心价值观,弘扬“敢于挑战、刻苦专研、恪尽职守”的工作作风。公司上下形成了管理有序、权责明晰、团结实干的良好氛围,争做业内领先企业。

The company respects employees' creation, creates a development platform for "co-construction, sharing, and win-win", pursues the core values of "integrity first, service first, respecting talents, and pursuing excellence", and promotes the work style of "daring to challenge, hard work, and dedicated to duties". The company has formed a good atmosphere of orderly management, clear rights and responsibilities, and unity and hard work, and strives to be a leading enterprise in the industry. Technical College, etc.

销售网点分布

SALES OUTLETS DISTRIBUTION



全国销售网点分布图

National sales outlets distribution map

海外市场分布图

Overseas Market Distribution Map



合作共赢
创新发展

WIN-WIN COOPERATION
INNOVATIVE DEVELOPMENT



Tank Truck Series-Oil Truck



FAW Oil Tank Truck



FOTON Oil Truck



FAW Fuel Truck



Shacman Xuande Oil Truck



Dongfeng Duolika Oil Tanker

Tank Truck Series-Fresh Milk Transport Vehicle, Edible Oil Transport Semi-Trailer



Dongfeng Kingrun Fresh Milk Tanker



FAW Fresh Milk Tank Truck



Dongfeng Duolika Fresh Milk Truck



FAW Milk Tank Truck



Edible Oil Tanker Semi-Trailer

>>> Oil Tank Truck Series

Ritumax—Specialized Vehicle Manufacturing Factory

2m3 Oil tanker truck	Vehicle	RUI5040GJY6BW
	Maximum Speed (Km/h)	85
	NEDC Combined Fuel Consumption (L/100KM)	10.2
	Wheelbase (mm)	2700
	Number of Seats	2~3
	Energy Type	Diesel
	Engine Power (KW)	85,97
	Dimensions L×W×H(mm)	5280×2000×2250
	Curb Weight (kg)	2895
	Drive Type	4×2

4m3 Oil tanker truck	Vehicle	RUI5070GYY6
	Maximum Speed (Km/h)	85
	NEDC Combined Fuel Consumption (L/100KM)	16.2
	Wheelbase (mm)	3308
	Number of Seats	2~3
	Energy Type	Diesel
	Engine Power (KW)	81,85,93,95,97,105
	Dimensions L×W×H(mm) (mm)	5990×2050×2500
	Curb Weight (kg)	3780
	Drive Type	4×2

5m3 Oil tanker truck	Vehicle	RUI1070P40K61
	Maximum Speed (Km/h)	85
	NEDC Combined Fuel Consumption (L/100KM)	15.2
	Wheelbase (mm)	3300
	Number of Seats	2~3
	Energy Type	Diesel
	Engine Power (KW)	88,96
	Dimensions L×W×H(mm) (mm)	5990×2040×2500
	Curb Weight (kg)	3765
	Drive Type	4×2

10m3 Oil tanker truck	Vehicle	RUI1125SJ8CDCWXP
	Maximum Speed (Km/h)	85
	NEDC Combined Fuel Consumption (L/100KM)	21.2
	Wheelbase (mm)	3800
	Number of Seats	2~3
	Energy Type	Diesel
	Engine Power (KW)	110,114,120,125
	Dimensions L×W×H(mm) (mm)	6840×2200×2800
	Curb Weight (kg)	5150
	Drive Type	4×2

15m3 Oil tanker truck	Vehicle	RUI5184GYY6BWG
	Maximum Speed (Km/h)	85
	NEDC Combined Fuel Consumption (L/100KM)	26.91
	Wheelbase (mm)	3800
	Number of Seats	2~3
	Energy Type	Diesel
	Engine Power (KW)	147,162,177
	Dimensions L×W×H(mm) (mm)	8500×2500×3200
	Curb Weight (kg)	7800
	Drive Type	4×2

20m3 Oil tanker truck	Vehicle	RUI5260GYYLZ6
	Maximum Speed (Km/h)	85
	NEDC Combined Fuel Consumption (L/100KM)	36.2
	Wheelbase (mm)	4575+1400
	Number of Seats	2~3
	Energy Type	Diesel
	Engine Power (KW)	251
	Dimensions L×W×H(mm) (mm)	9780×2500×3335
	Curb Weight (kg)	9805
	Drive Type	6×4

>>> Oil Tank Truck Series

Ritumax—Specialized Vehicle Manufacturing Factory

Edible oil transport semi-trailer	Vehicle Model	RUI9405GSY42Y	Ordinary liquid transport semi-trailer	Vehicle Model	RUI9401GPG
	Dimensions (L x W x H) (mm)	11800×2550×3850		Dimensions (L x W x H) (mm)	9820×2550×3650
	Gross Vehicle weight (kg)	40000		Gross Vehicle weight (kg)	8400
	Wheelbase (mm)	5880+1310+1310		Wheelbase (mm)	4400+1310+1310
	Effective Tank Volume (m3)	40		Ground Clearance (mm)	500
	Gross Volume (m3)	42		Total Tank Capacity (m3)	32
	Curb Weight	8000		Tire Specifications	12R22.5 12PR
	Number of Axles	3		Number of Tires	12
	Ground Clearance (mm)	480		Rated Load Capacity	31600
	Tire Specifications	11.00		Effective Tank Volume (m3)	30.5
Sinotruk Aircraft oil tank truck	Vehicle Model	RUI5180GJY6ZZF	Dongfeng Aircraft oil tank truck	Vehicle Model	RUI5121GJYL6
	Dimensions	8180×2510×3280		Dimensions	6850×2250×3000
	Gross Vehicle Weight (kg)	18000		Gross Vehicle Weight (kg)	11950
	Wheelbase (mm)	3600		Wheelbase (mm)	3800
	Maximum Speed(Km/h)	80		Maximum Speed(Km/h)	80
	Fuel	diesel		Fuel	diesel fuel
	Curb Weight	9040		Curb Weight	4705
	Number of Axles	3		Number of Axles	3
	Total Tank Capacity (m3)	11.5		Total Tank Capacity (m3)	11.5
	Number of People in Cab	2,3		Number of People in Cab	2,3
25m3 Oil tanker truck	Vehicle	RUI5263GYL6	30m3 Oil tanker truck	Vehicle	RUI5320GYLD6
	Maximum Speed (Km/h)	85		Maximum Speed (Km/h)	85
	NEDC Combined Fuel Consumption (L/100KM)	37.47		NEDC Combined Fuel Consumption (L/100KM)	38.1
	Wheelbase (mm)	1900+5600		Wheelbase (mm)	1995+4500+1350
	Number of Seats	2~3		Number of Seats	2~3
	Energy Type	Diesel		Energy Type	Diesel
	Engine Power (KW)	209		Engine Power (KW)	257
	Dimensions L×W×H(mm) (mm)	10480×2550×3490		Dimensions L×W×H(mm) (mm)	11700×2550×3880,3500
	Curb Weight (kg)	9105		Curb Weight (kg)	11805
	Drive Type	6×2		Drive Type	8×4

Ritumax Oil Tank Truck Complete Vehicle and Chassis Model List



Vehicle	Modle	Engine	Medium	Volume
Dongfeng oil tanker truck	CL5070GJY6	D20TCIF1 (Yunnei 126 HP)	gasoline and diesel	4.36m3
Dongfeng oil tanker truck	CL5071GJY6	D20TCIF1 (Yunnei 126 HP)	gasoline and diesel	5.1m3
		Q28-130E60 (Full diesel 130 HP)	gasoline and diesel	
Dongfeng oil tanker truck	CL5071GYY6	D20TCIF1 (Yunnei 126 HP)	gasoline and diesel	5.1m3
		Q28-130E60 (Full diesel 130 HP)	gasoline and diesel	
Dongfeng oil tanker truck	CL5070GYY6	D20TCIF1 (Yunnei 126 HP)	gasoline and diesel	4.36m3
		Q28-130E60 (Full diesel 130 HP)		
Dongfeng oil tanker truck	CL5070GRY6	Yunnei 126 HP	Methanol and ethanol	4.52m3
Fonton oil tanker truck	CL5041GJY6BWG	Q23-115C60 (Full diesel 115 HP)	gasoline and diesel	2.2m3
Fonton oil tanker truck	CL5125GJY6BWG	D30TCIF1 (Yunnei 170 HP)	gasoline and diesel	8.4m3
Fonton oil tanker truck	CL5126GJY6BWG	D30TCIF1 (Yunnei 170 HP)	gasoline and diesel	9.8m3
Fonton oil tanker truck	CL5090GJYCBWG	CA4DB1-14E68 (Xichai 140 HP)	gasoline and diesel	6.2m3
Fonton oil tanker truck	CL5091GJYCBWG	CA4DB1-14E68 (Xichai 140 HP)	gasoline and diesel	7.2m3
Fonton oil tanker truck	CL5122GYY6BWG	CA4DD2-18E6 (Oshiba 180HP)	gasoline and diesel	8.5m3
Fonton oil tanker truck	CL5120GJY6BWG	CA4DD2-18E6 (Oshiba 180HP)	gasoline and diesel	8.5m3
Fonton oil tanker truck	CL5121GJY6BWG	CA4DD2-18E6 (Oshiba 180HP)	gasoline and diesel	9.8m3
Dongfeng oil tanker truck	CL5127GJY6BWG	D25TCIF1 (Yunnei 150 HP)	gasoline and diesel	10.2m3
Dongfeng oil tanker truck	CL5120GJYE6	D25TCIF1 (Yunnei 150 HP)	gasoline and diesel	8.4m3
Sinotruk oil tanker truck	CL5097GYYZ6	WP2.3NQ130E61(Weichai 130 HP)	gasoline and diesel	6.2m3
Sinotruk oil tanker truck	CL5121GYY6BWG	WP3NQ160E61 (Weichai 160 HP)	gasoline and diesel	9.7m3
Sinotruk oil tanker truck	CL5120GYY6BWG	WP3NQ160E61 (Weichai 160 HP)	gasoline and diesel	8.3m3
Dongfeng oil tanker truck	CL5120GJY6	YCY30165-60 (Yuchai 165 HP)	gasoline and diesel	8.5m3
		D30TCIF1 (Yunnei 170 HP)	gasoline and diesel	
Dongfeng oil tanker truck	CL5121GYY6	D30TCIF1 (Yunnei 170 HP)	gasoline and diesel	9.1m3
Dongfeng oil tanker truck	CL5122GYY6	YCY30165-60 (Yuchai 165 HP)	gasoline and diesel	9.9m3
		D30TCIF1 (Yunnei 170 HP)		
Dongfeng oil tanker truck	CL5120GYY6	YCY30165-60 (Yuchai 165 HP)	gasoline and diesel	8.3m3
		D30TCIF1 (Yunnei 170 HP)		
Dongfeng oil tanker truck	CL5124GJY6BWG	D30TCIF1 (Yunnei 170 HP)	gasoline and diesel	9.9m3
Dongfeng oil tanker truck	CL5123GJY6BWG	D30TCIF1 (Yunnei 170 HP)		8.5m3
Dongfeng oil tanker truck	CL5121GJYE6	YCY30165-60 (Yuchai 165 HP)	gasoline and diesel	8.2m3
Dongfeng oil tanker truck	CL5120GRY6	YCY30165-60 (Yuchai 165 HP)	Methanol and ethanol	8.7m3
		D30TCIF1 (Yunnei 170 HP)		
Dongfeng oil tanker truck	CL5180GYYE6	YCS04200-68 (Yuchai 200 HP)	gasoline and diesel	12.6m3
Dongfeng oil tanker truck	CL5181GJY6BWG	YCS04200-68 (Yuchai 200 HP)	gasoline and diesel	13.4m3
Dongfeng D8 oil tanker truck	CL5180GRY6	B6.2NS6B230 (Kangji 230 HP)	Methanol and ethanol	13.1m3
Dongfeng D8 oil tanker truck	CL5182GYY6BWG	YCS04200-68 (Yuchai 200 HP)	gasoline and diesel	15.7m3
Dongfeng D8 oil tanker truck	CL5181GYY6BWG	YCS04200-68 (Yuchai 200 HP)	gasoline and diesel	13.5m3
Dongfeng D9 oil tanker truck	CL5180GJY6	B6.2NS6B230 (Kangji 230 HP)	gasoline and diesel	13m3
Dongfeng D9 oil tanker truck	CL5180GYY6	B6.2NS6B230 (Kangji 230 HP)	gasoline and diesel	14.5m3
Dongfeng oil tanker truck	CL5181GYYD6	B6.2NS6B210 (Kangji 210 HP)	gasoline and diesel	13m3
Dongfeng oil tanker truck	CL5182GJY6BWG	B6.2NS6B210 (Kangji 210 HP)	gasoline and diesel	15m3
Dongfeng oil tanker truck	CL5261GYY6BWG	DDi75E300-60 (Dragon Engine 300 HP)	gasoline and diesel	21m3
Dongfeng oil tanker truck	CL5260GYY6BWG	YCS06270-60 (Yuchai 270 HP)	gasoline and diesel	21.7m3
Dongfeng oil tanker truck	CL5260GYY6	B6.2NS6B260 (Kangji 260 HP)	gasoline and diesel	20.8m3
Dongfeng oil tanker truck	CL5260GYY6	YCS06245-60 (Yuchai 240 HP)	gasoline and diesel	22.19m3
Sinotruk HOWO single-axle refueling truck	CL5181GJYZ6	MC07.25-60 (250HP)	gasoline and diesel	13.1m3
Sinotruk HOWO oil tanker with four front and four rear	CL5262GYYZ6	MC07.25-60(256HP)	gasoline and diesel	19.7m3
Sinotruk HOWO oil tanker with four front and eight rear	CL5320GYYZ6	MC07H.35-60 (Sinotruk 350HP)	gasoline and diesel	27.4m3
Sinotruk HOWO oil tanker with four front and eight rear	CL5321GYYZ6	MC07H.35-60 (Sinotruk 350HP)	gasoline and diesel	23.9m3
Sinotruk HOWO rear double axle oil tanker	CL5261GYYZ6	MC07H.35-60 (Sinotruk 350HP)	gasoline and diesel	21m3
Liquid supply semi-trailer	CLW9401GGY		General goods	31m3
Liquid supply semi-trailer	CL9402GGY		General goods	32m3
Insulated semi-trailer	CL9401GPGBWN		General goods	46m3