



湖北锐途科技有限公司 Hubei Ruitu Technology Co., Ltd.

湖北省随州市曾都区鹿鹤大道 Luhe Avenue, Zengdu District, Suizhou City, Hubei Province



RUITU MEDICAL/EMERGENCY PRODUCT CATALOG

锐途医疗/应急产品图册

中国高端专用车制造商 China's high-end special-purpose vehicle manufacturer

O1 >> 企业简介 ENTERPRISE SPIRIT

湖北锐途科技有限公司是一家专业从事专用汽车研发、制造与出口的高新技术企业,总部位于"中国专用汽车之都"——湖北随州。公司以"锐意进取,无惧征途"为发展理念,致力于为全球客户提供高性能、高品质的专用汽车整体解决方案。

公司主要产品涵盖环卫类专用车、工程类专用车、应急类专用车及物流运输类专用车,包括垃圾车、洒水车、吸污车、冷藏车、消防车、救护车、自卸车、清障车、牵引车等多个系列。所有专用汽车均可基于ISUZU、东风、江铃、重汽、福田等国际主流底盘平台进行定制,以满足不同市场对排放标准、气候适应性和使用环境的多样化需求。

湖北锐途有限公司拥有完善的质量管理体系,已通过ISO9001、CCC、CE等多项国内外质量 认证。凭借严格的产品质量管控和稳定的供货能力,公司产品远销东南亚、中东、非洲、南美等 50多个国家和地区,在国际市场上赢得了良好的口碑和客户信任。

作为国内领先的专用汽车出口制造商,湖北锐途有限公司始终坚持"质量为本,服务至上" 的经营宗旨,没有专业的售后团队和定制化技术支持,为客户提供从方案设计、产品制造到出口 服务的一处式留义市员

未来,锐途将继续专注于专用汽车领域的技术创新与品牌建设,携手全球合作伙伴,共同推动智能、高效、安全的专用车辆走向世界。

Hubei Ruitu Technology Co., Ltd. is a professional manufacturer and exporter of special purpose vehicles, located in Suizhou, China—the city of special vehicles. We focus on R&D, production, and global distribution of high-quality customized vehicles for sanitation, emergency, construction, and logistics applications.

Our main products include garbage trucks, water tankers, sewage suction trucks, ambulances, fire trucks, refrigerated trucks, dump trucks, tow trucks, and more. All vehicles can be built on ISUZU, Dongfeng, JMC, Foton, or SINOTRUK chassis to meet various international standards and customer needs.

With ISO, CCC, and CE certifications, we ensure strict quality control and reliable performance. Our products have been successfully exported to over 50 countries across Southeast Asia, the Middle East, Africa, and South America.

Hubei Ruitu is committed to delivering customized solutions, competitive prices, and excellent after-sales service. We look forward to cooperating with global partners to drive innovation and growth in the special vehicle industry.



产品有:各类洒水车、垃圾车、吸污车、扫地车、油罐车、化工车、清障车、高空作业车、消防车、救护车体检车、采血车、医疗车、伤残运送车、血浆运输车检测车、监测车、房车、商务车、售货车、工具车、流动服务车、指挥车、运兵车、防暴车、囚车、勘察车、救险车等各系列800多个品种。是国内同行业中产品品种最多、生产资质全、生产设备、检测手段完备的专汽公司。

The products include various types of sprinkler trucks, garbage trucks, sewage suction trucks, road sweeper trucks, oil tank trucks, chemical trucks, wreckers, aerial work platforms, fire trucks, medical examination ambulances, blood collection vehicles. medical vehicles, disabled transport vehicles, plasma transport and inspection vehicles, monitoring vehicles, recreational vehicles, commercial vehicles, vending trucks, utility vehicles, mobile service vehicles, command vehicles, troop carriers, anti-riot vehicles, prison vans, survey vehicles, emergency rescue vehicles, etc., with more than 800 varieties in various series. It is a special-purpose vehicle company in the domestic industry that has the largest variety of products, complete production qualifications, advanced production equipment and comprehensive detection methods.



湖北锐途科技有限公司拥有压力容器、随车起重机、汽车吊、消防车、国家武器装备科研生产资质。公司有100多个自主创新产品获得国家专利,其中"车载式污水净化处理装置""供气照明消防车"等项目获得科技进步三等奖,有840多个"程力威"牌产品列入国家公告目录。公司是湖北省人民政府认定全省汽车及零部件出口基地湖北省特种车辆改装应急保障动力。是国家经济动员办公室、总后勤部军需物资油料部认定的军用物资采购动员供应商。

Hubei Ruitu Technology Co., Ltd. possesses the qualifications for scientific research and production of pressure vessels, truck-mounted cranes, truck cranes, fire trucks, and national weaponry and equipment. The company has obtained national patents for more than 100 independently innovative products. Among them, projects such as the "Vehicle-mounted Sewage Purification and Treatment Device" and the "Gas Supply and Lighting Fire Truck" have won the third prize for scientific and technological progress. More than 840 products of the "Chengliwei" brand have been included in the national announcement catalog.

The company has been recognized by the People's Government of Hubei Province as the province's export base for automobiles and auto parts, as well as the emergency support mobilization center for the modification of special vehicles in Hubei Province. It has also been recognized as a mobilization supplier for the procurement of military supplies by the National Economic Mobilization Office and the Department of Military Supplies, Materials and Oils of the General Logistics Department.

2 » <u>目录</u> CONTENTS

Mobile cabin hospital	03	方舱医院
Mobile Operating Vehicle	05	移动手术车
Ambulance with Micro-pressure Hyperbaric Oxygen Chamber	07	微压氧舱救护车
Mobile CT Medical Vehicle	09	移动CT医疗车
Mobile DR Medical Vehicle	11	移动DR医疗车
Cancer screening physical examination medical vehicle	13	癌症筛查体检医疗车
Medical Vehicle for Occupational Disease Physical Examination	15	职业病体检医疗车
Mobile Blood Collection Vehicle	17	移动采血车
Disabled Transportation Vehicle	19	伤残运输车
Purely Electric Ambulance	21	纯电动救护车
Four-wheel drive Ambulance	23	四驱救护车
Iveco Ambulance	25	依维柯救护车
Ford Ambulance	27	福特救护车
SAIC MAXUS Ambulance	29	大通救护车
Mercedes-Benz Ambulance	31	奔驰救护车
Foton Ambulance	33	福田救护车
Medical Waste Disinfection and Sterilization Vehicle	35	医疗废物消杀车
Mobile Water Purification Vehicle	37	移动净水车
Field Cooking Support Vehicle	39	野外炊事保障车
Camping Vehicle	41	宿营车
Bedding and Clothing Washing Vehicle	43	被服洗涤车
Power supply Vehicle	45	电源车
Shower Vehicle	47	淋浴车
Toilet and Wash - up Vehicle	49	厕所盥洗车
Troop Carrier Vehicle	51	运兵车
lveco anti-riot troop carrier	53	依维柯防暴运兵车
Equipment Transport Vehicle	55	装备运输车
Communication and Command Vehicle	57	通讯指挥车
Large-flow Drainage Emergency Rescue Vehicle	59	大流量排水救险车
lveco emergency rescue vehicle	61	依维柯抢险车
Forward-projecting Command Vehicle	63	前突指挥车

Mengshi Equipment Command Vehicle 65 猛士装备指挥车



满足"更安全、更环保、更无忧、更智能、更便捷"等刚性需求的基础上,围绕客户需求创造性研发产品与服务。

On the basis of meeting the rigid demands such as "safer, more environmentally friendly, more worry - free, smarter, and more convenient", we creatively develop products and services centered around customer needs.

03

≫集团价值 GROUP VALUE

集团旗下有独立子公司13个,拥有168个直属厂、专业厂、集团成员厂,集团公司经过16年时间跨越式发展,现有总资产近200亿元,占地面积3000亩,建筑面积120万多平方米,员工13000余人,其中技术类人员2000多人,技术工人6000余名。

Group has 13 independent subsidiaries and 168 directly affiliated factories, specialized factories and member factories of the group. After 16 years of leapfrog development, the group company currently has a total asset of nearly 20 billion yuan, covering an area of 3,000 mu (about 2 million square meters), with a building area of more than 1.2 million square meters. It has over 13,000 employees, among which there are more than 2,000 technical personnel and more than 6,000 skilled workers.



我们的使命:成就拥车梦想,优化生活品质

Our Mission:

Fulfill the dream of owning a vehicle and enhance the quality of life.



我们的质量理念:

以人为本,一丝不苟,让用户更满意!

Our Quality Philosophy:

People-oriented, meticulous, and strive to make users more satisfied!



我们的价值观:

讲究诚信,崇尚业绩,奉献社会

Our values:

Uphold integrity, advocate outstanding performance, and contribute to society.



我们的愿景: 成为最让人信赖的专用车企业

Our vision:

To become the most trusted special-purpose vehicle enterprise.






集团排名湖北省民营企业100强19位,入围中国民营企业500强。湖北 省国税局"全省国税百佳纳税人"湖北省"高新技术企业"湖北省"守 合同重信用"企业等荣誉称号;集团党委被评为"湖北省非公有制经济 双强百佳党组织";"程力威"洒水车被评为"湖北省名牌";"程力威" 荣获:湖北省著名商标、中国驰名商标。

Group ranks 19th among the top 100 private enterprises in Hubei Province and has been shortlisted among the top 500 private enterprises in China. It has won honorary titles such as "Top 100 National Taxpayers in the Province" awarded by the Hubei Provincial State Taxation Bureau, "High-tech Enterprise" in Hubei Province, and "Enterprise Abiding by Contracts and Valuing Credit" in Hubei Province. The Party Committee of the Group has been rated as "One of the Top 100 Strong Party Organizations in the Non-public Economy of Hubei Province". The "Chengliwei" sprinkler truck has been rated as a "Famous Brand Product in Hubei Province". The brand "Chengliwei" has been awarded the title of a Famous Trademark in Hubei Province and a Well-known Trademark in China.

集团实力 **GROUP STRENGTH**







中国制造业民营企业500强 第249位



湖北民营企业100强 第10位



湖北民营企业制造业100强 第5位



程力威——中国驰名商标



国家高新技术企业证书



湖北省博士后程力专用汽车 股份公司创新实践基地



湖北省认定企业技术中心

集团荣誉 **CORPORATE HONORS**



全国"万企帮万村"精准扶贫 行动先进民营企业



全国就业与社会保障 先进民营企业



2012年度全国"安康杯" 竞赛优胜单位



全省非公有制企业 双强百佳党组织






湖北省科技型中小企业



武汉科技大学大学生 社会实践基地



中共随州市委、市政府 2023年度特别贡献企业



成长路线图计划重点培育企业

资质证书

QUALIFICATION CERTIFICATE



程力汽车集团股份有限公司 全国工业产品生产许可证



全国质量检验稳定合格产品




程力公司质量服务诚信AAA等级证书



质量管理体系认证证书 环境管理体系认证证书

两化融合管理

体系评定证书



安全生产标准化二级企业(机械行业)



程力专用汽车股份有限公司证书



应急通信优秀解决方案征集活动实用奖



售后服务持续改进



能力评价认证证书



体系认证证书



全国产品和服务质量诚信示范企业



程力公司重服务守信用AAA等级证书



企业信用等级证书AAA



诚信企业家荣誉证书



程力汽车集团全国销售网点分布图

Distribution Map of National Sales Outlets of Chengli Automobile Group



程力国际贸易公司海外市场分布图

Overseas market distribution map of Chengli International Trading Company



第一梯队交付能力,为您提供全面帮扶/标书/资金/技术支持

First-tier delivery capability, providing you with comprehensive assistance, including support in bidding documents, funds, and technology.





































































方舱医院」

Mobile cabin hospital

机动性好、模块化组合

展开部署快、救治功能范围广

Good mobility, modular combination.
It can be deployed quickly and has a wide range of treatment functions.




车型简介 Vehicle Model Introduction

方舱医院采用双向三级拓展,到达目的地后2小时内 即可开展医疗救护工作。多级拓展移动方舱医院平台具 有检测、检查、隔离与治疗等功能,平台各功能区具备相 对独立密封的空间,公共区域设置有消毒灭菌区、缓中 区,各功能区,能实 现压差控制,可根据需要对压差值进 行调节,舱内搭载CT机、手术机、P2生物安全实验室、治 疗设备等,可称得上是一个浓缩可移动式的"三甲医院"。

The Mobile cabin hospital adopts two-way three-level expansion and can start medical rescue work within 2 hours after arriving at the destination. The multi-level expanded mobile Fangcang Hospital platform has functions such as detection, examination, isolation and treatment. Each functional area of the platform has a relatively independent and sealed space. The public area is equipped with a disinfection and sterilization area and a buffer area. Each functional area can achieve differential pressure control, and the differential pressure value can be adjusted as needed. The cabin is equipped with a CT machine, an operating machine, a P2 biosafety laboratory, treatment equipment, etc., and can be regarded as a concentrated and mobile "Grade III

Ø 03



产品特点 Product Features





迷你三甲医院2小时快速就位

Mini Grade - A Tertiary Hospital Can Be Rapidly Deployed in 2 Hours

Emergency communication 应急通信

5G 系统助力"第一时间"远程 问诊与会议指挥 The 5G system enables

remote diagnosis and conference command in "real - time".

Changeable 可变身

模块化设计满足多场景多行业 使用需求

The modular design meets the usage requirements of multiple scenarios and industries.





移动手术车」 Mobile Operating Vehicle














◎ 高效便捷 Efficient and convenient

采用全国首创工作消杀隔离舱,有效的管控环境温度、工作区域的无菌管理。

It adopts the first-in-the-nation working disinfection and isolation cabin, which can effectively control the environmental temperature and ensure the aseptic management of the working area.

◎ 配置齐全 Full Configuration

配置多功能手术床、无影灯、麻醉呼吸机、除颤仪、多参数监护仪等相关医疗设备为野外手术作业提供有力的保障。

It is equipped with multifunctional operating tables, shadowless lamps, anesthesia ventilators, defibrillators, multi-parameter monitors and other related medical equipment, providing a powerful guarantee for field surgical operations.

◎ 抓住"黄金急救期" Seize the "golden emergency period"

从急救医学角度而言,受伤后半小时是"黄金急救期"。而"移动医院"手术车的启用,有望大幅提高病人抢救成功概率。

From the perspective of emergency medicine, the half-hour period after injury is the "golden emergency period". The activation of the surgical vehicle of the "mobile hospital" is expected to significantly increase the probability of successful rescue of patients.

技术参数 Technical Parameters

移动手术车Mobile Surgical Trolley					
底盘名称	载货汽车底盘	外形尺寸 (mm)	11500x2550x2850		
Vehicle chassis	Truck chassis	Dimensions			
整备质量(kg) curb Weight	8500	轴距(mm) Wheelbase	5775+1400		
燃料种类	柴油	排放标准	GB17691-2018国VI		
Fuel Type	diesel fuel	Emission standards			



微压氧舱救护车」

Ambulance with Micro-pressure Hyperbaric Oxygen Chamber



舱内精疗,车外畅行

Precise treatment inside the chamber smooth driving outside the vehicle


车型简介 Vehicle Model Introduction


本款微压氧舱救护车专为高原地区设计,特别适用于西藏等高海拔环境。车辆基于高性能底盘打造,搭载3.0L柴油发动机,功率125kW,具备强劲动力和稳定性能,轻松应对高原复杂路况。车身尺寸为6500×2350×2760mm,内部配备11.76m³的微压氧舱,采用铝合金和抗菌高分子复合材料,确保舱体强度与卫生安全。氧舱支持10-50KPA压力调节,氧浓度稳定在93%±3%,可有效缓解高原反应和缺氧症状。车内配备独立空调、HEPA过滤新风系统,可安装心电监护仪、除颤仪等医疗设备,满足急救需求。

This ambulance with a micro-pressure hyperbaric oxygen chamber is specially designed for plateau areas and is particularly suitable for high-altitude environments such as Tibet. The vehicle is built on a high-performance chassis and is equipped with a 3.0L diesel engine with a power of 125kW, featuring strong power and stable performance, enabling it to easily handle the complex road conditions in the plateau.

The body size of the vehicle is $6500 \times 2350 \times 2760$ mm. The interior is equipped with a micro-pressure hyperbaric oxygen chamber with a volume of 11.76m³, which is made of aluminum alloy and antibacterial polymer composite materials to ensure the strength of the chamber and hygienic safety. The oxygen chamber supports pressure adjustment from 10 to 50KPA, and the oxygen concentration is stably maintained at $93\% \pm 3\%$, which can effectively relieve altitude sickness and symptoms of oxygen deficiency.

The vehicle is equipped with an independent air conditioner and a HEPA filtered fresh air system. Medical equipment such as an electrocardiogram monitor and a defibrillator can be installed in the vehicle to meet the first-aid needs.











技术参数 Technical Parameters

微压氧舱救护车 Ambulance with Micro-pressure Hyperbaric Oxygen Chamber					
底盘名称 Vehicle chassis	NJ1066EFC	外形尺寸 (mm) Dimensions	6500×2350×2760(mm)		
发动机排量(ml) Engine displacerent	2998	发动机功率(kw) Engine power	125		
燃料种类 Fuel Type	柴油 dieselfuel	轴距 (mm) Wheelbase	3300		
排放标准 Emission standards	GB17691-2018国VI	整备质量(kg) curb Weight	10250		

∅ 07

?ituMax





5G+匠心智造

5G+Crafted with Intelligence


配置先进


保障医疗工作稳步开展 With advanced configuration it ensures the steady progress of medical work.

车型简介 Vehicle Model Introduction

移动CT医疗车是疫情防控的重要武器,在应急救灾重大传染病事件中发挥着重要作用。CT医疗车有着较强的机动性。灵活性、有效性,可以迅速移动到任何地点,且安全地获取新型冠状病毒肺炎CT影像,大幅提升确诊的准确率和传染病的救治能力。

The mobile CT medical vehicle is an important weapon for epidemic prevention and control and plays a crucial role in major infectious disease incidents during emergency rescue and disaster relief. The CT medical vehicle has strong mobility, flexibility and effectiveness. It can quickly move to any location and safely obtain CT images of COVID-19, significantly improving the accuracy of diagnosis and the treatment capabilities for infectious diseases.









产品特点 Product Features



◎安全可靠 Safe and reliable

全方位立体六面铅防护,负压仓设计、专业消毒装置有效避免病毒传播,保护医护人品安全。

It has all-round three-dimensional six-sided lead protection. The design of the negative pressure chamber and the professional disinfection device can effectively prevent the spread of viruses and protect the safety of medical staff.

◎配置齐全 Full Configuration

配备CT专用逆变电源,仅需220V市电即可完成扫描;拥有专用电源储能系统,实现24小时不间断运行。

It is equipped with a special inverter power supply for CT, and scanning can be completed only with a 220V commercial power supply. It also has a dedicated power energy storage system, enabling 24-hour unintercurated operation.

uninterrupted operation. ②数据无线对接 Wireless data docking

5G影像数据传输、远程云端影像诊断系统、实时回传数据信息、智能远程会 诊更快更准时的智能诊断。

It supports 5G imaging data transmission, is equipped with a remote cloud imaging diagnosis system, can transmit data information back in real time, enables intelligent remote consultations, and achieves faster and more accurate intelligent diagnosis.

技术参数 Technical Parameters

	移动(C T医疗车 Mobile (T Medical Vehicle
底盘名称 Vehicle chassis	厢式运输车底盘 Vantruck chassis	外形尺寸 (mm) Dimensions	8830,1170x2550x3980(mm)
发动机排量(ml) Engine displacerent	6870	发动机功率(kw) Engine power	202
燃料种类 Fuel Type	柴油 diesel fuel	轴距 (mm) Wheelbase	3875+1400,4274+1400,4575+1400,4975+1400 5375+1400,5775+1400,5975+1400
排放标准 Emission standards	GB17691-2018国VI	整备质量 (kg) curb Weight	10250

7) ng

RituMax



Mobile DR Medical Vehicle



医疗急救领域的佼佼者

A leader in the field of medical emergency rescue


依维柯商用车底盘 先进的医疗技术和人性化设计

lveco commercial vehicle chassis Advanced medical technology and humanized design

车型简介 Vehicle Model Introduction

依维柯医疗车,作为医疗急救领域的佼佼者,以其卓越的性能、灵活的配置和出色的可靠性,成为了医疗机构和急救团队的首选。该车型基于依维柯商用车底盘精心打造,融合了先进的医疗技术和人性化设计,为医护人员提供了高效、安全、舒适的医疗工作环境。

Iveco Medical vehicles, as a leader in the field of medical emergency, have become the first choice of medical institutions and emergency teams with their excellent performance, flexible configuration and excellent reliability. The model is carefully built on the Iveco commercial vehicle chassis and integrates advanced medical technology and humanized design to provide an efficient, safe and comfortable medical working environment for medical personnel.









产品特点 Product Features



◎高效动力系统 Efficient power system

依维柯医疗车搭载了高效、可靠的柴油发动机,配合先进的传动系统,提供了强劲的动力输出和平顺的加速性能。

The Iveco medical vehicle is equipped with a high-efficiency and reliable diesel engine, which, combined with an advanced transmission system, provides powerful power output and smooth acceleration performance.

◎专业医疗配置 Professional medical configuration

依维柯医疗车的医疗舱配备了多种先进的医疗设备,能够满足不同疾病的急救和治疗需求。 同时,医疗舱还采用了抗菌、易清洁的内饰材料,确保了医疗环境的卫生和安全。

The medical cabin of the Iveco medical vehicle is equipped with a variety of advanced medical devices, which can meet the first aid and treatment needs for different diseases. At the same time, the medical cabin also uses antibacterial and easy-to-clean interior materials, ensuring the hygiene and safety of the medical

◎智能化管理与远程支持 Intelligent management and remote support

依维柯医疗车融入了智能化管理与远程支持技术,为医护人员提供了更加便捷、高效的工作方式。车辆配备了智能医疗信息系统,能够实现医疗数据的实时采集、存储和分析,为医护人员提供准确的诊断依据和治疗建议。

The Iveco medical vehicle incorporates intelligent management and remote support technologies, providing medical staff with a more convenient and efficient way of working. The vehicle is equipped with an intelligent medical information system, which can achieve real-time collection, storage and analysis of medical data, providing medical staff with accurate diagnostic basis and treatment suggestions.

技术参数 Technical Parameters

移动DR医疗车 Mobile DR medical vehicle					
底盘名称 Vehicle chassis	NJ6556ECM	外形尺寸(mm) Dimensions	5495×2060×2940(mm)		
发动机排量(ml) Engine displacerent	1994	发动机功率(kw) Engine power	107		
燃料种类 Fuel Type	柴油 diesel fuel	轴距 (mm) Wheelbase	3300		
排放标准 Emission standards	国VI National VI	整备质量 (kg) curb Weight	3000		

RituMax



Cancer screening physical examination medical vehicle



集多功能干一体

ntegrate multiple functions into one.

专业医疗用车 满足现代医疗服务需求

Professional medical vehicles

Meeting the needs of modern medical services

车型简介 Vehicle Model Introduction

癌症筛查体检医疗车,是基于海格考斯特系列产品开发的专业医疗用车,专为满足现代医疗体系对高效、便捷、安全的医疗服务需求而设计。该车型不仅继承了考斯特系列产品的典雅大方外形和精致内饰做工,更在医疗功能上进行了全面升级,成为了一款集诊疗、检查、急救、转运等多功能于一体的综合医疗平台。

The medical vehicle for cancer screening physical examination is a professional medical vehicle developed based on the Higer Coaster series of products. It is specifically designed to meet the needs of the modern medical system for efficient, convenient and safe medical services. This model not only inherits the elegant and generous appearance and exquisite interior workmanship of the Coaster series products, but also undergoes a comprehensive upgrade in medical functions, becoming a comprehensive medical platform integrating multiple functions such as diagnosis and treatment, examination, emergency rescue, and transportation.











产品特点 Product Features

◎ 多功能医疗配置

Multi-functional medical configuration

车内配备了多种先进的医疗设备,能够满足不同疾病的诊断和治疗需求。同时,车辆还设置了独立的急救区域,配备了急救箱、除颤器、呼吸机等急救设备,为紧急情况下的医疗救治提供了有力支持。

The vehicle is equipped with a variety of advanced medical devices, which can meet the diagnostic and treatment needs of different diseases. At the same time, the vehicle is also equipped with an independent first aid area, which is furnished with first aid kits, defibrillators, ventilators and other emergency rescue equipment, providing strong support for medical treatment in emergency situations.

◎ 高效舒适的医疗环境

Efficient and comfortable medical environment

除了多功能医疗配置外,车内采用了先进的隔音、降噪和减震技术,降低了行驶过程中的噪音和震动,提高了医疗服务的舒适性和稳定性。同时,车辆还配备了舒适的座椅、空调、照明等设施,为医护人员和患者提供了良好的工作环境和休息条件。

In addition to the multi-functional medical configuration, the vehicle adopts advanced sound insulation, noise reduction and shock absorption technologies, which reduce the noise and vibration during driving and improve the comfort and stability of medical services. At the same time, the vehicle is also equipped with comfortable seats, air conditioners, lighting and other facilities, providing a good working environment and

◎ 智能化管理与远程支持

Intelligent management and remote support

海格考斯特医疗车还融入了智能化管理与远程支持技术。车辆配备了智能医疗信息系统,能够实现医疗数据的实时采集、存储和分析,为医护人员提供准确的诊断依据和治疗建议

The Higer Coaster medical vehicle also incorporates intelligent management and remote support technologies. The vehicle is equipped with an intelligent medical information system, which can achieve real-time collection, storage, and analysis of medical data, providing medical staff with accurate diagnostic bases and treatment suggestions.

技术参数 Technical Parameters

癌症筛查体检医疗车 Cancer screening physical examination medical vehicle 底盘名称 外形尺寸(mm) 7000×2040×2970(mm) KLQ6702E6 发动机排量(ml) 发动机功率(kw) 2970 110 燃料种类 轴距(mm) 柴油 3935 diesel fuel 国VI 整备质量(kg) 排放标准 4900

14 %





Medical Vehicle for Occupational Disease Physical Examination




健康 从呵护开始

移动健康驾驭未来

车型简介 Vehicle Model Introduction

职业病体检医疗车是为医疗行业设计可以满足常规体检、治疗、应急医疗救援等功能的专用车辆。它采用空间利用率较高的底盘改 装,车内空间布局合理,功能齐全。移动医疗体检车以其特有的灵活性大大刺激了医疗单位的需求,形成了上门医疗服务、组建医疗队下 乡、遇有突发事件短时间建立应急医疗预案等模式。

The medical vehicle for occupational disease physical examination is a special-purpose vehicle designed for the medical industry, which can meet the functions such as routine physical examination, treatment, emergency medical rescue, etc. It is refitted with a chassis that has a high space utilization rate, and the interior space is reasonably arranged and fully functional. With its unique flexibility, the mobile medical examination vehicle has greatly stimulated the demand of medical institutions, and has formed such models as providing on-site medical services, organizing medical teams to go to rural areas, and establishing emergency medical plans in a short time in case of emergencies.









产品特点 Product Features





Humanistic care meticulous attention to details 人性关怀 细致入微

超大空间:实现最大级别中巴车的最长纵向距 离,客舱内部高度达到80mm,能够为乘客提供 同级中巴最宽敞内部乘坐空间。

Super-large Space: Achieve the longest longitudinal distance among medium-sized buses of the largest class. The internal height of the passenger cabin reaches 80 millimeters, which enables it to provide passengers with the most spacious internal riding space among medium-sized buses of the same class.



Surging power highly efficient and energy-saving 澎湃动力 高效节能

高效大马力发动机、优化电控系统、集成节油、 巡航等电控功能,能量的传递效率更高。

High-efficiency high-horsepower engine, optimized electronic control system, integrated electronic control functions such as fuel saving and cruise control, which makes the energy transfer more automatically summarize the data of



The medical examination information management system is complete

体检信息管理系统完善

体检车内配置有线局城网和无线网,可实现B 超、心电图、DR、纯音电测听等体检结果数据自 动汇总,信息回传实现远程会诊。

The medical examination vehicle is equipped with a wired local area network and a wireless network. It can physical examination results such as Bultrasound, electrocardiogram, DR (Digital Radiography), and pure tone audiometry. Through information transmission back,

技术参数 Technical Parameters

	职业病体检医疗车	Medical Vehicle for Occupa	tional Disease Physical Examination
底盘名称 Vehicle chassis	客式运输车底盘 Chassis of passenger transport vehicle	外形尺寸(mm) Dimensions	12000x2550x3600,3690(mm)
发动机排量(ml) Engine displacerent	7698	发动机功率(kw) Engine power	243
燃料种类 Fuel Type	柴油 diesel fuel	轴距 (mm) Wheelbase	6300
排放标准 Emission standards	国VI	整备质量 (kg) curb Weight	15000,16000,17200





Mobile Blood Collection Vehicle



高度的灵活性和便捷性

ligh degree of flexibility and convenience


深入社区、学校、企业等地提供安全、舒适、高效献血体验

Go deep into communities, schools, enterprises and other places Provide a safe, comfortable and efficient blood donation experience

车型简介 Vehicle Model Introduction

移动采血车是一款适用于血站及医疗机构专用的采血、献血的流动车辆。车内设有等待休息区、登记区、检验化验区、生活区、无菌采血区(单独分离)等5个工作区域,并根据各工作区的要求配置休息床、双路照明、对外广播等相关系统。该车载有影视系统、新风顶窗换气系统、大功率消毒系统及半躺采血椅、专用采血台、热合工作台、大容积品牌采血冰箱等。行李舱内部配置了发电机系统,有效的满足了用电需要,为医护人员提供安全、可靠、便捷的绿色体检环境。

The mobile blood collection vehicle is a special mobile vehicle suitable for blood collection and blood donation in blood stations and medical institutions. There are five working areas inside the vehicle, including a waiting and resting area, a registration area, a testing and laboratory area, a living area, and a sterile blood collection area (separated individually). And relevant systems such as rest beds, dual-circuit lighting, and external broadcasting are configured according to the requirements of each working area. The vehicle is equipped with a film and television system, a fresh air top window ventilation system, a high-power disinfection system, as well as semi-reclining blood collection chairs, special blood collection tables, heat-sealing workbenches, large-capacity branded blood collection refrigerators, etc. A generator system is installed inside the luggage compartment, effectively meeting the power consumption needs and providing a safe, reliable, ar










产品特点 Product Features



○高效便捷的献血服务

Efficient and convenient blood donation service

移动献血车最大的亮点在于其高效便捷的献血服务。通过深入社区、学校等场所,它打破了传统献血站点的固定限制,使得献血活动更加贴近民众,提高了献血的便利性。

The greatest highlight of the mobile blood donation vehicle lies in its efficient and convenient blood donation service. By reaching out to communities, schools and other places, it breaks the fixed limitations of traditional blood donation stations, bringing blood donation activities closer to the public and enhancing the

◎全面的健康监测与安全保障

Comprehensive health monitoring and safety guarantee

车内设有完善的健康筛查设备,如血压计、血糖仪等,用于在献血前对献血者进行初步的健康评估。

There are complete health screening devices in the vehicle, such as sphygmomanometers and blood glucose meters, which are used to conduct a preliminary health assessment of blood donors before blood donation.

◎普及献血知识,提升公众意识

Popularize blood donation knowledge and enhance public awareness

除了提供献血服务外,移动献血车还承担着普及献血知识、提升公众意识的重要任务。 In addition to providing blood donation services, the mobile blood donation vehicle also undertakes the important task of popularizing blood donation knowledge and enhancing public awareness.

技术参数 Technical Parameters

移动采血车 Mobile Blood Collection Vehicle					
底盘名称 Vehicle chassis	客式运输车底盘 Chassis of passenger transport vehicle	外形尺寸(mm) Dimensions	12000x2550x3600,3690(mm)		
发动机排量(ml) Engine displacerent	7698 发动机功率(kw) Engine power		243		
燃料种类 Fuel Type	柴油 diesel fuel	轴距 (mm) Wheelbase	6300		
排放标准 Emission standards	国VI	整备质量(kg) curb Weight	15000,16000,17200		



伤残运输车」

Disabled Transportation Vehicle



安全、便捷、舒适

Safe, convenient and comfortable

满足不同用户群体的特殊需求 Meet the special needs of different user groups.

车型简介 Vehicle Model Introduction

伤残运输车,专为行动不便的残疾人、老年人或康复期患者设计,旨在提供安全、便捷、舒适的交通服务。该类车型通常基于商用车底盘进行专业改装,采用标准化制造工艺和定制化服务,以满足不同用户群体的特殊需求。车内配备有专业的医疗设备、无障碍设施以及舒适的座椅和扶手,确保乘客在转运过程中得到全方位的照顾和保护。

The disabled transportation vehicle is specifically designed for disabled people with limited mobility, the elderly, or patients in the rehabilitation period, aiming to provide safe, convenient and comfortable transportation services. Such vehicles are usually professionally modified based on the chassis of commercial vehicles, adopting standardized manufacturing processes and customized services to meet the special needs of different user groups. The vehicle is equipped with professional medical equipment, barrier-free facilities, as well as comfortable seats and armrests, ensuring that passengers receive comprehensive care and protection during the transfer process.









产品特点 Product Features

01 ◎专业医疗配置Professional medical configuration

伤残运输车的核心亮点之一是其专业的医疗配置。车内配备有氧气瓶、输液架、医疗设备柜等必要设施,能够满足转运过程中患者的基本医疗需求。 One of the core highlights of the disabled transportation vehicle is its professional medical configuration. The vehicle is equipped with necessary facilities such as oxygen cylinders, infusion racks, medical equipment cabinets, etc., which can meet the basic medical needs of patients during the transportation process.

02 ◎无障碍设计 Barrier-free design

为了满足行动不便乘客的特殊需求,伤残运输车采用了无障碍设计。车内设有轮椅升降平台、可滑动式输液吊钩、折叠担架等便捷设施,方便乘客上下车和接受医疗护理。

In order to meet the special needs of passengers with limited mobility, the disabled transportation vehicle adopts a barrier-free design. The vehicle is equipped with convenient facilities such as a wheelchair lifting platform, a slidable infusion hook, a folding stretcher, etc., which facilitate passengers to get on and off the vehicle and receive medical care.

◎高效安全性能 High-efficiency and safe performance

伤残运输车在保障乘客舒适性的同时,也注重高效安全性能的提升。车辆采用了先进的制动系统、ABS防抱死系统和EBD电子制动力分配系统,提高了行驶的稳定性和安全性。同时,车内还配备了安全带、安全气囊等被动安全装置,以及倒车雷达、车载监控等辅助安全设施,进一步提升了乘客在转运过程中的安全保障。

While ensuring the comfort of passengers, the disabled transportation vehicle also focuses on improving its high-efficiency and safe performance. The vehicle is equipped with an advanced braking system, an ABS anti-lock braking system, and an EBD electronic brakeforce distribution system, which enhance the stability and safety of driving. At the same time, the vehicle is also equipped with passive safety devices such as seat belts and airbags, as well as auxiliary safety facilities such as a reversing radar and in-vehicle monitoring, further enhancing the safety protection of passengers during the transportation process.

技术参数 Technical Parameters

	伤残运输车 Disabled Transportation Vehicle					
底盘名称 Vehicle chassis	JX6533TM-M6	外形尺寸(mm) Dimensions	5341×1986×2390(mm)			
发动机排量(ml) Engine displacerent	1998	发动机功率(kw) Engine power	105			
燃料种类 Fuel Type	柴油 diesel fuel	轴距 (mm) Wheelbase	3300			
排放标准 Emission standards	国VI National VI	整备质量 (kg) curb Weight	2480			

 \bigcirc 19

纯电动救护车」 Purely Electric Ambulance







?ituMax



Powerfully escorting and ensuring safe transportation

强势护航 安全转运


采用危险品运输车专用底盘 专业安全 运输更安心

It adopts a dedicated chassis for dangerous goods transport vehicles, ensuring professional safety and providing more peace of mind during transportation

车型简介 Vehicle Model Introduction

纯电动救护车基于吉利先进的电动车平台打造,采用了纯电动或油电混合的动力系统,实现了零排放或低排放,更加环保节能。车身设计采用了流线型造型,不仅美观大方,还降低了风阻,提高了能源利用效率。车内医疗舱空间宽敞且设计合理,配备了先进的医疗设备和耗材,为医护人员提供了高效、便捷的救治环境。

The pure electric ambulance is built based on Geely's advanced electric vehicle platform and adopts a pure electric or hybrid power system, achieving zero emissions or low emissions, and is more environmentally friendly and energy-efficient. The body design features a streamlined shape, which is not only beautiful and generous but also reduces wind resistance and improves energy utilization efficiency. The medical cabin inside the vehicle is spacious and reasonably designed, equipped with advanced medical equipment and consumables, providing medical staff with an efficient and convenient treatment environment.



产品特点 Product Features

◎新能源技术

New energy technology

吉利新能源救护车采用了纯电动或油电混合的动力系统,具有零排放或低排放的特点,更加环保节能。同时,电动车型还具有噪音低、振动小等优点,为医护人员和患者提供了更加舒适的驾乘体验。

The Geely new energy ambulance adopts a pure electric or electric-hybrid power system, which is characterized by zero emissions or low emissions, making it more environmentally friendly and energy-efficient. At the same time, the electric models also have advantages such as low noise and small vibration, providing a more comfortable driving and riding experience for medical staff and patients.

◎驾驶体验优越

Superior driving experience

吉利新能源救护车采用了先进的底盘调校和悬挂系统。同时,车辆还配备了智能驾驶辅助系统,如车道偏离预警、自动紧急制动等,提高了驾驶安全性和便利性。

The Geely new energy ambulance adopts advanced chassis tuning and suspension system. At the same time, the vehicle is also equipped with intelligent driving assistance systems, such as lane departure warning, automatic emergency braking, etc., which improve driving safety and convenience.

○医疗功能全面

Comprehensive medical functions

车内医疗舱配备了先进的医疗设备和耗材。同时,医疗舱设计合理,医护人员可以迅速找到并使用所需的设备和耗材,为救治患者赢得了宝贵时间。

The medical cabin inside the vehicle is equipped with advanced medical equipment and consumables. At the same time, the medical cabin is reasonably designed, allowing medical staff to quickly locate and use the required equipment and consumables, thus gaining precious time for treating patients.

◎外观醒目且实用

Eye-catching and practical appearance

吉利新能源救护车的车身采用了醒目的红白配色,符合医疗急救车辆的标识要求。同时,车身设计还考虑了实用性,如便于开启的车门和车窗、易于清洗的车身材质等,为医护人员提供了更加便捷的操作环境。

The body of the Geely new energy ambulance adopts a striking red and white color scheme, which meets the identification requirements of medical emergency vehicles. At the same time, the body design also takes practicality into consideration, such as doors and windows that are easy to open, and body materials that are easy to clean, providing a more convenient operating environment for medical staff.

技术参数 Technical Parameters

纯电动救护车 Purely Electric Ambulance					
电机型号 Motor Model	TZ220XSA01	外形尺寸(mm) Dimensions	5490,5700*1980,2040*2610(mm)		
最高车速 Maximum Speed	135km/h	医疗舱尺寸(mm) Dimensions of the medical cabin	2900×1760×1880(mm)		
电池类型 Battery Type	三元锂电池(电池容量66kw/h)	轴距 (mm) Wheelbase	3600		
电池冷却方式 Battery cooling method	液冷	整备质量(kg) curb Weight	3495		



四驱救护车」

Four-wheel drive Ambulance

车型简介 Vehicle Model Introduction

依维柯欧霸四驱越野救护车是专为高原、沙漠等恶劣环境设计的救援利器。其配备新一代F1C3.0T发动机,峰值功率高达132KW,峰值 扭矩达到430N.M,动力强劲。车辆采用真四驱三把锁配置,具备超强的脱困能力和70%的爬坡能力,宽体轻客四驱标准和非承载式越野专 用底盘提升了整车的刚度和安全性。车内配备丰富的急救设备,为急救工作提供便利。外观设计醒目,有排式救护灯及警报器,车身线条流畅,减少空气阻力,提高行驶效率。


The IVECO Eurocargo four-wheel drive off-road ambulance is a powerful rescue tool specifically designed for harsh environments such as plateaus and deserts. It is equipped with a new generation of F1C 3.0T engine, with a peak power of up to 132KW and a peak torque of 430N.M, providing strong power. The vehicle adopts a true four-wheel drive configuration with three locking differentials, having super strong off-road capabilities for getting out of trouble and a climbing ability o 70%. The four-wheel drive standard for wide-body light passenger vehicles and the non-load-bearing off-road dedicated chassis enhance the overall stiffness and safety of the vehicle. The interior of the vehicle is equipped with a variety of first aid equipment, providing convenience for emergency rescue work. The exterior design is eye-catching, with row-style











技术参数 Technical Parameters

	四驱	数护车 Four-wh	neel drive ambulance
底盘名称 Vehicle chassis	CL5041XJH6AYS	外形尺寸(mm) Dimensions	5995x2100x2870(mm)
发动机排量(ml) Engine displacerent	2998	发动机功率(kw) Engine power	132
燃料种类 Fuel Type	柴油 diesel fuel	轴距(mm) Wheelbase	3365
排放标准 Emission standards	国VI National VI	整备质量(kg) curb Weight	4490

24 🛇

依维柯救护车。

Iveco Ambulance

数据赋能 急救零时差

Data empowerment enables zero - time - lag emergency response.

依维柯聚星纯电动监护型救护车采用南京依维柯推出的聚星长轴车型改装。驱动电机额定70KW/峰值150KW,带交通拥堵辅助及定速巡航,疲劳驾驶监控及预警系统,自动感应大灯,LED后位灯,日间行车灯;采用一体化、笼式框架结构的承载式车身,欧洲安全碰撞设计标准,高强度绷钢加PHS热成型钢轻量化车身设计;整体车身重心低、更稳定,有效确保驾驶者的安全;医疗舱空间宽大,设计合理;全车采用国内领先的医疗车改装技术。

The IVECO Daily Xing pure electric monitoring ambulance is refitted from the long-axis model of the Daily Xing launched by Nanjing IVECO. The rated power of the drive motor is 70KW, and the peak power is 150KW. It is equipped with traffic congestion assistance, cruise control, a fatigue driving monitoring and early warning system, automatic induction headlights, LED rear position lights, and daytime running lights. It adopts a load-bearing body with an integrated, cage-type frame structure, designed in accordance with European safety collision standards. It features a lightweight body design with high-strength tensile steel and PHS hot-formed steel. The overall body has a low center of gravity, making it more stable, effectively ensuring the safety of the driver. The medical cabin has a large space and a reasonable design. The whole

vehicle adopts the medical vehicle

l e a d i n g r e fittin g



5G+智慧救护车 守护生命每一个危急时刻

5G+ Smart Ambulance Protecting Every Critical Moment of Life









产品特点 Product Features

○ 先进的安全配置

Advanced safety configurations

救护车配备了多种高级安全系统,包括防抱死系统(ESP+EBA+HHC)、自动紧急制动、车道偏离预警带车道保持辅助系统、盲区监测系统(BSD+BOW)以及疲劳驾驶监控及预警系统。确保了车辆在各种驾驶条件下都能提供卓越的安全性能。

The ambulance is equipped with a variety of advanced safety systems, including the Electronic Stability Program (ESP) combined with Electronic Brake Assist (EBA) and Hill Hold Control (HHC), Automatic Emergency Braking, Lane Departure Warning with Lane Keeping Assist System, Blind Spot Detection System (BSD + Blind Spot Warning), as well as a Fatigue Driving Monitoring and Early Warning

02 ◎稳健的车身设计与结构

A robust vehicle body design and structure

采用了一体化、笼式框架结构的承载式车身,并遵循欧洲安全碰撞设计标准。车身由高强度绷钢加PHS热成型钢制成,实现了轻量化设计。整体车身重心低,更加稳定,为驾驶者提供了额外的安全保障。

It adopts an integrated, cage-type frame structure load-bearing body and complies with European safety collision design standards. The vehicle body is made of high-strength tensile steel and PHS hot-formed steel, achieving a lightweight design. The overall vehicle body has a low center of gravity, making it more stable and providing additional safety guarantees for the driver.

(1) ○宽敞的医疗舱与领先的改装技术

Spacious medical cabin and leading refitting technology

该救护车的医疗舱空间宽大且设计合理,能够容纳各种医疗设备。全车采用了国内领先的医疗车改装技术,使其适用于各类医院及急救中心。 The medical cabin of this ambulance is spacious and reasonably designed, capable of accommodating various medical equipment. The entire vehicle adopts the leading medical vehicle refitting technology in China, making it suitable for various hospitals and emergency centers.

技术参数 Technical Parameters

依维柯救护车 Iveco ambulance							
名称 Vehicle Model	外形尺寸【长宽高】 Dimensions【LXWxH】	发动机排量(ml) Engine displacerent	发动机功率(kw) Engine power	燃料种类 Fuel Type	轴距(mm) Wheelbase	排放标准 Emission standards	整备质量(kg) curb Weight
NJ6540FBEV81	5364mm×2030mm×2540mm	电池类型 酸铁锂电池 (电池容量88.8kwh)	额定70KW	电	3366mm		3366mm
CLW5040XJH6DP	5495mm×2011mm×2740mm	2.998L	125KW	柴油	3300mm	国 VI national VI	3300mm
CL5040XJH6BYS	5990mm×2330mm×2770mm	2.998L	125KW	柴油	3300mm	国VI national VI	3300mm

 \blacksquare \emptyset 25






车型简介 VehicleModelIntroduction

福特救护车是一款基于福特汽车先进技术打造的专业医疗急救车辆。它融合了福特汽车的耐用性和可靠性,专为紧急医疗服务设计。车内配备完善的医疗设备,包括氧气供应系统、担架、急救箱等,确保医护人员在紧急情况下能够迅速响应并提供有效救治。福特救护车还具备出色的驾驶性能和操控稳定性,为医护人员和患者提供安全、舒适的转运环境。

The Ford ambulance is a professional medical emergency vehicle built based on the advanced technology of Ford Motor. It combines the durability and reliability of Ford vehicles and is specifically designed for emergency medical services. The vehicle is equipped with complete medical equipment, including an oxygen supply system, stretchers, first aid kits, etc., ensuring that medical staff can respond quickly and provide effective treatment in emergency situations. The Ford ambulance also has excellent driving performance and handling stability, providing a safe and comfortable transfer environment for medical staff and patients.









产品特点 Product Features

外观采用新型长排警灯或镶嵌式警灯,警灯线条完美融合车身线条,全方位周边报警设计,还可根据用户需求定制模具边灯,美观实用。

➤ The exterior features a new type of long-row warning lights or inlaid warning lights. The lines of the warning lights blend perfectly with the body lines. With an all-round perimeter alarm design, it is also possible to customize mold side lights according to the user's needs, which is both aesthetically pleasing and practical.

供氧系统,大容量氧气瓶设计,适合远途运送,配有进口品牌减压阀,出口压力可调节,隐藏式供氧气管道使整体性更强。

The oxygen supply system features a design with a large-capacity oxygen cylinder, which is suitable for long-distance transportation. It is equipped with a pressure reducing valve of an imported brand, and the outlet pressure can be adjusted. The concealed oxygen supply

内饰系统,进口原材料,全复合制作工艺,表面光滑,强度大,有隔温隔音材料,电线预埋功能,安全阻燃。

The interior system uses imported raw materials and adopts a fully composite manufacturing process. It has a smooth surface and high strength. It is equipped with heat insulation and sound insulation materials, and has the function of pre-buried electrical wires. It is safe and flame-retardant.

充足的平台空间可放置大量的监护设备,为重症、长途转运病人提供救护保障。

The ample platform space allows for the placement of a large number of monitoring devices, providing reliable rescue and protection for the transportation of critically ill patients over long distances.

充足的车载电源可支持呼吸机、吸引器、微量泵、除颤监护仪等的同时运行并且不影响车辆的正常行驶。

The sufficient on-board power supply can support the simultaneous operation of devices such as ventilators, suction machines, infusion pumps, and defibrillator monitors, without affecting the normal driving of the vehicle.

技术参数 Technical Parameters

福特救护车 Ford ambulance							
名称 Vehicle Model	外形尺寸【长宽高】 Dimensions【LxWxH】	发动机排量(ml) Engine displacerent	发动机功率(kw) Engine power	燃料种类 Fuel Type	轴距(mm) Wheelbase	排放标准 Emission standards	整备质量(kg) curb Weight
CL5045XJH6BYS	5998×2068×2485, 2685,2775,2835, 2955,2545	2.296L	128KW	柴油	3750 mm	国VI national VI	2900 3000 3120
CL5041XJH6BYS	5520×2060×2580	1.998L	105KW	柴油	3300 mm	国 VI national VI	3510

7 28 ∅ ■

大通救护车」 SAIC MAXUS Ambulance





建康 从呵护开始


ealth starts from meticulous care.

移动健康驾驭未来 Mabila Haalth Drive the Future

车型简介 Vehicle Model Introduction

大通救护车是一款集高效、安全、舒适于一体的专业医疗急救车辆。它采用先进的车身设计,搭载高性能发动机,提供强劲的动力输出和 稳定的操控性能。车内配备完善的医疗设备,包括氧气供应系统、担架、急救箱等,确保医护人员在紧急情况下能够迅速响应并提供有效救 治。此外,大通救护车还注重舒适性设计,为医护人员和患者提供宽敞、舒适的车内环境。

The SAIC MAXUS ambulance is a professional medical emergency vehicle that integrates high efficiency, safety and comfort. It adopts an advanced body design and is equipped with a high-performance engine, providing powerful power output and stable handling performance. The vehicle is equipped with complete medical equipment, including an oxygen supply system, stretchers, first aid kits, etc., ensuring that medical staff can respond quickly and provide effective treatment in emergency situations. In addition, the SAIC MAXUS ambulance also focuses on comfort design, providing a spacious and





大通V70救护车



大通V80短轴救护车



大通G20ES救护车

◎医疗舱:

Medical cabin:

大通救护车内部医疗舱宽敞,布局合理。配备有整体式组合医疗柜,能满足医疗耗材、药品的独立存储需求,各类医疗设备也有充足空间安放。

The medical cabin inside the SAIC MAXUS ambulance is spacious and reasonably laid out. It is equipped with an integrated combined medical cabinet, which can meet the independent storage needs of medical consumables and drugs. There is also ample space for placing various medical devices.

◎担架系统:

Stretcher system:

通常配备有自动上车担架,操作简便,可以迅速平稳地将载有病员的担架推入或拉出救护车。 It is usually equipped with an automatic loading stretcher, which is easy to operate. The stretcher carrying the patient can be quickly and smoothly pushed into or pulled out of the ambulance.

◎供氧系统:

Oxygen supply system:

通常配备有氧气瓶、氧气瓶柜及快速接口,确保在急救过程中氧气供应充足。

It is usually equipped with oxygen cylinders, oxygen cylinder cabinets and quick interfaces to ensure an adequate supply of oxygen during the first aid process.

◎照明与消毒:

Lighting and disinfection:

医疗舱内通常安装有紫外线消毒灯和照明灯,以满足消毒和照明需求。

Ultraviolet disinfection lamps and lighting lamps are usually installed in the medical cabin to meet the needs of disinfection and lighting.

◎动力性能:

Lighting and disinfection:

大通救护车搭载高性能发动机,提供强劲的动力输出,确保在各种路况下都能稳定行驶。

The SAIC MAXUS ambulance is equipped with a high-performance engine, which provides powerful power output and ensures stable driving under various road conditions.

◎操控性能:

Handling performance

采用先进的操控系统,换挡平顺,加速迅猛,使医护人员能够轻松应对各种紧急情况。

It adopts an advanced control system, with smooth gear shifting and rapid acceleration, enabling medical staff to easily deal with various emergency situations.

◎安全性能:

Safety performance

车身采用高强度钢材,配备ABS防抱死制动系统、ESP车身电子稳定辅助系统等主动安全配置,大大提高了行车安全性。

The vehicle body is made of high-strength steel and is equipped with active safety configurations such as the ABS (Anti-lock Braking System) and ESP (Electronic Stability Program). These features significantly enhance the driving safety.

技术参数 Technical Parameters

大通救护车 SAIC MAXUS ambulance					
名称 Vehicle Model	排放标准 Emission standards	轴距 (mm) Wheelbase	发动机排量(ml) Engine displacerent	燃料种类 Fuel Type	整备质量(kg) curb Weight
大通V90	国VI national VI	3366	1996	柴油 diesel fuel	2700
大通V70	国VI national VI	3366	1996	柴油 diesel fuel	2490
大通V80	国VI national VI	3100	1996	柴油 diesel fuel	2460
大通G20ES	国VI national VI	3198	1995	汽油 gasoline	2245

 $\delta \sim 10^{-10}$

奔驰救护车」 Mercedes-Benz Ambulance











生命守护 疾速前行

Safeguarding Lives, Speeding Ahead

以卓越性能守护每一刻生命


疾速响应,为紧急救援开辟绿色通道

Guard every precious moment of life with superior performance Respond with lightning speed and open up a green passage for emergency rescues.

车型简介 Vehicle Model Introduction

奔驰威霆救护车保留了原车型的大气与稳重,同时进行了专业的医疗改装。车辆内部经过精心设计,医疗舱与驾驶舱完全隔离,为医护人员和患者提供了安全、舒适的环境。医疗舱内配备了先进的医疗设备和救护器材,包括呼吸机、除颤仪、心电监护仪等,以满足各种突发状况的救治需求。

The Mercedes-Benz Vito ambulance retains the grandeur and stability of the original model, and at the same time, it has undergone professional medical modifications. The interior of the vehicle has been carefully designed. The medical cabin is completely isolated from the driving cabin, providing a safe and comfortable environment for medical staff and patients. The medical cabin is equipped with advanced medical equipment and rescue facilities, including ventilators, defibrillators, electrocardiogram monitors, etc., to meet the treatment needs of various emergency situations.



产品特点 Product Features



◎卓越的品质与性能 Exceptional quality and performance

奔驰威霆救护车搭载了高效的发动机和先进的传动系统,提供了强劲的动力输出和稳定的操控性能。能快速、安全地到达目的地,为救援工作赢得宝贵的时间。

The Mercedes-Benz Vito ambulance is equipped with an efficient engine and an advanced transmission system, which provides powerful power output and stable handling performance. It can reach the destination quickly and safely, winning precious time for the rescue work.

◎全面的医疗配置与人性化设计

Comprehensive medical configurations and human - centered designs

医疗舱内配备了丰富的医疗设备和救护器材,能够满足各种紧急医疗救援的需求。还配备了智能照明系统、中央电源分配系统以及紧急警报系统等设备,为医护人员提供了便捷的工作环境。

The medical cabin of the Mercedes-Benz Vito ambulance is equipped with a rich variety of medical devices and rescue equipment, which can meet the needs of various emergency medical rescues. Additionally, it is furnished with facilities such as an intelligent lighting system, a central power distribution system, and an emergency alarm system. These devices provide a convenient working

◎负压隔离与安全防护 Negative pressure isolation and safety protection

奔驰威霆负压型救护车采用负压设计,确保空间的独立与安全。以及车内空气流向车外,有效预防医患间的交叉感染。舱内还配备了科学的通风量系统和精准的定向排风设计,进一步降低了病毒传播的风险。

The negative pressure type Mercedes-Benz Vito ambulance adopts a negative pressure design to ensure the independence and safety of the space. The air inside the vehicle flows outwards, effectively preventing cross-infection between medical staff and patients. The cabin is also equipped with a scientific ventilation volume system and a precise directional exhaust design, which further reduces the risk of

技术参数 Technical Parameters

奔驰救护车 Mercedes-Benz Ambulance				
底盘名称 Vehicle chassis	FA5030XXYE	外形尺寸(mm) Dimensions	5370×1928×2360(mm)	
发动机排量(ml) Engine displacerent	1991	发动机功率(kw) Engine power	155	
燃料种类 Fuel Type	柴油 diesel fuel	轴距 (mm) Wheelbase	3430	
排放标准 Emission standards	国VI National VI	整备质量(kg) curb Weight	2300,2500	

32 🗖 🚃

RituMax



Foton Ambulance



高效守护、安全前行

Efficiently safeguard and move forward safely.

即刻响应

为紧急需求提供全面保障。


Respond immediately

Provide comprehensive guarantee for urgent needs.

车型简介 Vehicle Model Introduction

福田救护车涵盖了多种车型,如福田G5、G7、G9等,这些车型均具备强大的车身强度、充沛的动力以及宽大的内部空间,为医疗急救提供了坚实的基础。其中,福田G9救护车作为城市急救车辆的首选,更是以其完善的医疗舱配置和高效的设计赢得了广泛赞誉。

Foton ambulances cover a variety of models, such as Foton G5, G7, G9, etc. These models all have strong body strength, sufficient power, and a spacious interior space, providing a solid foundation for medical emergency rescue. Among them, the Foton G9 ambulance, as the first choice for urban emergency vehicles, has won widespread acclaim for its complete medical cabin configuration and efficient design.







产品特点 Product Features

○全面医疗配置与高科技集成

Comprehensive medical configuration and high-tech integration

福田救护车医疗舱内配备了全面的医疗设备,满足紧急医疗需求。特别集成导航系统、监控系统及5G智能院前急救信息系统,提升医疗急救的效率和准确性。 The medical cabin of the Foton ambulance is equipped with comprehensive

The medical cabin of the Foton ambulance is equipped with comprehensive medical equipment to meet emergency medical needs. In particular, it integrates a navigation system, a monitoring system, and a 5G intelligent prehospital emergency information system, which improves the efficiency and accuracy of medical emergency rescue.



Excellent safety and negative pressure isolation performance

车身设计符合最新安全标准,配备安全气囊、ABS+EBD等安全配置,负压隔离技术有效减小病原微生物向外界环境的扩散,特别适用于传染病患者的转运。

The body design of the ambulance complies with the latest safety standards, and it is equipped with safety configurations such as airbags, ABS+EBD, etc. The negative pressure isolation technology effectively reduces the spread of pathogenic microorganisms to the external environment, making it particularly suitable for the

transfer of patients with infectious diseases. 高效动力与舒适内饰


Efficient power and comfortable interior

搭载高效节能的发动机,确保救护车在紧急情况下能够迅速响应并快速到达现场。

内饰设计舒适宽敞,采用轿车级一体化设计,满足医疗急救的多种需求。

It is equipped with a high-efficiency and energy-saving engine to ensure that the ambulance can respond promptly and reach the scene quickly in case of an emergency.

The interior is designed to be comfortable and spacious. Adopting an integrated design at the level of a sedan, it can meet various needs of medical emergency



技术参数 Technical Parameters

福田救护车 Foton ambulance				
底盘名称 Vehicle chassis	BJ6549B1DXA-E2	外形尺寸(mm) Dimensions	5380×1920×2480(mm)	
发动机排量(ml) Engine displacerent	2378	发动机功率(kw) Engine power	118	
燃料种类 Fuel Type	汽油 gasoline	轴距 (mm) Wheelbase	3110	
排放标准 Emission standards	国VI National VI	整备质量(kg) curb Weight	2390	



医疗废物消杀车」

Medical Waste Disinfection and Sterilization Vehicle



处理医疗废物方式灵活

he treatment of medical waste is flexible.

可实现医疗废物就地处理 减少运输风险

It can achieve on - site treatment of medical waste reducing transportation risks.

车型简介 Vehicle Model Introduction


医疗废物消杀车采用严苛的WCM管理体系,确保产品开发、供应链、制造、质保、IT五大体系的可靠性,搭载的医疗废物高温蒸汽处理站包括高温蒸汽处理单元。提升单元及破碎单元等,医疗废物处置后的灭菌率达99.999%,有效解决抗疫医疗战线的"后顾之忧"。可作为区域性应急备用设施,解决医疗废物处置中心设备检修期间的应急处置需求。

The medical waste disinfection and sterilization vehicle adopts a strict WCM management system to ensure the reliability of the five major systems, namely product development, supply chain, manufacturing, quality assurance, and IT. The installed high-temperature steam treatment station for medical waste includes a high-temperature steam treatment unit, a lifting unit, a crushing unit, etc. The sterilization rate of medical waste after disposal reaches 99.9999%, effectively addressing the "worries at the rear" for the medical frontline in the fight against the epidemic. It can serve as a regional emergency backup facility to meet the emergency disposal needs during the equipment maintenance period of the medical waste disposal center.










产品特点 Product Features



◎品质可靠 工艺领先 Reliable Quality, Leading Technology

领先的重卡生产线+先进的造车工艺+严格的品控体系造就了卓越 的产品品质。

The leading heavy - duty truck production line, advanced vehicle - manufacturing technology, and strict quality control system have created outstanding product quality.

◎动力澎湃 强劲持久 Powerful and Sustained Performance

该款发动机采用四气门、高压喷射、电控标定、增压中冷、SCR后处 理等先进技术,保证了该车能高时效性的完成医废消杀工作。

This engine adopts advanced technologies such as four valves, high-pressure injection, electronic control calibration, turbocharging with intercooling, and SCR (Selective Catalytic Reduction) post-treatment. These technologies ensure that the vehicle can complete the medical waste disinfection and sterilization work with

◎通过性佳 转向灵活 Excellent Passability, Flexible Steering

精悍灵巧的车身在满足高负载量的同时,也保障了良好的通过性和灵活性,使得该车能在各个医院及时高效的完成医废消杀时的转场停靠工作。

The compact and dexterous body, while meeting the requirement of high load capacity, also ensures excellent passability and flexibility. This enables the vehicle to promptly and efficiently complete the tasks of changing locations and parking when carrying out medical waste disinfection and sterilization work in various bosnitals.

技术参数 Technical Parameters

医疗废物消杀车 Medical Waste Disinfection and Sterilization Vehicle				
底盘名称	重汽豪沃重载车	外形尺寸(mm)	9500x2455x3900(mm)	
Vehicle chassis	Engine displacement	Dimensions		
发动机排量(ml) Engine displacerent	1997	发动机功率(kw) Engine power		
燃料种类	汽油	轴距 (mm)	5305	
Fuel Type	gasoline	Wheelbase		
排放标准	国VI	整备质量 (kg)	10000	
Emission standards	National VI	curb Weight		









Independent water purification system National drinking water standard

满足多人生活用水和直饮水要求


车型简介 Vehicle Model Introduction

移动净水车,也叫车载式(移动)水处理设备。它由汽车载体和水处理设备组成。是一种移动方便,灵活,独立的净水系统。

移动净水车的净化水部分采用膜处理技术,主要用于自来水等水源的净化处理,能满足多人的生活用水及直饮水要 求;为移动医院各方 舱提供净化水、热水、污水处理及排放作用;给野外移动医院提供生活供水保障和医用用水保障。

The mobile water purification vehicle, also known as the vehicle-mounted (mobile) water treatment equipment, is composed of an automobile carrier and water treatment equipment. It is a water purification system that is convenient to move, flexible and independent.

The water purification part of the mobile water purification vehicle adopts membrane treatment technology and is mainly used for the purification treatment of water sources such as tap water. It can meet the living water and direct drinking water requirements of many people. It provides functions such as supplying purified water, hot water, sewage treatment and discharge for each cabin of the mobile hospital. It also provides the living water supply guarantee and medical water supply guarantee for the field mobile hospital.









产品特点 Product Features



It features stable water production, is less prone to clogging, and is easy to operate. 产水稳定,不易堵塞

操作简单

能够适应源水水质 复杂的环境

It can adapt to the environment where the water quality of the source water is complex.

水质优良,可选两种 制水模式

The water quality is excellent and t wo water production modes are optional.



It is equipped with a self-contained generator and a power pump, and there is no need for an external power supply. 自备发电机和动力泵

无需外接电源

整车布局结构合理 而且具有减震措施

The overall vehicle layout has a reasonable structure, and it is also equipped with shock absorption measures.

技术参数 Technical Parameters

	移动净水车 Mobile Water Purification Vehicle			
底盘名称	载货汽车底盘	外形尺寸(mm)	7940x2500x3030,2850,3100(mm)	
Vehicle chassis	Truck chassis	Dimensions		
发动机排量(ml) Engine displacerent	2977	发动机功率(kw) Engine power	125	
燃料种类	柴油	轴距 (mm)	3300	
Fuel Type	dieselfuel	Wheelbase		
排放标准	国VI	整备质量(kg)	5350,5600,5800	
Emission standards	National VI	curb Weight		

野外炊事保障车」

Field Cooking Support Vehicle



满足三百人同时就餐

can meet the dining needs of 300 people simultaneously


完全满足在各种突发事件情况下 人们的餐饮保障

It can fully meet the catering support need: of people in various emergency situations.

车型简介 Vehicle Model Introduction

炊事车专用于提供野外餐饮保障,提高野外执行任务保障能力。广泛适用于军队、公安特勤、消防、医疗卫生、抢险、应急救援等多种 用途。车内配置齐全,完全满足在野外抢险救援、医疗救护、救灾、突发事件等情况下执勤人的餐饮保障用途。

The cooking vehicle is specifically designed to provide field catering support and enhance the support capabilities for tasks carried out in the wild. It is widely applicable to the military, special police units, fire departments, medical and health services, rescue operations, emergency response, and various other uses. The vehicle is fully equipped and can completely meet the catering support needs of on - duty personnel in situations such as field rescue operations, medical











产品特点 Product Features



◎安全可靠 Safe and reliable

保温隔热厢体合理划分为蒸饭区,烹饪区、洗涤区,切菜区,调和区,餐具储存区,冷冻储藏区,可充分保障野外炊事需求。

The heat-insulating and heat-preserving compartment is reasonably divided into a rice-steaming area, a cooking area, a washing area, a vegetable-cutting area, a seasoning area, a tableware storage area, and a freezing and storage area, which can fully meet the needs of field cooking.

◎配置齐全 Full Configuration

使用耐久性好,整车及全套机械运作机构均按照专业标准设计制作,能适应各种恶劣环境地行驶和高强度地使用。

It has good durability. The entire vehicle and the complete set of mechanical operation mechanisms are designed and manufactured in accordance with professional standards, enabling it to adapt to driving in various harsh

◎空间利用率高 It has a high space utilization rate.

本车具有机动性强、操作方便、使用可靠、热效率高,保温效果好等特点,适应 全天候作业,可满足公安、特警、消防执行特殊任务的后勤保障需求。

This vehicle features strong mobility, convenient operation, reliable use, high thermal efficiency, and excellent heat preservation effect. It is suitable for all-weather operations and can meet the logistical support needs of public security departments, special police forces, and fire departments when they carry out

技术参数 Technical Parameters

	野外炊事保障车 Field Cooking Support Vehicle				
底盘选用	重汽/东风	外形尺寸(mm)	10450×2550×3990(mm)		
Chassis selection	Sinotruk/Dongfeng	Dimensions			
发动机排量(ml) Engine displacerent	7360	发动机功率(kw) Engine power	257		
燃料种类	柴油	轴距 (mm)	3800,4200,4500,4700,4800		
Fuel Type	diesel fuel	Wheelbase	4900,5000,5200,6050		
排放标准	国VI	总质量 (kg)	14000,16000,18000		
Emission standards	National VI	Gross mass			

40 6







满足24-36人同时就寝

n meet the sleeping needs of 24 - 36 people simultaneously


舒适的就寝环境 齐全的卫生设施

A comfortable sleeping environment and complete sanitation facilities.

车型简介 Vehicle Model Introduction

宿营车主要由重汽豪沃二类汽车底盘、宿营方舱、宿营设施,空气调节系统、淋浴系统、水路系统、电气系统 等组成,具有舒适的就寝环境及齐全的卫生设施。整车改装设计符合国家对汽车设计改装的相关要求;在保证运载工具行 驶安全的前提下,充分利用汽车底盘的有效载荷及底盘尺寸;能满足车载设备安装、运行和人员工作、生活需求。

The camping vehicle is mainly composed of a Sinotruk HOWO Class II vehicle chassis, a camping shelter, camping facilities, an air conditioning system, a shower system, a water system, an electrical system, etc. It has a comfortable sleeping environment and complete sanitation facilities. The modification design of the entire vehicle complies with the relevant national requirements for vehicle design and modification. On the premise of ensuring the driving safety of the carrier, the effective load and the dimensions of the vehicle chassis are fully utilized. It can meet the installation and operation requirements of the vehicle-mounted equipment, as well as the work and living needs of the personnel.










产品特点 Product Features



◎布局合理 Reasonable layout

车厢采用钢骨架钢蒙版结构,骨架间进行聚氨酯发泡保温处理,在保证车体强度提高的同时大大提高了车体的保温性能。

The carriage adopts a steel skeleton and steel mask plate structure, and the space between the skeletons is treated with polyurethane foam for heat preservation. While ensuring the improvement of the strength of the vehicle body, the heat preservation performance of the vehicle body is greatly

◎适应性强 High adaptability

车内配置齐全,完全满足在野外抢险救援、医疗救护、救灾、突发事件等情况下8-24人的宿营用途。

The vehicle is fully equipped, which can completely meet the camping needs of 8 to 24 people in situations such as field rescue operations, medical assistance, disaster relief, and emergency incidents.

◎操作简捷 Simple and quick operation

厢体左右两侧设计有拓展舱,可自动/手动模式操作,拓展空间大。

Both the left and right sides of the compartment are designed with expansion cabins, which can be operated in automatic or manual mode, providing a large expanded space.

技术参数 Technical Parameters

	宿营车 Boarding car				
底盘选用	重汽/东风	外形尺寸 (mm)	11900×2550×3990(mm)		
Chassis selection	Sinotruk/Dongfeng	Dimensions			
发动机排量(ml) Engine displacerent	7360	发动机功率(kw) Engine power	257		
燃料种类	柴油	轴距(mm)	5800,6100,6300,6800,5600,7100		
Fuel Type	dieselfuel	Wheelbase			
排放标准	国VI	总质量 (kg)	16000,18000		
Emission standards	National VI	Gross mass			

 \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc

?ituMax

被服洗涤车」

Bedding and Clothing Washing Vehicle



单次50-100公斤洗烘效率

It has a washing and drying efficiency of 50 - 100 kilograms per single operation.


全程一键控制

装备更多洗涤,消毒,收藏设备 It features one - key control for the whole process and is equipped with more washing, disinfection, and storage equipment.

车型简介 Vehicle Model Introduction

被服洗涤车主要负责一线指战员被服洗涤工作,保证抗战在一线消防指战员能穿上干、净且整洁的衣物。这是一款结合洗涤设备特点,量身打造了适合应急救援多种服装洗涤要求的装备,被服洗涤车由方舱舱体,洗衣系统、干衣系统、热源系统、给排水系统、车载发电系统、电气控制系统等构成。集洗衣,烘干、挂烫等多功能于一体能满足一小时能洗涤50kg(50套)干重被服:40~55分钟烘干50kg(50套)干重的被服需求。

The Bedding and Clothing Washing Vehicle is mainly in charge of washing the bedding and uniforms of front - line commanders and firefighters. It ensures that those fighting on the front line of firefighting can wear dry, clean and tidy clothes. This is a piece of equipment custom - made to meet the diverse clothing - washing requirements of emergency rescue, taking into account the characteristics of washing equipment. The vehicle consists of a shelter module, a laundry system, a drying system, a heat source system, a water supply and drainage system, an on - board power generation system, and an electrical control system. It integrates multiple functions such as washing, drying and ironing. It can wash 50 kg (50





产品特点 Product Features



◎功能强大 Powerful functions

具备发电、供水、污水收集、照明等自我保障能力,集洗脱、烘干等多功能于一体。 It has self-sustaining capabilities such as power generation, water supply, sewage collection, and lighting, and integrates multiple functions including washing, dehydrating, and drying.

◎操作方便 Convenient operation

全程一键控制,自动选择洗涤参数,满足多种衣物洗烘需求,车辆还装备了静音发电机和静音水泵,能有效降低工作噪声。

It features one-key control throughout the whole process, automatically selects washing parameters, and meets the washing and drying needs of various types of clothes. The vehicle is also equipped with a silent generator and a silent

◎适应性强 High adaptability

车辆拥有舒适的工作环境,适用于大规模、长时间、远距离、高频次 的应急救援和演练的后勤保障。

The vehicle provides a comfortable working environment and is suitable for the logistical support of large-scale, long-duration, long-distance and high-frequency emergency rescues and drills.

技术参数 Technical Parameters

	被服洗涤车 Bedding and Clothing Washing Vehicle				
底盘选用	重汽/东风	外形尺寸(mm)	10560×2550×3800(mm)		
Chassis selection	Sinotruk/Dongfeng	Dimensions			
发动机排量(ml) Engine displacerent	7360	发动机功率(kw) Engine power	257		
燃料种类	柴油	轴距(mm)	5800		
Fuel Type	diesel fuel	Wheelbase			
排放标准	国VI	总质量(kg)	17000,18000		
Emission standards	National VI	Gross mass			

电源车」

Power Supply Vehicle



噪音低、排放性好

Low noise and good emission performance


操作简便、排放性好、维护性好

能很好的满足户外作业和应急供电需要

- It features simple operation, good emission performand
- and excellent maintainabilit
- can well meet the needs of outdoor operations and emergency power supply.

车型简介 Vehicle Model Introduction

电源车可称为移动电源车、应急电源车、充电车。多功能应急电源车是在定型的二类汽车底盘上加装厢体及发电机组和电力管理系统的专用车辆,主要用于如果停电将会产生严重影响的电力、通信、会议、工程抢险和军事等场所,作机动应急备用电源。电源车具有良好的越野性和对各种路面的适应性,适应于全天候的野外露天作业,而且能在极高、低温和沙尘等恶劣的环境下工作。具有整体性能稳定可靠、操作简便、噪音低、排放性好、维护性好等特点,能很好的满足户外作业和应急供电需要。湖北程力专用汽车股份有限公司电源车厂拥有专业的应急电源车技术团队,从业经验均超过5年,可根据客户应用需求量身定制车型方案,满足



实际使用中的各项需求。我司提供20kw-2000kw的全系列应急电源车产品,厢体长度盖3.50m-9.50m。

The power supply vehicle can also be called a mobile power supply vehicle, an emergency power supply vehicle, or a charging vehicle. The multi-functional emergency power supply vehicle is a specialized vehicle that installs a compartment, a generator set, and a power management system on a finalized Class II automobile chassis. It is mainly used in places such as power, communication, conferences, engineering emergency rescue, and military fields where a power outage will have serious impacts, serving as a mobile emergency backup power source. The power supply vehicle has good off-road performance and adaptability to various road surfaces. It is suitable for all-weather outdoor operations in the open air and can work in harsh environments such as extremely high or low temperatures and dusty conditions. It features stable and reliable overall performance, simple operation, low noise, good emission performance, excellent maintainability, etc., and can well meet the needs of outdoor operations and emergency power supply. The Power Supply Vehicle Factory of Hubei Chengli Special Automobile Co., Ltd. has a professional technical team for emergency power supply vehicles, with all members having over 5 years of working experience. They can customize vehicle models according to customers' application requirements to meet various needs in actual use. Our company provides a full range of emergency power supply vehicle products with a power









产品特点 Product Features

◎移动性强 综合功能较多

It has strong mobility and multiple comprehensive function

储油发电车发电机组机动性高、重心低制动安全、制造精良、外形美观。

The generator set of the oil storage and power generation vehicle features high mobility, a low center of gravity, safe braking, excellent craftsmanship, and an attractive appearance.

◎降噪处理 隔音效果好

Noise reduction treatment has been carried out, and it has a good sound insulation effect.

The noise reduction treatment is carried out with sound-absorbing baffles. The structure is simple. It can not only ensure the maximum effective air intake and exhaust volume of the generator set, but also meet



○性能优越 野外使用能力强劲

It has superior performance and strong capabilities for field use.

储油发电车具有良好的越野性能,能够经受各种路况。它对路面的适应性很强,适合在野外进行全天候的户外作业

The oil storage and power generation vehicle has excellent off-road performance and can withstand various road conditions. It has a high degree of adaptability to different road surfaces and is suitable for all-weather outdoor

◎机组减震 具有较高的承载能力

The generator set is shock-absorbed and it has a relatively high load-bearing capacity.

储油发电车选用由专利技术制造的橡胶减震垫进行减震。

The oil storage and power generation vehicle selects rubber shock-absorbing pads manufactured by patented technology for shock absorption.

技术参数 Technical Parameters

电源车 Power Supply Vehicle				
底盘名称	载货汽车底盘	外形尺寸 (mm)	9460×2550×3950(mm)	
Vehicle chassis	Van chassis	Dimensions		
发动机排量(ml) Engine displacerent	6200	发动机功率(kw) Engine power	169	
燃料种类	柴油	轴距(mm)	2800, 3306, 3800, 3950, 4500, 5800.	
Fuel Type	dieselfuel	Wheelbase		
排放标准	国VI	总质量(kg)	16000,18000	
Emission standards	National VI	Gross mass		

■ Ø 45



淋浴车」 Shower Vehicle



满足8-16人同时洗浴需求

can meet the bathing needs of 8 to 16 people simultaneously

10万大卡柴油锅炉 最大4吨级供水保障

Diesel boiler with a heat output of 100,000 kcal Maximum water supply guarantee of 4-ton class


车型简介 Vehicle Profile

淋浴车属于厢式专业作业车的一种,主要由底盘和上装部分两大总成组成。上装部分由箱体、副车架、裙边储物舱、电气系统、水路系统和附属设备组成。满足用户淋浴需求,设计能力为单时单次洗浴8人,每小时60-80人次,水温可调。

整车配备了10万大卡的柴油热能锅炉,75升热水箱,1000L-2000L净水箱,可选装1000L水囊,满负荷工作,有效保障洗浴效率,洗浴间分段设置,室内加装了换气扇,空调和取暖器,可满足高寒高冷作业环境下的使用。

The shower vehicle is a type of van-style professional work vehicle, mainly composed of two major assemblies: the chassis and the upper-mounted part. The upper-mounted part is composed of the box body, sub-frame, skirt-side storage compartments, electrical system, waterway system, and auxiliary equipment. It meets the showering needs of users. The designed capacity is to allow 8 people to take a shower at a time, with a capacity of 60 to 80 person-times per hour, and the water temperature is adjustable.

The whole vehicle is equipped with a diesel thermal energy boiler with a heat output of 100,000 kcal, a 75-liter hot water tank, a clean water tank with a capacity of 1000L to 2000L, and a 1000L water bladder can be optionally installed. When working at full load, it effectively ensures the showering efficiency. The shower rooms are set up in sections, and an exhaust fan, an air conditioner, and a heater are installed indoors, which can meet the usage requirements in high-cold working











技术参数 Technical Specifications

	沐	林浴车 Shower V	ehicle
底盘选用	重汽/东风	外形尺寸 (mm)	10730,10530,10330,
Chassis selection	Sinotruk/Dongfeng	Dimensions	9500*2550,2500*3960,3700
发动机排量(ml) Engine displacerent	7360	发动机功率(kw) Engine power	257
燃料种类	柴油	轴距 (mm)	5800
Fuel Type	dieselfuel	Wheelbase	
排放标准	国VI	总质量(kg)	16000,18000
Emission standards	National VI	Gross mass	



厕所盥洗车」

Toilet and Wash - up Vehicle



6-10人位盥洗保障

Provides washing support for 6 to 10 people


蹲便器马桶多种选择

可男女分区,选装真空排污系统

车型简介 Vehicle Model Introduction

厕所盥洗车是根据流动市民需求特别研发设计改装成的环保移动公厕。此车内部配置齐全实用,整车采用成熟、环保、稳定、节能的先 进技术工艺和材料,标准化的卫生间布局和设施配置,达到服务功能的最大化。在提高了用厕环境和方式的同时,增加了厕所的可移动性 和便捷性,使用起来更简便和人性化。

The toilet and wash-up vehicle is an environmentally friendly mobile public toilet that has been specially developed, designed and refitted according to the needs of mobile citizens. The interior of this vehicle is fully equipped and practical. The entire vehicle adopts mature, environmentally friendly, stable and energy-saving advanced technical processes and materials, as well as standardized toilet layouts and facility configurations to maximize its service functions. While improving the toilet environment and usage methods, it also enhances the mobility and convenience of the toilet, making it more convenient and user-friendly to use.









产品特点 Product Features



◎性能可靠 Reliable performance

高标准、科学改装,保证车辆具有优良可靠性能。

It is refitted to high standards and in a scientific manner to ensure that the vehicle has excellent and reliable performance.

◎安全环保 Safe and environmentally friendly

所有胶、漆、板材全部采用环保材料,保证车内环境质量。

All adhesives, paints and panels are made of environmentally friendly materials to ensure the quality of the interior environment.

◎科学配重 Scientific weight distribution

高标准、科学改装,保证车辆具有优良可靠性能。

It is refitted to high standards and in a scientific manner to ensure that the vehicle has excellent and reliable performance.

技术参数 Technical Parameters

	厕所盥洗车 Toilet and Wash - up Vehicle			
底盘选用	重汽/东风	外形尺寸(mm)	10730×2550×3990(mm)	
Chassis selection	Sinotruk/Dongfeng	Dimensions		
发动机排量(ml) Engine displacerent	7360	发动机功率(kw) Engine power	257	
燃料种类	柴油	轴距 (mm)	5800	
Fuel Type	diesel fuel	Wheelbase		
排放标准	国VI	总质量 (kg)	13100,16000	
Emission standards	National VI	Gross mass		







满足7-17人乘坐需求

It can meet the seating needs of 7 to 17 people.

舒适座椅,安全逃生窗口

可选装防爆网,整车防护装甲方案 Comfortable seats and safe emergency escape windows. An explosion-proof net can be optionally installed, and a whole-vehicle protective armor solution is available

车型简介 Vehicle Model Introduction

队员运输车主要用于医疗人员的运输,有效地解决前线医护人员的出行难题,充当起挽救生命的"动脉"。

队员运输车标配的12.8英寸中控大屏,采用了SYNC+2.0智行信息娱乐系统。仪表采用了全波晶模式,可以根据运动、经济、雪地模式 更换相应的主题方向盘支持四向电动调节,多功能按键包含多媒体控制、自适应巡航与语音识别功能。为前线医护人员提供了最及时、 最安全的乘车条件,助力抗疫保障工作高效运转。

The team member transport vehicle is mainly used for transporting medical staff, effectively solving the travel problems of front-line medical workers and serving as an "artery" for saving lives.

The team member transport vehicle comes standard with a 12.8-inch central control large screen, which is equipped with the SYNC+2.0 Intelligent Travel Information and Entertainment System. The instrument adopts a full-wave crystal mode and can change the corresponding themes according to the sport, economy, and snow modes. The steering wheel supports four-way electric adjustment, and the multi-functional buttons include multimedia control, adaptive cruise control, and voice recognition functions. It provides front-line medical staff with the most timely and safest riding conditions, helping to ensure the efficient operation of anti-epidemic work.









产品特点 Product Features



◎行政级车身尺寸 Executive-class body dimensions

通过性、动力性好,可以在小街窄巷中自由穿行,轻松适应高架桥、隧道等复杂路况。 It has good passability and power performance, and can freely move through small streets and narrow alleys, easily adapting to complex road conditions such as viaducts and tunnels.

○智能语音识别 wisdom able Voice recognition Don't

全系标配SYNC®+智行信息娱乐系统,实现服务、娱乐、智能导航、通讯、车温、座椅氛围灯以及智能家居互联等8大功能声控,让驾驶也充满温度。

The SYNC®+ Intelligent Travel Information and Entertainment System comes as a standard feature across the entire vehicle series. It enables voice control of eight major functions, including services, entertainment, intelligent navigation, communication, vehicle temperature control, seat ambient lighting, and smart home interconnection, making the driving experience more

②全速段自适应居中巡航Complete speed part Self suitable answer Center patrol Air

全系标配L2级Co-Pilot 360TM智行驾驶辅助系统,更有ESA紧急转向辅助等多项智能驾驶辅助配置,让各种场景驾驶都气定神闲。

The L2-level Co-Pilot 360TM intelligent driving assistance system comes as a standard feature across the entire vehicle series. In addition, there are multiple intelligent driving assistance configurations such as ESA Emergency Steering Assist, enabling you to drive with ease and confidence in various scenarios.

技术参数 Technical Parameters

	运 兵	车 Troop Carrier Veh	nicle
底盘名称	乘用车	外形尺寸(mm)	4875×2040×2575(mm)
Vehicle chassis	Passenger Cars	Dimensions	
发动机排量(ml) Engine displacerent	2499	发动机功率(kw) Engine power	90, 110, 125
燃料种类	汽油	轴距 (mm)	2800,3300,3760
Fuel Type	gasoline	Wheelbase	
排放标准	国VI	总质量 (kg)	3550,4200
Emission standards	National VI	Gross mass	

52 \bigcirc \blacksquare

RituMax

依维柯防暴运兵车」

Iveco anti-riot troop carrier



应对各类紧急任务的特种车辆

Special vehicles for dealing with various emergency tasks

具备强大的运输能力

融合了先进的科技与安全配置

t has powerful transportation capabilities and ntegrates advanced technology and safety configurations.

车型简介 Vehicle Model Introduction

依维柯防爆运兵车是一款专为应对各类紧急任务而设计的特种车辆,它不仅具备强大的运输能力,还融合了先进的科技与安全配置,使 其在各种复杂环境中都能发挥出色的性能。依维柯防爆运兵车采用了坚固的车身结构和防撞设计,以确保在极端条件下的安全性和稳定性。 其内部布局合理,可容纳多名救援人员及必要的装备,为快速响应和高效执行任务提供了有力保障。

The Iveco explosion-proof troop carrier is a special vehicle specifically designed to deal with various emergency tasks. It not only has powerful transportation capabilities but also integrates advanced technology and safety configurations, enabling it to perform excellently in various complex environments. The Iveco explosion-proof troop carrier adopts a sturdy vehicle body structure and anti-collision design to ensure safety and stability under extreme conditions. Its internal layout is reasonable and can accommodate multiple rescue personnel and necessary equipment, providing a strong guarantee for rapid response and efficient task execution









产品特点 Product Features

◎卓越的承载与运输能力

Excellent carrying and transportation capabilities

依维柯防爆运兵车具备强大的承载能力,能够装载足够的救援人员和必要的装备,如防暴盾、防暴叉、警棍等,以满足各种紧急任务的需求。同时,其内部空间设计合理,便于人员快速进出和装备的快速取用,提高了整体响应速度和执行任务的效率。

The Iveco explosion-proof troop carrier has a powerful carrying capacity and is able to load enough rescue personnel and necessary equipment, such as anti-riot shields, anti-riot forks, batons, etc., to meet the needs of various emergency tasks. At the same time, its internal space is reasonably designed, making it convenient for personnel to quickly enter and exit and for the rapid retrieval of equipment, which improves the

◎先进的科技与安全配置

Advanced technology and safety configurations

该车型配备了ADAS智能驾驶辅助预警系统、电子车身稳定系统、Power plus制动系统、TPMS胎压监测系统等先进的安全配置,为运兵车提供了多重安全保障。 这些配置不仅提高了车辆的行驶稳定性,还能在紧急情况下有效避免事故,保障救援人员的安全。

This model is equipped with advanced safety configurations such as the ADAS intelligent driving assistance warning system, electronic body stability system, Power plus braking system, TPMS tire pressure monitoring system, etc., providing multiple layers of safety guarantees for the troop carrier. These configurations not only enhance the driving stability of the vehicle but also effectively prevent accidents in emergency situations and ensure the safety of rescue personnel.

◎出色的越野与通过性能

Excellent off-road and passing performance

依维柯防爆运兵车采用了高性能的底盘和悬挂系统,使其在面对复杂地形时也能保持良好的通过性和稳定性。

The Iveco explosion-proof troop carrier adopts a high-performance chassis and suspension system, enabling it to maintain good passability and stability even when facing complex terrains.

技术参数 Technical Parameters

依维柯防暴运兵车 Iveco anti-riot troop carrier			
底盘型号 Chassis model	JX6581TA-M6	外形尺寸(mm) Dimensions	5998×2040×3130(mm)
发动机排量(ml) Engine displacerent	2998	发动机功率(kw) Engine power	103
燃料种类 Fuel Type	柴油 diesel fuel	轴距 (mm) Wheelbase	3300
排放标准 Emission standards	国VI National VI	总质量 (kg) Gross mass	4200

 \blacksquare \emptyset 53



装备运输车」

Equipment Transport Vehicle



多开门设计,辅助装卸功能, 满足各种机械设备装备, 物资运输要求

The vehicle features a multi-door design and an auxiliary loading and unloading function. It can meet the transportation requirements for various mechanical equipment and supplies.

车型简介 Vehicle Model Introduction

物资保障车是为了发生重大突发公共事件的紧急医疗救援的现场使用,在伤病员较多、救护车物品不足的情况下,提供急救医疗设备、器材和药品等医疗教援物资。该种车辆内部有分隔的空间,可以存放各种医用担架、急救箱、小型急救设备器材、药品等;车后厢配备一台柴油发电机,为野外急救照明和医疗设备用电提供电力支持;车顶有可以折叠和自动升降的高亮度照明灯为野外夜间救援提供保障。

The Material Support Vehicle is designed for on-site use in emergency medical rescues during major public emergencies. When there are a large number of injured and sick people and the ambulances are in short supply of items, it provides emergency medical supplies such as first-aid medical equipment, instruments, and medicines. The interior of this vehicle has partitioned spaces, which can store various medical stretchers, first-aid kits, small first-aid equipment and instruments, medicines, etc. A diesel generator is installed in the rear compartment of the vehicle to provide power support for field first-aid lighting and the operation of medical equipment. There is a high-brightness lighting lamp on the









产品特点 Product Features



整车机动性强、可靠性高、环境适应性好。

The whole vehicle features high mobility, reliability, and good environmental adaptability.

能够满足医用器材,物资,装备,服装等应急器材储存,运输。

It is capable of meeting the storage and transportation needs of emergency supplies such as medical equipment, materials, gear, and clothing.

厢体制作采用国际的军表钢板结构工艺,牢固可靠。

The body of the vehicle is manufactured using the international militarystandard steel plate structural process, which makes it firm and reliable.

整车具有适应中西部的地域特性,使用限高不低于350mm。

The whole vehicle is adapted to the regional characteristics of the central and western regions, and its minimum ground clearance for normal use is not lower than 350mm.

选装尾部带液压尾板,方便应急处理时工具车或人员上下。

An optional hydraulic tailgate can be installed at the rear, which facilitates the access of utility vehicles or personnel during emergency handling.

技术参数 Technical Parameters

装备运输车 Equipment Transport Vehicle			
底盘选用	东风/其他品牌	外形尺寸(mm)	6160×2180×2900(mm)
Chassis selection	Dongfeng/Other brands	Dimensions	
发动机排量(ml) Engine displacerent	2300	发动机功率(kw) Engine power	100
燃料种类	柴油	轴距(mm)	3308
Fuel Type	diesel fuel	Wheelbase	
排放标准	国VI	总质量 (kg)	7360
Emission standards	National VI	Gross mass	





Communication and Command Vehicle




- 车厢的环境布置简洁、舒适
- The carriage is simply yet comfortably decorated.
- 自动化管理和控制体系
- It adopts an automated management and control system.
- 系统可靠性高整车布局合理
 The system boasts high reliability and the overall which layout is rational.
- 国际先进水平的尖端技术
 It incorporates cutting edge technologies at the international advanced level.
- 系统操作简便.易于管理系统的功能和组成
- The system is easy to operate and manage, with clear cut functions and composition.

车型简介 Vehicle Model Introduction

通讯保障车结合了地面移动终端(执法仪),将移动执法终端通过IOT采集危险源数据、移动执法终端和执法记录仪的采购数据全部可以实时上传云端。该车是一个快速反应的通信系统与信息系统有机集成的平台,能综合各种应急服务资源,统一指挥联合行动,为公民提供快速、及时的应急救助服务,为社会公共安全提供强有力的保障。

The communication support vehicle is integrated with ground - mobile terminals (law enforcement devices). Data on hazard sources collected by mobile law - enforcement terminals through the Internet of Things (IOT), as well as procurement data from mobile law - enforcement terminals and law - enforcement recorders, can all be uploaded to the cloud in real - time. This vehicle serves as a platform that organically integrates a rapid - response communication system and an information system. It can comprehensively integrate various emergency service resources, conduct unified command over joint operations, provide citizens with rapid and timely emergency rescue services, and offer strong support for social public security.









产品特点 Product Features



◎集成智能科技 多种通信保障

Integrated intelligent technology for multiple communication guarantees

集成LTE基站通信、卫星通信、多网融合通信等智能安全通信系统,满足移动办公、指挥调度的需求。

Integrate intelligent and secure communication systems such as LTE base station communication, satellite communication, and multi - network convergence communication to meet the needs of mobile office and command

◎一体化指挥调度平台

Integrated Command and Dispatch Platforn

数据分析管理及存储互传,可为现场管理人员、保障人员等提供信息 化综合调度管理可进行四方通话和远程指挥操控。

Data analysis, management, storage and mutual transfer can provide information - based comprehensive dispatching management for on - site managers and support staff. It enables four - party calls and remote command

◎扩展智能集中控制 方舱一键展开

pand intelligent centralized control. The shelter can be deployed with one - key operation.

整车设备控制系统智能集中控制,方便快捷、统一操作管理;采用先进的扩展方舱技术,快速形成一个移动应急指挥平台。

The vehicle equipment control system enables intelligent centralized control, which is convenient, fast, and conducive to unified operation and management. Advanced expandable shelter technology is adopted to quickly form a mobile emergency command platform.

技术参数 Technical Parameters

通讯指挥车 Communication and Command Vehicle			
底盘名称 Vehicle chassis	载货汽车底盘 Van chassis	外形尺寸 (mm) Dimensions	11500x2550x2850(mm)
发动机排量(ml) Engine displacerent	6870	发动机功率(kw) Engine power	257
燃料种类 Fuel Type	柴油 diesel fuel	轴距 (mm) Wheelbase	5775+1400
排放标准 Emission standards	国VI National VI	整备质量 (kg) curb Weight	8500



大流量排水救险车」

Large-flow Drainage Emergency Rescue Vehicle



500-8000方/小时排水量


The drainage capacity is 500 to 8,000 cubic meters per hour.

满足8-12小时持续作业要求 能应对各种复杂工况 可远程作业,安全可靠 Meet 8-12 hours of continuous operation requirements Can cope with a variety of complex conditions

车型简介 Vehicle Model Introduction

具备厢体空间大,操控性好、维修简便、通过性能强等特点。实现了机动灵活,移动水泵的功能,设备可满足大部分恶劣条件下的紧急抽排水作业,并具备移动电源功能。车辆主要搭载发电设备、排涝设备及其它救援辅助设备。可广泛应用于应急消防队、公安、医疗卫生、厂矿企业及社区、码头等场所。

It has the characteristics of a large compartment space, good maneuverability, easy maintenance, and strong passability. It realizes the functions of being mobile and flexible, as well as a mobile water pump. The equipment can meet the emergency pumping and drainage operations under most harsh conditions, and it also has the function of a mobile power source. The vehicle is mainly equipped with power generation equipment, flood drainage equipment, and other rescue auxiliary equipment. It can be widely used in emergency fire brigades, public security departments, medical and health institutions factories mines enterprises communities declared other places.











东风多利卡救险车



皮卡救险车



东风天锦救险车



庆铃救险车

技术参数 Technical Parameters

大流量排水救险车 Large-flow Drainage Emergency Rescue Vehicle			
底盘选用	东风,庆铃,重汽等	发电机选用	25KW-300kw
Chassis selection	Dongfeng, Qingling, Sinotruk, etc	Generator selection	
排水泵	便携式/直排泵/子母式	燃料种类	柴油
Dewatering pump	Portable/in-line pump/mother-child type	Type of fuel	diesel fuel
电器系统	配电箱, 电控系统	警示设备	长排警灯
Electrical system	Distribution box, electronic control system	Warning device	Long line of alarm lights
辅助系统	可选装辅助装卸系统	其它选装	升降照明灯
Auxiliary system	Optional auxiliary handling system	Other optional	Liftlight

60.0

依维柯抢险车」 Iveco emergency rescue vehicle

专为紧急救援任务设计

Designed specifically for emergency rescue missions

性能卓越、配置灵活 强大的承载能力 Excellent performance and flexible configuration Powerful carrying capacity

依维柯抢险车,专为紧急救援任务设计,以其卓越的性能、灵活的配置和强大的承载能力,赢得了广泛的认可。该车采用坚固耐用的 车身结构,搭载高效动力系统,确保在各种复杂环境中都能迅速响应,稳定前行。车内空间布局合理,配备先进的救援装备和通讯设备,为 救援团队提供了全方位的支持。无论是城市街道还是偏远山区,依维柯抢险车都能以出色的表现,完成一次又一次的救援任务。

The Iveco emergency rescue vehicle is specifically designed for emergency rescue missions. With its outstanding performance, flexible configuration and powerful carrying capacity, it has won widespread recognition.

This vehicle adopts a sturdy and durable vehicle body structure and is equipped with an efficient power system, ensuring a rapid response and stable driving in various complex environments. The interior space is reasonably arranged, and it is equipped with advanced rescue equipment and communication devices, providing all-round support for the rescue team.

Whether it is in urban streets or remote mountainous areas, the Iveco emergency rescue vehicle can, with its excellent












产品特点 Product Features



◎卓越越野性能 Excellent off-road performance

依维柯抢险车凭借其出色的离地间隙和四驱系统,轻松应对各种复杂地形。车辆还配备了强 化型悬挂系统和防滑差速锁,进一步提升了越野性能,确保在极端条件下也能顺利到达救援

With its excellent ground clearance and four-wheel drive system, the Iveco emergency rescue vehicle can easily handle various complex terrains. The vehicle is also equipped with a reinforced suspension system and an anti-skid differential lock, which further enhances its off-road performance and ensures that it can reach

○高效动力系统 Efficient power system

依维柯抢险车搭载了高性能发动机和先进的传动系统,提供了强劲的动力输出和平顺的加 速性能。发动机的低油耗和长寿命设计,也降低了运营成本,提高了车辆的经济性。

The Iveco emergency rescue vehicle is equipped with a high-performance engine and an advanced transmission system, providing powerful power output and smooth acceleration performance. The design of the engine with low fuel consumption and long service life also reduces the operating costs and improves the

◎模块化设计 Modular design

依维柯抢险车采用了模块化设计理念,可根据不同的救援需求进行灵活配置。车身内部可搭 载各种救援设备,此外,车辆还提供了多种扩展接口和安装点,方便救援团队根据实际需求 进行定制化改造,提升救援效率。

The Iveco emergency rescue vehicle adopts the concept of modular design and can be flexibly configured according to different rescue needs. Various rescue equipment can be installed inside the vehicle body. In addition, the vehicle also provides a variety of expansion interfaces and installation points, which facilitates the customization and modification of the rescue team according to actual needs, thus improving the rescue efficiency.

技术参数 Technical Parameters

依维柯抢险车 Iveco emergency rescue vehicle			
发动机型号	F1AE8481G (手动挡)	外形尺寸(mm)	5495,5670×2040×2800(mm)
Engine Model	F1CE8481K (自动挡)	Dimensions	
发动机排量(ml) Engine displacerent	1994ml(手动挡)/2998ml(自动挡)	发动机功率(kw) Engine power	107kw(手动挡)/125kw(自动挡)
燃料种类	柴油	轴距(mm)	3300
Fuel Type	diesel fuel	Wheelbase	
排放标准	国VI	整备质量(kg)	3870
Emission standards	National VI	curb Weight	





车型简介 VehicleModelIntroduction

长城炮指挥车采用长城汽车推出的越野炮车型改装。车辆配置:8AT自动档变速箱,2.0T 涡轮增压发动机,豪华内饰,前置四驱带差速锁,360 全景影像,自动空调,前后金属保险杠,带涉水喉,整体车身重心低、更稳定,有效确保驾驶者的安全;注重设备的集成性,实现运送装备快捷高效,兼顾人员的乘坐舒适性,满足实战,反恐,处置各种突发事件的需求。

The Great Wall Paodou Command Vehicle is refitted from the Off-road Paodou model launched by Great Wall Motor. Vehicle configuration: 8AT automatic transmission, 2.0T turbocharged engine, luxurious interior, front four-wheel drive with differential lock, 360 panoramic image, automatic air conditioning, front and rear metal bumpers, and a wading snorkel. The overall vehicle has a low center of gravity, making it more stable, effectively ensuring the safety of the driver. It emphasizes the integration of equipment, achieving fast and efficient transportation of equipment. It also takes into account the riding comfort of personnel, meeting the needs of actual combat, anti-terrorism, and handling various emergency incidents.







产品特点 Product Features



○高性能动力系统

High-performance power syste

长城炮指挥车搭载2.0T涡轮增压发动机与8AT自动档变速箱,提供强劲动力和平顺换挡体验,确保在各种复杂路况下都能迅速响应,稳定前行。

The Great Wall Paodou Command Vehicle is equipped with a 2.0T turbocharged engine and an 8AT automatic transmission, which provide powerful power and a smooth gear shifting experience, ensuring a rapid response and stable driving under various complex road conditions.

◎先进安全与便捷配置

Advanced safety and convenient configuration

配备前置四驱系统带差速锁、360度全景影像以及低重心稳定设计,有效增强车辆的越野能力和行驶稳定性,全方位保障驾驶者安全;同时,自动空调和豪华内饰提升驾乘舒适度。

Equipped with a front four-wheel drive system with a differential lock, a 360-degree panoramic camera system, and a low-center-of-gravity stable design, it effectively enhances the vehicle's off-road capabilities and driving stability, providing comprehensive safety protection for the driver. At the same time, the automatic air conditioning and luxurious interior improve the driving and riding

◎高效集成与多功能性

High-efficiency integration and multifunctionality

该车注重设备集成性,不仅能快捷高效地运送装备,还兼顾了人员的乘坐舒适性,完美适应实战、反恐及处置各类突发事件的需求,实现功能与实用性的完美结合。

This vehicle places great emphasis on the integration of equipment. It can not only transport equipment quickly and efficiently but also takes into account the riding comfort of personnel. It perfectly adapts to the needs of actual combat, anti-terrorism operations, and handling various emergency incidents, achieving a perfect combination of functionality and practicality.

技术参数 Technical Parameters

前突指挥车 Forward Command Vehicle			
底盘名称 Vehicle chassis	CL5030XZH6AYS	外形尺寸(mm) Dimensions	5444×1958×2250(mm)
发动机排量(ml) Engine displacerent	1996	发动机功率(kw) Engine power	122
燃料种类 Fuel Type	柴油 diesel fuel	轴距(mm) Wheelbase	3230
排放标准 Emission standards	国VI National VI	总质量(kg) Gross mass	2800

■ 64 Ø **■**



猛士装备指挥车」 Mengshi Equipment Command Vehicle

东风猛士四驱越野指挥车采用东风汽车推出的猛士M50车型改装。采用东风康明斯增压柴油发动机,195匹马力,最大扭矩 600N·m/1100~2200rpm, 时速可达120km/h;全时四轮驱动和高低两速传动, 配备轴间差速锁, 轮间限滑差速器和ASR系统相结合。全 封闭断面车架纵梁和吸能式转向管柱撞击可折式发动机罩;卓越的越野机动性和良好的改装适应性;全天候、全天时、全地形、全地域作业 能力;能够在山地、丛林、城镇、高原、高寒、沙漠、居民地等复杂地形执行多样化任务;整车设计注重设备的集成性,能够实现现场应急指 挥、图像采集传输等特殊功能,实时为指挥研判提供直观的现场图像和相关信息参考,可搭载无人机指挥系统,无人机由地面指挥控制系 统来进行指挥与控制,完成特定的任务。

The Dongfeng Mengshi four-wheel drive off-road command vehicle is refitted from the Mengshi M50 model launched by Dongfeng Motor. It is equipped with a Dongfeng Cummins supercharged diesel engine with a power of 195 horsepower, a maximum torque of 600N·m/1100~2200rpm, and a maximum speed of up to 120km/h. It has full-time four-wheel drive and a two-speed transmission system (high and low gears), and is equipped with an inter-axle differential lock, combined with an inter-wheel limited-slip differential and an ASR system. It has a fully enclosed sectional frame longitudinal beam, an energy-absorbing steering column, and a foldable engine hood in case of impact. It has excellent off-road mobility and good adaptability for modification. It has the ability to operate all-weather, around the clock, in all terrains and across all regions. It is capable of performing diverse tasks in complex terrains such as mountains, jungles, towns, plateaus, extremely cold areas, deserts, and residential areas. The overall vehicle design focuses on the integration of equipment, and it can achieve special functions such as on-site emergency command, image collection and transmission. It can provide intuitive on-site images and relevant information references for command and judgment in real time. It can carry an unmanned aerial vehicle (UAV) command system. The UAV is commanded and controlled by the ground command and control system to





技术参数 Technical Parameters

猛士装备指挥车 Mengshi Equipment Command Vehicle			
底盘名称 Vehicle chassis	EQ2063EYY6J	外形尺寸(mm) Dimensions	5760,5975×2460×2960(mm)
发动机排量(ml) Engine displacerent	4000	发动机功率(kw) Engine power	143
燃料种类 Fuel Type	柴油 diesel fuel	轴距 (mm) Wheelbase	3800
排放标准 Emission standards	国VI National VI	总质量 (kg) Gross mass	5630